



# Spire STL Pipeline Project

Resource Report 8  
Land Use, Recreation and Aesthetics

FERC Docket No. CP17-\_\_\_-\_\_\_

FERC Application  
January 2017

Public



<b>RESOURCE REPORT 8 - LAND USE, RECREATION AND AESTHETICS</b>	
<b>SUMMARY OF FILING INFORMATION</b>	
<b>Information</b>	<b>Found in</b>
1. Classify and quantify land use affected by: Title 18 Code of Federal Regulations (CFR) section (§) 380.12(j)(1) a. Pipeline construction and permanent rights-of-way; b. Extra work/staging areas; c. Access roads; d. Pipe and contractor yards; and e. aboveground facilities.	Sections 8.1 and 8.1.2; Tables 8.1-1, 8.1-2, 8.1-4, and 8.1-5.
2. Identify by milepost all locations where the pipeline right-of-way would at least partially coincide with existing rights-of-way, where it would be adjacent to existing rights-of-way, and where it would be outside of existing rights-of-way - 18 CFR § 380.12(j)(1).	Section 8.1.1.2 and Table 8.1-3.
3. Provide detailed typical construction right-of-way cross section diagrams showing information such as widths and relative locations of existing rights-of-way, new permanent right-of-way and temporary construction right-of-way - 18 CFR - § 380.12(j)(1).	Appendix 8-A.
4. Summarize the total acreage of land affected by construction and operation of the project - 18 CFR § 380.12(j)(1).	Section 8.1 and Tables 8.1-1 and 8.1-2.
5. Identify by milepost all planned residential or commercial/business development and the timeframe for construction - 18 CFR § 380.12(j)(4).	Section 8.2.1.
6. Identify by milepost special land uses (e.g., maple sugar stands, specialty crops, natural areas, national and state forests, conservation land, etc.) - 18 CFR § 380.12(j)(4).	Section 8.3.
7. Identify by beginning milepost and length of crossing all land administered by federal, state, or local agencies, or private conservation organizations - 18 CFR § 380.12(j)(4).	Table 8.3-2.
8. Identify by milepost all natural, recreational, or scenic areas, and all registered natural landmarks crossed by the project - 18 CFR § 380.12(j)(4 & 6).	Table 8.3.2.



<b>RESOURCE REPORT 8 - LAND USE, RECREATION AND AESTHETICS</b>	
<b>SUMMARY OF FILING INFORMATION</b>	
<b>Information</b>	<b>Found in</b>
9. Identify all facilities that would be within designated coastal zone management areas - 18 CFR § 380.12(j)(4).	Section 8.5.
10. Identify by milepost all residences that would be within 50 feet of the construction right-of-way or extra work area - 18 CFR § 380.12(j)(5).	Table 8.2-1.
11. Identify all designated or proposed candidate National or State Wild and Scenic Rivers crossed by the project - 18 CFR - § 380.12(j)(6).	Section 8.3.1.
12. Describe any measures to visually screen aboveground facilities, such as compressor stations - 18 CFR § 380.12(j)(11).	Section 8.6.
13. Demonstrate that applications for rights-of-way or other proposed land use have been or soon will be filed with federal land-managing agencies with jurisdiction over land that would be affected by the project - 18 CFR § 380.12(j)(12).	Section 8.7.
<b>INFORMATION RECOMMENDED OR OFTEN MISSING</b>	
1. Identify all buildings within 50 feet of the construction right-of-way or extra work areas.	Table 8.2-1.
2. Describe the management and use of all public lands that would be crossed.	Section 8.3.
3. Provide a list of landowners by milepost or tract number that corresponds to information on alignment sheets.	Resource Report 1, Appendix 1-G.
4. Provide a site-specific construction plan for residences within 25 feet of construction or as requested by Federal Energy Regulatory Commission staff.	Appendix 8-C.



## Table of Contents

Land Use, Recreation, and Aesthetics .....	8-1
8.1    Land Use .....	8-1
8.1.1    Pipeline Facilities.....	8-6
8.1.2    Aboveground Facilities.....	8-16
8.1.3    Facility Abandonment/Replacement .....	8-16
8.2    Residential Areas.....	8-16
8.2.1    Planned Residential and Commercial Areas .....	8-16
8.2.2    Existing Residences and Buildings.....	8-17
8.3    Public Land, Recreation, and Other Designated Areas .....	8-20
8.3.1    Public or Conservation Land .....	8-20
8.3.2    Natural, Recreational, or Scenic Areas.....	8-26
8.3.3    Agency and Landowner Consultation .....	8-29
8.3.4    Impact and Mitigation.....	8-29
8.4    Contaminated or Hazardous Waste Sites.....	8-30
8.5    Coastal Zone Management Areas .....	8-31
8.6    Visual Resources.....	8-31
8.6.1    Pipelines .....	8-31
8.6.2    Aboveground Facilities.....	8-33
8.7    Applications for Rights-of-Way and Other Land Use .....	8-33
8.8    References.....	8-33

### Tables

8.1-1    Land Crossed by the Pipelines.....	8-2
8.1-2    Acreage Affected by Construction and Operation of the Project .....	8-7
8.1-3    Existing Rights-of-Way Adjacent to the Pipelines .....	8-10
8.1-4    Access Roads Required for the Project .....	8-12
8.1-5    Contractor Yards/Staging Areas .....	8-15
8.2-1    Residences and Structures Within 50 Feet of Construction Work Area and Proposed Mitigation1.....	8-19
8.3-1    Potential Lands Enrolled in Conservation Programs .....	8-26





8.3-2 Public Land and Designated Recreation Areas, Scenic Areas, or Other Public  
Special Use Areas within 0.25-mile of the Project ..... 8-27

Appendices

8-A Typical Right-of-Way Cross-Section Drawings  
8-B Federal Property Crossing Plan  
8-C Site-Specific Residential Construction Details  
8-D Land Use Mapping  
8-E Unanticipated Discovery of Contaminants Plan  
8-F Additional Temporary Workspace



## Acronyms and Abbreviations

AIMA	Agricultural Impact Mitigation Agreement
ATWS	additional temporary workspace
CFR	Code of Federal Regulations
CREP	Conservation Reserve Enhancement Program
CRP	Conservation Reserve Program
E&SCP	Erosion and Sediment Control Plan
Enable MRT	Enable Mississippi River Transmission LLC
FERC	Federal Energy Regulatory Commission
FSA	Farm Service Agency
FUSRAP	Formerly Utilized Sites Remedial Action Program
HDD	horizontal directional drill
IDNR	Illinois Department of Natural Resources
IHPA	Illinois Historic Preservation Agency
M&R	metering and regulating
MDOC	Missouri Department of Conservation
MLV	mainline valve
MP	milepost
NRCS	Natural Resources Conservation Service
PAR	permanent access road
PEM	Palustrine Emergent
PFO	Palustrine Forested
Plan	FERC's Upland Erosion Control, Revegetation, and Maintenance Plan
Procedures	FERC's Wetland and Waterbody Construction and Mitigation Procedures
Project	Spire STL Pipeline Project
PSS	Palustrine Scrub Shrub
REX	Rockies Express Pipeline LLC
Spire	Spire STL Pipeline LLC
TAR	temporary access road



TWS	temporary workspace
USEPA	United States Environmental Protection Agency
USACE	United States Army Corps of Engineers
USDA	United States Department of Agriculture



# Land Use, Recreation, and Aesthetics

This resource report addresses the land that will be affected by the construction and operation of the Spire STL Pipeline LLC (“Spire”) Spire STL Pipeline Project (“Project”), including temporary construction right-of-way, permanent easement, additional temporary workspace (“ATWS”), temporary and permanent access roads, contractor yards/staging areas and aboveground facilities. In addition to quantifying and summarizing affected land, this report identifies public lands and designated recreation or other special use areas affected by the Project. It also provides summaries of consultations with federal and state agencies regarding land uses and discusses specialized construction techniques and mitigation that will be utilized to minimize impacts during construction and operation.

## 8.1 Land Use

Land use within the Project area was based on interpretation of recently flown aerial photography in 2016 and supplemented with field reconnaissance during the environmental resources investigations which were initiated in September 2016 within areas of accessible properties. Resource Report 3, Section 3.3 Vegetation provides detailed descriptions of the vegetation cover types crossed by the Project.

The Project will cross land use categories including agricultural lands, forest, open land, developed, and open water. Descriptions of each type of land use category traversed by the Project are provided below. Waterbodies less than 10 feet wide were classified within the land use categories which surrounded them (agriculture and open land). Linear mileage and percentage of cover type crossed per each identified land use type is summarized in Table 8.1-1.

Land use types are characterized as:

- Agricultural Land - Cultivated or rotated cropland or hay fields and pastureland;
- Open Land - Non-forested lands used for open space;
- Forest/Woodland - Tracts of upland forest or woodland that would be removed for the construction right-of-way or ATWS;
- Developed Land/Industrial areas - include paved or named roads, railroads, and associated easements, transportation rights-of-way, commercial areas, residential yards, and residential subdivisions. Unpaved roads were classified under their surrounding land use category;
- Wetland - wetlands classified as emergent, forested, and/or scrub shrub; and
- Open Water - Water crossings greater than 10 feet.



**Table 8.1-1. Land Crossed by the Pipelines**

County, State	Agriculture		Open Land		Forest		Developed <sup>1</sup>		Wetland		Open Water		Total	
	Miles	Percent	Miles	Percent	Miles	Percent	Miles	Percent	Miles	Percent	Miles	Percent	Miles	Percent
<b>24-inch Pipeline</b>														
Scott County, Illinois	2.73	77.16	0.33	9.29	0.44	12.30	0.03	0.78	0.01	0.21	0.01	0.27	3.54	100.00
Greene County, Illinois	23.47	90.70	1.32	5.10	0.61	2.37	0.14	0.56	0.28	1.09	0.05	0.18	25.87	100.00
Jersey County, Illinois	13.19	82.71	0.76	4.74	1.56	9.79	0.07	0.46	0.07	0.43	0.30	1.86	15.94	100.00
St. Charles County, Missouri	10.80	84.81	0.05	0.39	0.18	1.45	0.16	1.24	0.81	6.36	0.73	5.75	12.74	100.00
St. Louis County, Missouri	0.00	0.61	0.05	7.41	0.12	16.98	0.38	52.56	0.01	1.58	0.15	20.86	0.72	100.00
<b>Subtotals<sup>2</sup></b>	<b>50.19</b>	<b>85.34</b>	<b>2.51</b>	<b>4.27</b>	<b>2.92</b>	<b>4.96</b>	<b>0.78</b>	<b>1.33</b>	<b>1.18</b>	<b>2.01</b>	<b>1.24</b>	<b>2.10</b>	<b>58.81</b>	<b>100.00</b>
<b>Line 880<sup>3</sup></b>														
St. Louis County, Missouri	0.40	5.65	1.28	18.19	1.09	15.58	4.19	59.70	0.04	0.63	0.02	0.25	7.01	100.00
<b>Totals<sup>2</sup></b>	<b>50.59</b>	<b>76.85</b>	<b>3.78</b>	<b>5.75</b>	<b>4.01</b>	<b>6.09</b>	<b>4.97</b>	<b>7.55</b>	<b>1.22</b>	<b>1.86</b>	<b>1.25</b>	<b>1.91</b>	<b>65.82</b>	<b>100.00</b>

Notes:

- <sup>1</sup> Developed land is characterized as existing rights-of-ways, commercial/industrial and residential land.
- <sup>2</sup> May not equal the sum of the column due to rounding.
- <sup>3</sup> Mileage and percentage along Line 880 is provided for the entire route length although only portions of the existing 7.0 mile pipeline will be modified or relocated.



### **Agricultural Land**

The majority of the Project route traverses agricultural land, including areas that are regularly cultivated and used to grow row crops. The primary crops observed during field reconnaissance in the environmental survey area were corn (*Zea mays*) and soybeans (*Glycine max*). Table 8.1-1 summarizes the total acreage of agricultural land anticipated to be impacted during construction and operation of the Project. With the exception of areas where permanent aboveground facilities will be constructed, agricultural land affected by the Project will be restored to its original use, including the permanent pipeline easement. Spire proposes five feet of cover in agricultural lands.

Spire will minimize adverse impacts on agricultural land by completing work in accordance with FERC's Upland Erosion Control, Revegetation and Maintenance Plan ("Plan") and the Agricultural Impact Mitigation Agreement ("AIMA") which was developed in coordination with the Illinois Department of Agriculture for the portion of the Project in Illinois. Spire has provided a draft of the AIMA to in Resource Report 7, Appendix 7-C Agricultural Impact Mitigation Agreement.

In order to avoid and minimize affects to topsoil, Spire proposes to perform topsoil segregation in active croplands across the entire length of the construction right-of-way. Spire has included 25 feet of ATWS in agricultural lands in order to complete topsoil segregation activities. A minimum of 12 inches of topsoil will be segregated in deep soils, and the entire topsoil layer, where possible, will be segregated in soils with less than 12 inches of topsoil. It is anticipated that Spire will encounter greater than 12 inches of topsoil in Illinois, which will be determined during construction by a qualified soil scientist per the AIMA. The topsoil and subsoil will be temporarily stockpiled in separate windrows on the construction right-of-way.

During the course of easement negotiations, Spire will work with landowners to locate areas known to have existing drain tiles or irrigation systems. If drain tiles or irrigation systems are damaged by construction of the pipeline, Spire will work with the landowner to repair or replace those damaged sections in accordance with the FERC Plan for the entire Project and the Plan and AIMA for Illinois portions of the Project. Agricultural land will be returned to its original contour to maintain pre-construction hydrology. Should construction result in any new draining or ponding issues, Spire will work directly with the landowners to address the issues.

Within agricultural lands crossed by the Project, Spire will negotiate with and reimburse landowners for damages or loss to their productivity as a result of the construction of the proposed Project. The reimbursement to these landowners will be based on the market prices for the specific crops at the time of easement negotiations with each affected landowner. Additionally, Spire will coordinate with landowners to accommodate farm access during construction of the Project.

Spire has coordinated with landowners who will be directly affected by Project construction. Landowners who have made specific construction requests such as relocation of animals or contractor access into the properties are being tracked by Spire and will be accommodated by Spire and its contractors during construction. Spire will continue working with landowners throughout the easement negotiation process to ensure landowner request have been discussed and implemented.



### **Forest/Woodland**

Table 8.1-1 summarizes the total acreage of forest/woodland anticipated to be impacted during construction and operation of the Project. The forested habitat observed during field reconnaissance included bottomland forest (riparian forested areas bordering waterbodies). The largest span of forested tracts along the north and south sides of the Mississippi River will be colocated with an existing pipeline corridor therefore minimizing impacts to forest land. Temporary workspace (“TWS”) will be cleared in the locations of the horizontal directional drill (“HDD”) entry/exit locations; however, no clearing will occur between the entry and exit points of crossing.

Temporary areas that are cleared for construction within the workspace boundaries will be restored and allowed to revert back to forest after construction is complete. Uplands within the permanent easement that are currently forested will be maintained in an herbaceous state without trees to facilitate the operation of the Project facilities.

### **Open Land**

Open land is defined as non-forested lands used for open space. During field reconnaissance of the Project, this was observed to be mostly grassy, mowed, and maintained areas and spaces between agricultural fields and roads or areas actively maintained in scrub-shrub herbaceous vegetation. Table 8.1-1 summarizes the total acreage of open land anticipated to be impacted during construction and operation of the Project. Open land affected by the Project will be returned to its original use upon completion of the Project.

### **Developed Land**

Developed land includes industrial/commercial lands, roadways and associated easements, transportation rights-of-way, railroads, and residential lands and subdivisions. Disturbed areas such as these are typically devoid of undisturbed vegetation or consist of impervious surfaces.

Impact minimization measures used in commercial/industrial areas will include timing of construction to avoid peak use periods, maintaining access to businesses at all times, and expediting construction through these areas. Spire will coordinate directly with affected commercial/industrial landowners on an individual basis to further reduce potential adverse impacts.

A list of roads and railroads crossed by the Project is provided in Table 1.3-2 in Resource Report 1, General Project Description. Roads crossed by the Project range from maintained gravel municipal roads to state highways. Potential temporary impacts associated with roadway crossings include disruption of traffic flows, disturbance of existing underground utilities, and hindrance of emergency vehicle access. The majority of the roads will be crossed by open cut methodologies with the exception of large county and state roadways which will be crossed via conventional bore. Spire will ensure that construction activities will not pose a traffic concern and will create temporary travel lanes during construction.

The proposed 24-inch pipeline crosses the Kansas City Southern Railway and the Burlington Northern & Santa Fe Railroad. The existing Line 880 crosses the Burlington Northern Santa Fe Railroad, however no modifications to this crossing are proposed. Each railroad will be crossed via conventional bore. The use of conventional bore will avoid impacts on the normal operation of the active railroads during construction and operation of the proposed



Project. For safety purposes, Spire will consider the specific requirements of each railroad company when designing and constructing each railroad crossing.

Residential land is developed land that includes both single and multiple family dwellings, and may contain developed subdivisions. Vegetation cover in residential lands generally consists of mowed lawns and landscaped areas. Impacts on residential areas and a discussion of the mitigation measures that will be implemented during construction to minimize these impacts is discussed in Section 8.2, Residential Areas.

### **Wetland**

Wetland includes wetlands classified as palustrine forested (“PFO”), palustrine scrub-shrub (“PSS”) and palustrine emergent (“PEM”). Wetland acreages were based on data collected during the stream and wetland identification surveys initiated in September 2016 where landowner permissions had been granted. Table 8.1-1 summarizes the total acreage of wetland anticipated to be impacted during construction and operation of the Project. Direct impacts to some wetlands will be avoided by the trenchless crossings of the Mississippi and Missouri Rivers, as specified in Table 2.3-1 of Resource Report 2, Water Use and Quality.

In locations of wetlands outside of cultivated lands, Spire will reduce its construction right-of-way width to 75 feet in order to minimize the acreage of clearing that will be required for the Project. Exceptions have been requested in Appendix 1-D of Resource Report 1, General Project Description. Operational impacts reported in Table 8.1-2 reflect the acreage of wetland within the permanent easement for the Project. PEM wetlands are not anticipated to be permanently impacted by Project activities as these wetlands will revert back to the same type following construction. In accordance with the FERC’s Wetland and Waterbody Construction and Mitigation Procedures (“Procedures”), Spire will maintain a ten-foot wide corridor through wetlands which will permanently convert PSS and PFO wetlands to an emergent state. Spire will also selectively remove trees within 15 feet of the pipeline that have roots that could compromise the integrity of the pipeline coating.

### **Open Water**

Open water includes lakes, ponds, and waterbodies greater than 10 feet wide. Table 8.1-1 summarizes the total acreage of open water anticipated to be impacted during construction and operation of the Project.

Spire intends to implement the FERC’s Procedures as a minimum standard for crossing and restoring waterbodies affected by the Project. Spire proposes to limit waterbody impacts by reducing the crossing width to 75 feet in these areas. The Mississippi and Missouri Rivers and associated wetlands will be crossed via HDD and will not result in direct impacts on these waterbodies and wetlands. Open water impacted during operation will not result in a change of land use designation.

During construction, Spire will implement best management practices and adhere to the FERC Procedures to minimize impacts on open water resources and minimize erosion and sediment run off. Following the completion of construction activities, open water areas will be restored to pre-construction conditions. Additional information regarding waterbody crossing methods and impacts is provided in Section 2.2 of Resource Report 2, Water Use and Quality.





Four perennial waterbodies crossed by the 24-inch pipeline were identified as 100 feet wide or greater. The Mississippi River and Missouri River are proposed to be crossed via HDD. An oxbow of the Missouri River is greater than 100 feet wide and is also proposed to be crossed via HDD. The HDDs will allow for trenchless construction across the waterbodies and will eliminate planned impacts from construction activities within the waterbodies. Macoupin Creek is 100 feet wide. Macoupin Creek is currently proposed as an open cut crossing and is discussed further in Resource Report 2, Section 2.2 Surface Water Resources.

The acreages of land affected by construction and operation of the Project workspaces by land use category is provided in Table 8.1-2. Construction impacts include all areas of disturbance, including TWS, permanent easement, ATWS, access roads, and staging areas. Typical construction right-of-way cross-section diagrams are provided in Appendix 8-A.

### **8.1.1 Pipeline Facilities**

#### **8.1.1.1 Construction and Permanent Rights-of-Way**

Construction of the Project will require the acquisition of new permanent easements necessary for operation of the pipeline, as well as the TWS and ATWS necessary for construction of the pipeline. Land uses were tabulated for the Project's pipeline facilities by calculating each land use category crossed by the 24-inch pipeline and the Line 880 workspaces. A summary table showing the mileages by land use category is provided in Table 8.1-1.

The typical construction right-of-way width for the 24-inch pipeline in non-agricultural upland areas will be 90 feet and will consist of 50 feet of permanent easement and 40 feet of TWS. Spire proposes to increase its typical construction workspace configuration by 25 feet to a total of 115 feet in agricultural areas to allow for full right-of-way topsoil segregation. Workspace in waterbodies and wetlands will be generally reduced to 75 feet to minimize impacts.

Line 880 is primarily located within road and railroad right-of-ways. The limited remaining areas have a permanent easement that is at minimum 10 feet wide. Spire does not propose to clear the entire length of the existing Line 880 but is proposing modifications that will include the removal of syphon drips and mainline valves ("MLVs") and replacement with line pipe, and the relocation of a portion of the existing pipeline. Once the modifications have been completed, the existing line will be hydrostatically tested. Other existing permanent easement and TWS will be required along Line 880 to account for construction access to each modification site and for the relocation of a portion of the existing pipeline.



**Table 8.1-2. Acreage Affected by Construction and Operation of the Project**

Facility ID (County, State) <sup>1</sup>	Agriculture		Open Land		Forest		Developed		Wetland		Open Water		Total	
	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const. <sup>2</sup>	Oper. <sup>3</sup>
<b>24-Inch Pipeline</b>														
Scott County, Illinois	29.70	16.45	3.53	1.94	4.79	2.76	0.31	0.17	0.07	0.05	0.10	0.06	38.49	21.42
Greene County, Illinois	255.38	142.21	14.38	8.00	6.88	3.70	1.65	0.94	2.75	1.70	0.44	0.29	281.48	156.84
Jersey County, Illinois	143.26	79.63	8.24	5.00	17.28	9.39	0.73	0.45	0.70	0.37	1.89	1.81	172.10	96.66
St. Charles County, Missouri	118.40	65.40	0.85	0.65	1.23	1.13	1.75	0.99	6.49	4.60	4.51	4.44	133.24	77.21
St. Louis County, Missouri	0.05	0.05	0.58	0.33	1.43	0.83	3.64	2.31	0.06	0.04	0.91	0.91	6.67	4.47
<b>Subtotals</b>	<b>546.80</b>	<b>303.73</b>	<b>27.58</b>	<b>15.92</b>	<b>31.60</b>	<b>17.81</b>	<b>8.09</b>	<b>4.86</b>	<b>10.06</b>	<b>5.75</b>	<b>7.86</b>	<b>7.51</b>	<b>631.99</b>	<b>355.58</b>
<b>Line 880</b>														
St. Louis County, Missouri	0.36	0.00	4.14	0.11	1.08	0.15	2.36	0.12	0.00	0.00	0.07	0.00	8.01	0.39
<b>Subtotals<sup>4</sup></b>	<b>0.36</b>	<b>0.00</b>	<b>4.14</b>	<b>0.11</b>	<b>1.08</b>	<b>0.15</b>	<b>2.36</b>	<b>0.12</b>	<b>0.00</b>	<b>0.00</b>	<b>0.07</b>	<b>0.00</b>	<b>8.01</b>	<b>0.39</b>
<b>Aboveground Facilities</b>														
<i>Rex Receipt Station</i>														
Scott County, Illinois	3.25	2.04	0.04	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.29	2.08
<i>Laclede/Lange Delivery Station</i>														
St. Louis County, Missouri	5.66	3.61	0.00	0.00	0.44	0.34	0.13	0.03	0.00	0.00	0.00	0.00	6.24	3.99
<i>Redman Delivery Station</i>														
St. Louis County, Missouri	0.00	0.00	0.00	0.00	0.00	0.00	1.07	0.71	0.00	0.00	0.00	0.00	1.07	0.71
<i>MRT Bi-directional Station</i>														
St. Louis County, Missouri	0.00	0.00	1.34	1.33	1.24	0.22	1.74	1.69	0.00	0.00	0.00	0.00	4.31	3.24
<b>Subtotals<sup>4</sup></b>	<b>8.91</b>	<b>5.65</b>	<b>1.38</b>	<b>1.37</b>	<b>1.68</b>	<b>0.56</b>	<b>2.94</b>	<b>2.44</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>14.91</b>	<b>10.03</b>
<b>Cathodic Protection</b>														
Greene County, Illinois	0.68	0.44	0.39	0.26	0.00	0.00	0.06	0.06	0.00	0.00	0.00	0.00	1.12	0.76
Jersey County, Illinois	0.41	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.27
St. Charles County, Missouri	0.41	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.28
<b>Subtotals<sup>4</sup></b>	<b>1.50</b>	<b>1.00</b>	<b>0.39</b>	<b>0.26</b>	<b>0.00</b>	<b>0.00</b>	<b>0.06</b>	<b>0.06</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>1.95</b>	<b>1.31</b>
<b>Access Roads</b>														
Scott County, Illinois	0.08	0.01	0.78	0.39	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	1.03	0.40
Greene County, Illinois	1.27	0.00	2.30	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.73	0.00
Jersey County, Illinois	1.43	0.00	2.88	0.00	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.06	0.00



**Table 8.1-2 Acreage Affected by Construction and Operation of the Project (Continued)**

Facility ID (County, State) <sup>1</sup>	Agriculture		Open Land		Forest		Developed		Wetland		Open Water		Total	
	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const.	Oper.	Const. <sup>2</sup>	Oper. <sup>3</sup>
<b>Access Roads (continued)</b>														
St. Charles County, Missouri	1.81	0.47	1.22	0.90	0.12	0.12	0.80	0.76	0.00	0.00	0.00	0.00	3.95	2.26
St. Louis County, Missouri	0.00	0.00	0.00	0.00	0.00	0.00	2.13	0.00	0.00	0.00	0.00	0.00	2.13	0.00
<b>Subtotals<sup>4</sup></b>	<b>4.60</b>	<b>0.48</b>	<b>7.18</b>	<b>1.28</b>	<b>1.03</b>	<b>0.12</b>	<b>3.10</b>	<b>0.76</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>15.90</b>	<b>2.65</b>
<b>ATWS</b>														
Scott County, Illinois	20.11	0.00	1.27	0.00	0.59	0.00	0.07	0.00	0.00	0.00	0.00	0.00	22.04	0.00
Greene County, Illinois	83.19	0.00	4.25	0.00	0.65	0.00	0.27	0.00	0.00	0.00	0.00	0.00	88.36	0.00
Jersey County, Illinois	44.09	0.00	2.94	0.00	2.66	0.00	0.09	0.00	0.00	0.00	0.00	0.00	49.77	0.00
St. Charles County, Missouri	54.16	0.00	0.23	0.00	0.06	0.00	0.52	0.00	1.04	0.00	0.00	0.00	56.00	0.00
St. Louis County, Missouri	0.00	0.00	0.24	0.00	0.14	0.00	1.27	0.00	0.01	0.00	0.00	0.00	1.66	0.00
<b>Subtotals<sup>4</sup></b>	<b>201.55</b>	<b>0.00</b>	<b>8.92</b>	<b>0.00</b>	<b>4.10</b>	<b>0.00</b>	<b>2.22</b>	<b>0.00</b>	<b>1.05</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>217.83</b>	<b>1.00</b>
<b>Contractor Yards/Staging Areas</b>														
Scott County, Illinois	35.90	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	36.24	0.00
Jersey County, Illinois	0.00	0.00	2.83	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.83	0.00
St. Charles County, Missouri	2.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.87	0.00
<b>Subtotals<sup>4</sup></b>	<b>38.78</b>	<b>0.00</b>	<b>3.17</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>0.00</b>	<b>41.95</b>	<b>0.00</b>
<b>Totals<sup>4,5</sup></b>	<b>802.50</b>	<b>310.87</b>	<b>52.75</b>	<b>18.95</b>	<b>39.48</b>	<b>18.64</b>	<b>18.76</b>	<b>8.23</b>	<b>11.11</b>	<b>6.76</b>	<b>7.94</b>	<b>7.51</b>	<b>932.53</b>	<b>370.96</b>
<b>Acreage Affected in Illinois</b>	<b>618.76</b>	<b>241.05</b>	<b>44.15</b>	<b>15.63</b>	<b>33.75</b>	<b>15.85</b>	<b>3.35</b>	<b>1.61</b>	<b>3.51</b>	<b>2.12</b>	<b>2.43</b>	<b>2.16</b>	<b>705.95</b>	<b>278.42</b>
<b>Acreage Affected in Missouri</b>	<b>183.74</b>	<b>69.81</b>	<b>8.60</b>	<b>3.32</b>	<b>5.73</b>	<b>2.79</b>	<b>15.41</b>	<b>6.63</b>	<b>7.60</b>	<b>4.64</b>	<b>5.50</b>	<b>5.36</b>	<b>226.59</b>	<b>92.54</b>

Notes:

- <sup>1</sup> Impacts associated with MLVs are included in the pipeline facility impacts. Impacts associated with the pig launcher and pig receiver are included in the aboveground facility impacts. Impacts associated with Line 880 are limited to the proposed modifications.
- <sup>2</sup> Land affected during construction for the pipeline facilities is comprised of the 50-foot permanent easement and 40 feet of TWS and ATWS where applicable.
- <sup>3</sup> Land affected during operation of the pipeline includes only the 50-foot permanent easement.
- <sup>4</sup> May not equal the sum of the column due to rounding.
- <sup>5</sup> Acreages associated with the area between the HDD sites include the 50-foot permanent easement only. This area is included for both construction and operation, however, no clearing is proposed.



Vegetation within the entire width of the permanent easement will be maintained in a herbaceous state, except in wetlands and adjacent perennial waterbodies, where maintenance clearing of woody vegetation will be limited to a 10-foot-wide strip centered directly over the pipeline (with selective removal of trees within 15 feet of the pipeline with roots that could compromise the integrity of the pipeline coating). Tree clearing and vegetation maintenance within the permanent easement will result in the conversion of forested upland to open land within forested upland portions of the permanent easement, and the permanent conversion of forested wetlands to emergent/scrub-shrub wetland within the vegetation maintenance corridor. With the exception of those agricultural lands at the locations of the proposed aboveground facilities, agricultural areas and the growing of crops will be allowed to continue in agricultural areas.

Typical right-of-way workspace configurations and dimensions are shown in Appendix 8-A.

#### **8.1.1.2 Existing Right-of-Way**

The Project was routed to utilize existing utility and road rights-of-way to the maximum extent practicable. Existing rights-of-way paralleled by the Project is provided in Table 8.1-3. For the purposes of this discussion, collocation includes areas where the Project's construction right-of-way is located immediately abutting existing rights-of-way.

#### **8.1.1.3 Additional Temporary Workspace**

ATWS will be generally located at specialized pipeline construction areas (e.g., agricultural, road, waterbody, wetland, railroad crossings, etc.). These work areas vary in size depending on the space needs and the geographic conditions at that specific location. The acreage and associated land use affected by ATWS that occur outside of the typical construction right-of-way is summarized in Appendix 8-F. ATWS is shown on the Construction Alignment Sheets provided in Resource Report 1, Appendix 1-B.

Except as otherwise requested due to site-specific constraints, ATWS will be set back at least 50 feet from the edges of waterbodies and wetlands. A list of these exceptions is provided in Resource Report 1, Appendix 1-D. ATWS are temporary in nature and will not be utilized during Project operation. Areas utilized as ATWS will be allowed to revert back to pre-construction conditions following construction.

#### **8.1.1.4 Access Roads**

Spire proposes to use and/or modify existing access roads as well as develop new access roads to access the Project during construction and operation. Public roads will be used to access the right-of-way wherever possible. Access roads proposed to be utilized for the Project as well as the widths and lengths, proposed modifications and improvements, and acreage requirements are provided in Table 8.1-4. Several of the existing roads will require modifications and improvements to allow for the safe passage of construction equipment and vehicles. New access roads may require temporary modification of existing land use associated with the access roads during construction and operation.



**Table 8.1-3. Existing Rights-of-Way Adjacent to the Pipelines**

MP Begin	MP End	County, State	Type of Right-of-Way <sup>1</sup>	Operator/Name of Existing Infrastructure	Position Related to Proposed Pipeline	Width of Existing Right-of-Way (feet)	Width Used for Construction Right-of-Way (feet)	Width Used for Permanent Right-of-Way (feet)
<b>24-Inch Pipeline</b>								
5.0	5.7	Greene, Illinois	Powerline (12 kV)/Road	Illinois Elec. Co-Op Powerline 1000E, Roodhouse Township	East	TBD <sup>2</sup> 40	0	0
5.7	5.8	Greene, Illinois	Road	1000E, Roodhouse Township	West	40	0	0
5.8	6.5	Greene, Illinois	Powerline (12 kV)/Road	Illinois Elec. Co-Op Powerline 1000E, Roodhouse Township	West	TBD 40	0	0
6.5	6.7	Greene, Illinois	Road	1000E, Roodhouse Township	West	40	0	0
6.7	7.8	Greene, Illinois	Powerline (12 kV)/Road	Illinois Elec. Co-Op Powerline 1000E, Roodhouse/While Hall Townships	East	TBD 40	0	0
7.8	8.6	Greene, Illinois	Road	1000E, While Hall Township	East	40	0	0
10.3	11.3	Greene, Illinois	Powerline (138 kV)	Ameren Powerline	West	80	0	0
11.3	12.0	Greene, Illinois	Road	1050E, White Hall Township	West	40	0	0
15.6	15.7	Greene, Illinois	Road	1100E, Carrollton Township	West	40	0	0
16.8	16.9	Greene, Illinois	Powerline (138 kV)	Ameren Powerline	West	80	0	0
16.9	17.1	Greene, Illinois	Powerline (138 kV)/Road	Ameren Powerline 1025E, Carrollton Township	West	80 40	0	0
17.1	17.9	Greene, Illinois	Powerline (138 kV)	Ameren Powerline	West	80	0	0
22.7	22.8	Greene, Illinois	Powerline (7 kV)/Road	Illinois Elec. Co-Op Powerline County Hwy 20, Greene County	South	TBD TBD	0	0
27.1	27.3	Greene, Illinois	Road	1175E, Kane Township & County Hwy 17, Greene County	East	40	0	0
28.4	29.4	Greene, Illinois	Powerline (138 kV)/Road	Ameren Powerline 1200E, Kane Township	West	TBD 40	0	0
31.2	31.9	Jersey, Illinois	Road	Grafton Ln, English Township	West	40	0	0
32.4	32.9	Jersey, Illinois	Road	Grafton Ln, English Township	West	40	0	0
32.9	33.4	Jersey, Illinois	Powerline (12 kV)/Road	Ameren Powerline Grafton Ln, English Township	West	TBD 40	0	0



**Table 8.1-3. Existing Rights-of-Way Adjacent to the Pipelines (Continued)**

MP Begin	MP End	County, State	Type of Right-of-Way <sup>1</sup>	Operator/Name of Existing Infrastructure	Position Related to Proposed Pipeline	Width of Existing Right-of-Way (feet)	Width Used for Construction Right-of-Way (feet)	Width Used for Permanent Right-of-Way (feet)
<b>24-Inch Pipeline (continued)</b>								
33.4	34.9	Jersey, Illinois	Road	County Hwy 9, Jersey County	West	66	0	0
38.1	39.1	Jersey, Illinois	Road	Godar Ln, Otter Creek Township	West	TBD	0	0
42.3	42.6	Jersey, Illinois	Road	Croxford Rd, Elsah Township	East	40	0	0
43.4	43.9	Jersey, Illinois	Road	County Hwy 23, Jersey County	East	60	0	0
43.9	45.4	Jersey, Illinois	Pipeline	Nustar	West	30	0	0
45.4	46.2	St. Charles, Missouri	Pipeline	Nustar	West	30	0	0
52.5	54.5	St. Charles, Missouri	Railroad	Burlington Northern & Santa Fe RR	North	90	0	0
54.8	56.4	St. Charles, Missouri	Railroad	Burlington Northern & Santa Fe RR	North	100 - 140	0	0
58.5	58.6	St Louis, Missouri	Powerline (12 kV)	Ameren Powerline	East	10 - 20	0	0
58.6	58.8	St Louis, Missouri	Road	Fort Bellefontaine Rd, St. Louis County	North	65	0	0
<b>Line 880</b>								
2.1	2.3	St. Louis, Missouri	Road	State Hwy 367, Missouri DOT	East and West	Variable	0	0

Notes:

- <sup>1</sup> Powerline/Road indicates that both features run parallel to the pipeline, along the same side of the road.
- <sup>2</sup> TBD-To Be Determined. Right-of-way information is currently being gathered.



**Table 8.1-4. Access Roads Required for the Project**

Facility/County, State/MP <sup>1,2</sup>	Access Road ID	County	Type (Existing /New)	Surface Material of AR	Dimensions (feet)		Proposed Improvements	Temporary Acreage Requirements (acres)	Permanent Acreage Requirements (acres)	Existing Land Use <sup>3</sup>
					Length	Width				
<b>24-Inch Pipeline</b>										
<i>Illinois</i>										
1.0	TAR-003	Scott	Existing	Dirt	1,103	25	Gravel as needed and remove	0.08	0.00	Agriculture
								0.39	0.00	Open Land
								0.16	0.00	Developed
8.6	TAR-008	Greene	Existing	Dirt	75	25	Gravel if needed and remove	0.01	0.00	Agriculture
								0.04	0.00	Open Land
								<0.01	0.00	Forest
								<0.01	0.00	Developed
14.4	TAR-009	Greene	Existing	Dirt	1,015	25	Gravel if needed and remove	0.58	0.00	Agriculture
15.1	TAR-010	Greene	Existing	Gravel	496	25	Gravel as needed	0.11	0.00	Agriculture
								0.17	0.00	Open Land
24.9	TAR-012	Greene	Existing	Gravel/Dirt	2,205	25	Gravel as needed	0.41	0.00	Agriculture
								0.85	0.00	Open Land
								<0.01	0.00	Developed
25.9	TAR-013	Greene	Existing	Gravel/Dirt	1,387	25	Gravel as needed	<0.01	0.00	Agriculture
								0.79	0.00	Open Land
26.1	TAR-014	Greene	Existing	Gravel/Dirt	1,353	25	Gravel as needed	0.16	0.00	Agriculture
								0.44	0.00	Open Land
								0.15	0.00	Forest
36.6	TAR-015	Jersey	Existing	Dirt	1,688	25	Gravel if needed and remove	0.71	0.00	Agriculture
								0.25	0.00	Forest



**Table 8.1-4. Access Roads Required for the Project (Continued)**

Facility/County, State/MP <sup>1,2</sup>	Access Road ID	County	Type (Existing /New)	Surface Material of AR	Dimensions (feet)		Proposed Improvements	Temporary Acreage Requirements (acres)	Permanent Acreage Requirements (acres)	Existing Land Use <sup>3</sup>
					Length	Width				
<b>24-Inch Pipeline (continued)</b>										
<i>Illinois (continued)</i>										
40.8	TAR-016	Jersey	Existing	Dirt	2,090	25	Gravel if needed and remove	0.32	0.00	Agriculture
								0.88	0.00	Open Land
44.7	TAR-017	Jersey	Existing	Gravel/Dirt	5,035	25	Gravel as needed	0.39	0.00	Agriculture
								2.00	0.00	Open Land
								0.50	0.00	Forest
<i>Missouri</i>										
46.1	PAR-018 <sup>4</sup>	St. Charles	Existing	Gravel	3,931	25	Gravel as needed	0.47	0.47	Agriculture
								0.90	0.90	Open Land
								0.12	0.12	Forest
								0.76	0.76	Developed
51.1	TAR-022	St. Charles	New	Dirt	728	25	Gravel if needed and remove	0.42	0.00	Agriculture
								<0.01	0.00	Open Land
52.3	TAR-019	St. Charles	Existing	Gravel	618	25	Gravel as needed	0.32	0.00	Open Land
								0.04	0.00	Developed
57.7	TAR-020	St. Charles	Existing	Dirt	1,608	25	Gravel if needed and remove	0.92	0.00	Agriculture
58.5	TAR-021	St. Louis	Existing	Gravel	3,720	25	Gravel as needed	2.13	0.00	Developed
<b>24-Inch Pipeline Subtotal<sup>3</sup></b>								15.50	2.26	-
<b>Rex Receipt Station</b>										
<i>Illinois</i>										
0.0	PAR-001	Scott	Existing	Gravel	690	25	Gravel as needed	0.01	0.01	Agriculture
								0.39	0.39	Open Land





**Table 8.1-4. Access Roads Required for the Project (Continued)**

Facility/County, State/MP <sup>1,2</sup>	Access Road ID	County	Type (Existing /New)	Surface Material of AR	Dimensions (feet)		Proposed Improvements	Temporary Acreage Requirements (acres)	Permanent Acreage Requirements (acres)	Existing Land Use <sup>3</sup>
					Length	Width				
<b>Line 880 - Coldwater Creek MLV</b>										
<i>Missouri</i>										
1.9	PAR-002	St. Louis	Existing	Blacktop	204	25	None	.5	.5	Open Land
								.5	.5	Developed
<b>Project Totals<sup>6</sup></b>					<b>27,945</b>	<b>-</b>	<b>-</b>	<b>15.90</b>	<b>2.65</b>	<b>-</b>

Notes:

- <sup>1</sup> MP is based on where the TAR or PAR enters into the nominal corridor.
- <sup>2</sup> Permanent access roads for MLVs 1, 2 and 3 will be located within the permanent easement and are not included in the totals above. These roads will be permanently graveled and result in the conversion of existing land use to developed land for a total of approximately 0.14 acres. These roads are shown on the Construction Alignment Sheets.
- <sup>3</sup> Land use within the Project area was based on interpretation of recently flown aerial photography in 2016 and supplemented with field reconnaissance during the environmental resources investigations which were initiated in September 2016 within areas of accessible properties. Paved or named roads were classified under the "Developed" land use category. Unpaved roads were classified under their surrounding land use category.
- <sup>4</sup> Spire plans to relocate the western portion of PAR-018 to an existing roadway, in coordination with the landowner. This change is not reflected on the Construction Alignment Sheets.
- <sup>5</sup> This road is an existing, blacktop road with no improvements proposed, therefore Spire does not anticipate temporary or permanent impacts to occur to the land use.
- <sup>6</sup> May not equal the sum of the column due to rounding.



Following construction, temporary access roads (“TARs”) will be restored to their preconstruction condition or allowed to remain in place in accordance with individual landowner agreements. Three permanent access roads (“PARs”) are associated with the Project. PAR-001 and PAR-002 are existing gravel and blacktop access roads, respectively, and therefore, no impacts to the existing land use associated with these roads are anticipated as a result of the Project. PAR-018 is a partially existing, gravel road. The portion of this road that is proposed to be new is located within an agricultural field and therefore, will result in permanent land use conversion from agricultural land to developed land. Temporary and permanent acreages associated with access roads utilized for the Project are provided in Table 8.1-4. Access roads are shown on the Construction Alignment Sheets provided in Resource Report 1, Appendix 1-B. No new TARs or PARs are proposed as part of the construction activities planned on Line 880. Vehicle access to the modification sites will be from public roads or along TWS proposed along the existing permanent easements.

**8.1.1.5 Contractor Yards/Staging Areas**

Soils crossed by the staging areas associated with the Project are shown in the Table in 8.1-5. Spire will utilize temporary staging areas in the vicinity of the Project for equipment and material storage, and contractor vehicle parking. These areas are shown on the construction alignment sheets in Resource Report 1, Appendix 1-B. Spire anticipates grading and addition of gravel at the existing land at each of the staging areas temporarily during construction. Upon completion of the Project, these areas will be restored and allowed to revert to prior uses.

Spire is currently working to identify a proposed location for a contractor yard. This area would be temporarily utilized during the duration of construction for equipment and material storage and/or as temporary field offices. Spire is working to identify a previously disturbed site(s) which is already asphalted or graveled for use as a contractor yard(s). It is anticipated that due to the previously disturbed nature of these sites, no further impacts to land use would be anticipated.

**Table 8.1-5. Contractor Yards/Staging Areas**

Facility ID	County, State	Nearest MP	Total Land Affected During Construction (acres)	Existing Land Use
SA-001	Scott County, Illinois	0.0	35.90	Agriculture
			0.34	Open Land
			0.00	Developed
SA-002	Jersey County, Illinois	43.9	2.48	Open Land
SA-003	Jersey County, Illinois	43.9	0.35	Open Land
SA-004	St. Charles County, Missouri	46.6	1.44	Agriculture
SA-005	St. Charles County, Missouri	57.3	1.43	Agriculture
<b>Total</b>			41.95	-



### **8.1.2 Aboveground Facilities**

Minor ancillary aboveground facilities to be included as part of the Project include the Rockies Express Pipeline LLC (“REX”) Receipt Station and Laclede/Lange Delivery Station along the 24-inch pipeline, the modifications at the existing Redman Delivery Station, and the new station to be constructed at the interconnect with Enable Mississippi River Transmission LLC (“Enable MRT”) (the MRT Bi-directional Station) along Line 880. Additionally, three MLVs will be installed on the proposed 24-inch pipeline and two MLVs will be installed on Line 880. Additional information about these facilities can be found in Resource Report 1, Section 1.1.2.2 Aboveground Facilities.

Table 8.1-2 provides the estimated acreage affected by aboveground facilities broken down by land use type. Current land use at these stations includes agricultural, open land, forest, and developed. The current land use within the operational footprint of the new M&R stations will be permanently converted to developed use following construction. The Mississippi and Missouri Rivers and associated wetlands will be crossed via HDD and will not result in adverse impacts on these waterbodies and wetlands.

The MLVs will be constructed within the new permanent easement, with the exception of one MLV on Line 880 which is located within Redman Delivery Station. Temporary construction workspace associated with the installation of the MLVs is captured within the pipeline construction right-of-way calculations. Land uses associated with the MLVs include agricultural land or developed land. The acreages associated with each MLV site will be permanently converted from their existing land use to “developed” during operation of the pipeline.

Facility Plot Plans are provided for aboveground facilities in Resource Report 1, Appendix 1-F.

### **8.1.3 Facility Abandonment/Replacement**

At present, Spire has no firm or immediate plans to expand upon the current Project. A portion of Line 880 will be relocated and replaced at the crossing of Coldwater Creek. The existing aboveground pipe will be removed, and the pipe below ground approaching Coldwater Creek will be cut, capped, and abandoned in place. Spire has no current or future plans to abandon other facilities as a result of this Project.

## **8.2 Residential Areas**

The proposed Project crosses through existing residential areas, as further described below.

### **8.2.1 Planned Residential and Commercial Areas**

Information on in-progress or planned residential or commercial/business developments and subdivisions within a one-mile buffer of the 24-inch pipeline and Line 880 was requested from the counties crossed by the Project.

To date, Spire has not been advised of planned residential or commercial development within one mile of the Project. Correspondence from the Scott County Assessor’s Office and Jersey County Planning and Zoning department indicated that no residential or commercial developments are planned within one mile of the Project areas (Koch 2016 and McGraw 2016). Consultation with the Greene County Clerk indicated that there is no



planning or zoning department for Greene County (Banghart 2016), therefore, Spire contacted the political townships crossed by the Project. Roodhouse, Carrollton, and White Hall townships indicated that no residential or commercial developments are planned within one mile of the Project areas (Plahn 2016; Snyder 2016; and McMillan 2016). Spire could not locate a contact for Kane Township.

Correspondence from St. Louis County, Missouri Department of Planning and St. Charles County, Missouri Planning and Zoning Division has been received stating that they are not aware of any planned commercial, residential, or other development within the Project vicinity (Choate 2016 and Myers 2016). The City of West Alton Planning and Zoning Commission was contacted and indicated that no residential or commercial developments are planned within one mile of the Project area (Farley 2016). Copies of current correspondence received are included in Resource Report 1, Appendix 1-C Agency Correspondence.

## **8.2.2 Existing Residences and Buildings**

Table 8.2-1 provides a list of residences and/or structures within approximately 50 feet of the edge of the construction work area (i.e., construction right-of-way, ATWS, access road). The distance in feet between the residence and the construction work area, as well as the distance between the residence and the pipeline centerline is also provided in Table 8.2-1. This information is currently based on aerial imagery interpretation from aerial flights conducted in 2016.

Construction along the 24-inch pipeline is primarily located in agricultural areas, however portions along the line would affect residences temporarily during construction activities. Construction along Line 880 would result in short-term impacts on the adjacent residential areas, including the removal of existing vegetation and landscaping from the workspaces and access areas. Additionally, the residences along Line 880 may experience construction related traffic on local roads, as well as dust and noise generated during construction. Spire will minimize these impacts through implementation of the following mitigation measures:

- construction activities will generally occur during daytime hours wherever feasible;
- construction activities along the 24-inch pipeline near residences would occur over an approximately two-week-long period per location;
- construction activities along the existing Line 880 pipeline would occur over an approximately one-week-long period per location, commencing in June and continuing through September 2018;
- landowners would be notified of construction activities by Spire and would be given a general timeframe when work would begin;
- access and traffic flow maintenance during construction activities would be site-specific and would conform to local needs and/or agency specific roadway permits;
- the hazard of open trenches would be minimized in residential areas when construction activities are not in progress by erecting safety fence around the open ditch;
- topsoil will be segregated where appropriate or at the request of the landowner;



- final grading, topsoil replacement, and installation of permanent erosion control structures will be completed within 10 days after backfilling the trench; and
- fugitive dust would be controlled to the extent possible by applying water if sustained visible dust plumes occur. Additional information regarding fugitive dust measures is discussed within the Fugitive Dust Control Plan provided in Appendix 9-C of Resource Report 9, Air and Noise Quality.

Additionally, for residences within 50 feet of the construction work area, the following mitigation measures would be adopted:

- mature trees and landscaping would not be removed from within the edge of the construction work area unless necessary for safe operation of the construction equipment or as specified in landowner agreements;
- lawn areas and landscaping would be restored in a sequential manner in accordance with FERC's Plan;
- areas of permanent easement will be permanently maintained per USDOT PHMSA requirements, and temporary workspaces would be allowed to revert to pre-existing uses;
- existing fences would be repaired/replaced;
- the edge of the construction work area adjacent to the residence will have safety fence installed for a distance of 100 feet on either side of the residence to ensure that construction equipment and materials, including the spoil pile, remain within the construction work area;
- at the end of each workday, end caps will be placed on the open sections of pipeline; and
- fencing should be maintained, at minimum, throughout the active construction phases; and where feasible, a minimum of 25 feet will be maintained between the construction work area for a distance of 100 feet on either side of the residence.

Site-specific plans for residences that are within 50 feet of the construction work area are included in Appendix 8-C.



**Table 8.2-1. Residences and Structures Within 50 Feet of Construction Work Area and Proposed Mitigation**

Milepost <sup>1</sup>	County	Building Type	Distance from Work Area (feet) <sup>2</sup>	Distance from Pipeline Centerline (feet) <sup>2</sup>	Proposed Mitigation
<b>24-Inch Pipeline</b>					
<i>Illinois</i>					
N/A	N/A	N/A	N/A	N/A	N/A
<i>Missouri</i>					
46.4	St. Charles	Residence	39	1,394	See Section 8.2.2 and Appendix 8-C.
46.6	St. Charles	Residence	47	712	See Section 8.2.2 and Appendix 8-C.
58.3	St. Louis	Commercial	41	828	See Section 8.2.2 and Appendix 8-C.
58.7	St. Louis	Residence	12	51	See Section 8.2.2 and Appendix 8-C.
<b>Line 880</b>					
<i>Missouri</i>					
0.0	St. Louis	Residence	26	22	See Section 8.2.2 and Appendix 8-C.
0.8	St. Louis	Residence	11	51	See Section 8.2.2 and Appendix 8-C.
0.9	St. Louis	Residence	10	43	See Section 8.2.2 and Appendix 8-C.
1.1	St. Louis	Residence	27	101	See Section 8.2.2 and Appendix 8-C.
1.3	St. Louis	Residence	11	55	See Section 8.2.2 and Appendix 8-C.
1.3	St. Louis	Residence	47	78	See Section 8.2.2 and Appendix 8-C.
1.3	St. Louis	Residence	11	55	See Section 8.2.2 and Appendix 8-C.
1.4	St. Louis	Residence	11	68	See Section 8.2.2 and Appendix 8-C.
1.6	St. Louis	Residence	9	38	See Section 8.2.2 and Appendix 8-C.
2.5	St. Louis	Residence	5	31	See Section 8.2.2 and Appendix 8-C.
2.5	St. Louis	Commercial	10	45	See Section 8.2.2 and Appendix 8-C.
2.5	St. Louis	Commercial	17	82	See Section 8.2.2 and Appendix 8-C.
2.6	St. Louis	Residence	42	50	See Section 8.2.2 and Appendix 8-C.
2.6	St. Louis	Residence	4	50	See Section 8.2.2 and Appendix 8-C.
5.3	St. Louis	Residence	26	79	See Section 8.2.2 and Appendix 8-C.
5.3	St. Louis	Residence	33	23	See Section 8.2.2 and Appendix 8-C.
5.3	St. Louis	Residence	30	21	See Section 8.2.2 and Appendix 8-C.
5.3	St. Louis	Residence	43	57	See Section 8.2.2 and Appendix 8-C.
5.3	St. Louis	Residence	7	28	See Section 8.2.2 and Appendix 8-C.
6.9	St. Louis	Commercial	38	79	See Section 8.2.2 and Appendix 8-C.
7.0	St. Louis	Commercial	41	93	See Section 8.2.2 and Appendix 8-C.

Notes:

Source: Aerial imagery interpretation based on the aerial survey conducted in 2016. Public data was used at reroutes where aerial survey was not conducted.

<sup>1</sup> Table 8.2-1 only includes residential and commercial structures, and does not include structures such as barns, sheds, outbuildings, etc. The structure identified on the alignment sheets at approximate MP 5.6 was determined to be a barn per information collected during the survey, and is therefore not included within this table.

<sup>2</sup> Distances are approximate and derived from aerial photography.



## 8.3 Public Land, Recreation, and Other Designated Areas

### 8.3.1 Public or Conservation Land

Public land, recreation, and other designated areas throughout the Project area were evaluated by utilizing publicly available information, consultations with federal, state, and local agencies and landowners, and field reconnaissance surveys. Based on a review of these data sets, no National Parks, National Wild and Scenic Rivers, or National Wildlife Refuges are crossed by the Project (NPS 2014; USFWS 2014a and 2016). Additionally, the Project does not cross and is not located within 0.25-mile of Indian reservations, National Wilderness Areas, state parks, or registered landmarks (US Department of the Interior 2014a and 2014b, Illinois Department of Natural Resources 2016, Missouri Department of Natural Resources undated).

The Project crosses one community farm further discussed below in Section 8.3.1.1. Spire has reviewed available resources and no other community farms or specialty crops such as orchards or silviculture were found to be present within the Project area (Orange Pippin 2015; Pick Your Own 2016; and University of Illinois Extension 2016). Additionally, no specialty crop areas were observed during the environmental surveys in areas where landowner permissions had been granted.

The 24-inch pipeline and the Line 880 modifications are located within 0.25-mile of public land, recreational areas, and scenic areas. These areas are provided in Table 8.3-2.

Those areas that are directly affected by the pipelines are discussed in detail below. At a minimum, Spire will implement FERC's Plan and Procedures to minimize and mitigate impacts to these special use areas.

Areas that are not crossed by the Project but are located within 0.25-mile Project are not likely to be adversely affected from construction or operation of the Project. Furthermore, Spire will implement measures in accordance with FERC's Plan and Procedures and the Project's Erosion and Sediment Control Plan ("E&SCP") to prevent disturbance to off-site areas.

#### 8.3.1.1 24-inch Pipeline

Effects of construction on lands crossed by the 24-inch pipeline are anticipated to be minor and short-term. Spire intends to reduce the construction and operational impacts on these lands to the extent feasible by utilizing only the space necessary to safely construct the facilities and by continuing communications with the officials and regulatory agencies as appropriate. Following construction, all impacted areas categorized as special land uses, recreational areas, and other designated areas will be restored to their current conditions to the extent possible in accordance with FERC's Plan and Procedures and the Project's E&SCP.

#### Principia College

Land owned by The Principia is crossed by the 24-inch pipeline at MP 44. Table 8.3-2 summarizes the acres anticipated to be impacted during construction and operation of the Project.

The Project crosses the portion of The Principia known as the Principia College West Farm. This is an approximately 650 acre area utilized by the Principia College for research, forest management practices, and other class work.



The Principia College campus is located approximately one mile from the Project corridor. The proposed Project is located approximately 0.9-mile from the Principia College Historic District, and therefore is not expected to impact this resource. The general land use through this area is contiguous forest cover.

This portion of the Principia College West Farm is bisected by the presence of an approximate 30 foot existing pipeline right-of-way owned and operated by NuStar. The property is fragmented by the presence of existing roadways. In order to minimize impacts to this area, Spire has routed its pipeline adjacent to this existing pipeline corridor. Spire proposes an approximately 90 foot construction right-of-way through this area (which includes the proposed 50 foot permanent easement). As part of the Project's HDD of the Mississippi River, which is located to the south of The Principia property, Spire has sited its proposed HDD entry site on southernmost portion of The Principia property. An expanded area of ATWS will be necessary at this location and will be cleared temporarily during construction activities. Spire has sited this workspace adjacent to the existing pipeline right-of-way, a minor existing aboveground facility, and the existing road right-of-way (State Route 100). Upon the completion of construction, these areas of ATWS, and any temporary areas utilized during construction, will be allowed to revert to pre-existing uses. No aboveground facilities (e.g. M&R facilities, MLVs) are proposed to be located on The Principia property and Spire proposes to utilize one existing road in this area in order to access the Project corridor during construction.

Scoping comments received from the faculty at the Principia College indicate that future subdivision development may occur in a portion of the Principia College West Farm which would overlap with the existing pipeline corridor and Spire's proposed right-of-way (Jersey County 2016). Future development of a subdivision is typically not hindered by the presence of existing infrastructure. Spire will continue to coordinate with The Principia to limit the Project's potential effects on future developments in this area.

The 24-inch pipeline at The Principia property also traverses the Principia Hill Prairies West Illinois Natural Area Inventory Site and Natural Heritage Landmark, and is also within 0.25-mile of a high-quality Loess Hill Prairie Natural Community (IDNR 2013). As discussed with IDNR during the Project introduction meeting on June 21, 2016, the Principia Hills Prairies West Illinois Natural Area Inventory Site has no regulatory implications under Illinois law. Spire has located its proposed 24-inch pipeline route adjacent to an existing pipeline right-of-way through this area. Further discussion is provided in Resource Report 3.

Spire does not anticipate that construction of the Project will permanently affect the ongoing activities that The Principia conducts on its Principia College West Farm. The College's activities in the area of Spire's 90-foot construction right-of-way may be temporarily disrupted during construction activities, however, the remaining area of the Principia College West Farm will be not be disturbed. Construction of the pipeline and the installation of the HDD across the Mississippi River will be temporary in nature. It is not anticipated that the construction of the Project will further fragment the forest in this location as the area is already traversed by existing roads, and an existing pipeline-right-of way. Upon completion of construction, the construction right-of-way will be restored in accordance with FERC's Plan and Procedures, and temporary workspaces will be allowed to revert to pre-construction conditions. These temporary workspaces will not be maintained and will revert to forest habitat over time. Permanent loss of trees will occur with the permanent easement as this area will be periodically maintained by mowing or tree removal. Spire would welcome an opportunity to collaborate with The Principia on construction





measures that could be employed across the property to minimize impacts to The Principia's forest management projects or research efforts. Spire will continue to reach out to The Principia to address their concerns.

The proposed 24-inch pipeline route traverses the shortest constructible route between the source gas and the St. Louis delivery location on existing Line 880. In determining constructability of any north to south route, the crossing location of the Mississippi River was the foremost consideration. The north bank of the Mississippi River consists of high bluffs which result in large elevation differences, and isolated pockets of concentrated development. Several populated towns are located on the north bank of the Mississippi River in Jersey County, including Grafton, Chautauqua, Elsah, Lockhaven, Melville, and Alton, Illinois. The Raging Rivers Water Park is located between Grafton and Chautauqua, and Pere Marquette State Park and the Two Rivers National Wildlife Refuge are located west of Grafton. The south bank consists of multiple conservation easements and environmentally sensitive areas, including a floodplain with protected islands and flooded sloughs. As a result, there are limited opportunities for constructible pipeline crossings. The proposed crossing is located in one of the few undeveloped low relief areas of the bluffs on the north bank and minimizes overall drill length, while still allowing Spire to cross federal-owned lands on the south bank via a trenchless method. The proposed crossing location also provides the opportunity to minimize the elevation differences between the entrance and exit locations of the proposed HDD.

A detailed analysis of the technical constructability limitations, the proposed route and alternatives considered is provided as part of Resource Report 10, Alternatives.

The portion of the Project that traverses The Principia property West Farm also crosses the Three Rivers Community Farm, located at approximate MP 44.0. The acreage associated with this farm is included in Table 8.3-2 with the land reported for The Principia. According to the Three Rivers Community Farm website, the farm is a 12-acre chemical-free vegetable farm located on land leased by Principia (Three Rivers Community Farm 2016). The Three Rivers Community Farm does not have organic certification from the USDA, but incorporates organic and sustainable farming practices into their farming techniques (USDA 2015). The Principia College utilizes this community sponsored farm for educational activities for their students.

The property has two main structures (one residence and a barn), both of which are greater than 50 feet from Spire's proposed 24-inch pipeline construction work area and no active farming is crossed. Additionally, Spire has routed its pipeline through this area adjacent with an existing pipeline right-of-way. Construction activities may temporarily inhibit the activities at this site while construction is occurring, however, upon the completion of construction, as with other agricultural land areas along the Project, this area will be allowed to revert to pre-existing land uses. The pipeline will be buried in agricultural areas with a minimum depth of 5-feet of cover and will allow agricultural activities to continue after the pipeline has been installed. Spire does not anticipate the Project will permanently affect the activities of the Three Rivers Community Farm. As with other agricultural land areas that the Project crosses, Spire will implement the same mitigation and minimization techniques as discussed in Section 8.1, Land Use.



### **Sam Vadalabene Great River Road Bike Trail**

The Project crosses the Sam Vadalabene Great River Road Bike Trail following Great River Road along the north side of the Mississippi River. The crossing of the bike trail and Great River Road will be encompassed into Spire's HDD of the Mississippi River, therefore, no earth disturbance or adverse impacts to this trail are anticipated. The trail will be allowed to remain open during construction activities provided that activities pose no safety risk to bike riders.

Spire anticipates that indirect impacts will occur as the Project's HDD workspace is within the viewshed of the bike riders on the trail. However, impacts will be primarily temporary as the proposed route is adjacent to an existing right-of-way and the HDD workspace on the north side of Great River Road is adjacent to a small existing aboveground valve site. Temporary workspace required for the HDD will be cleared and graded; however this area will be returned to pre-existing contours and allowed to revert following the completion of construction.

### **Upper Mississippi Conservation Area**

The south side of the Mississippi River at the Project's crossing location is designated by the MDOC as the Upper Mississippi Conservation Area and is crossed by the 24-inch pipeline at MP 45.6. This conservation area contains wildlife and habitat diversity and stretches from the Melvin Price Lock and Dam at Alton, Illinois to LaGrange, Missouri. It is composed of 87 tracts of federal lands totaling over 11,000 acres and is managed under a cooperative agreement between the United States Fish and Wildlife ("USFWS") and the United States Army Corps of Engineers ("USACE").

The Upper Mississippi Conservation area will be crossed as part of Spire's HDD of the Mississippi River. Spire has colocated its route adjacent to an existing pipeline right-of-way in this area. HDD entry/exit locations have been located outside the boundaries of this property (based on tax map parcel data obtained December 2016). No aboveground facilities will be located on the property and Spire has also sited its proposed permanent access road in this location outside the boundaries of the conservation area. As the pipeline will be installed via HDD, there will be no earth disturbance this conservation area. Furthermore, no clearing of vegetation will occur between the HDD entry and exit locations as Spire intends to utilize a gyroscopic guidance system that does not require the installation of a tracer wire along the HDD alignment on the ground surface. No ground disturbance is proposed for utilizing this guidance system. Spire's HDD contractor and inspectors will complete regular inadvertent return walks throughout the duration of the drill which would require minimal foot traffic along the HDD alignment.

This property is held in USACE fee title by the USACE St. Louis District. Crossing of this property will require right-of-way easement (Standard Form 299-Transportation and Utility Systems and Facilities on Federal Lands) with the USACE. Additionally, other permits including a Section 408 permit from the USACE will also be required for the crossing of the Mississippi River and this associated federal property. A list of all permits required for the Project is provided in Table 1.6-1 of Resource Report 1, General Project Description. Spire has submitted its easement application and Section 408 permit in January 2017 concurrently with its FERC application. Spire initiated consultation with the USACE and MDOC regarding this crossing in June 2016. Draft design drawings and construction information for this crossing was provided to the USACE and MDOC in November 2016. Coordination



with the USACE and the MDOC regarding this crossing will continue throughout the permitting and easement process.

### **Consolidated North Levee**

The Project is proposed to cross the Consolidated North County Levee District levee on the north side of the Missouri River. A Section 408 permit will be needed from the USACE which will involve the USACE reviewing and approving the proposed HDD design on this levee. In addition, coordination with the Consolidated North County Levee Board will be required as part of the Section 408 permit package. Spire initiated consultation with the USACE and Consolidated North County Levee Board in June 2016. Spire has continued to consult with the USACE and MDOC throughout the FERC pre-filing process. Draft design drawings and construction information for this crossing was provided to the USACE in November 2016. Spire has submitted its easement application and Section 408 permit in January 2017 concurrently with its FERC application.

#### **8.3.1.2 Line 880**

Effects of construction on lands crossed by Line 880 are anticipated to be minor and short-term. Spire intends to reduce the construction and operational impacts on these lands to the extent feasible by utilizing only the space necessary to safely construct the facilities and by continuing communications with the officials and regulatory agencies as appropriate. Following construction, all impacted areas categorized as special land uses, recreational areas, and other designated areas will be restored to their current conditions to the extent possible in accordance with FERC's Plan and Procedures and the Project's E&SCP.

### **Spanish Lake Park**

Line 880 is located along Spanish Lake Park, which is owned and maintained by the St. Louis County Department of Parks and Recreation. This area contains both Spanish Lake (34 acres) and Sunfish Lake (31 acres). The area contains boat ramps, boat docks, picnic areas, pavilions, and fishing docks. The lake maintains populations of bass, catfish, crappie, and sunfish (MDOC 2016).

The Line 880 modification work at this resource is proposed to occur along the existing road located along the perimeter of the park as well as proposed workspaces located within the park boundaries. Recreational uses of the park will not be interrupted, however there will be a temporary increase in the amount of vehicles utilizing the existing road during construction of the Project. Additionally, this may cause short-term visual impacts from the park during construction activities. Table 8.3-2 summarizes the crossing length as well as the acreage anticipated to be impacted during construction and operation of the Project.

Spire will implement the following safety measures to minimize adverse impacts to the park: install safety fence, cover open excavations at the end of the work day, and initiate restoration as soon as feasible following construction. This area will be restored back to pre-existing conditions to the extent practicable.

### **Arrowpoint Elementary School and Hazelwood Southeast Middle School**

Line 880 and associated TWS in St. Louis County are located adjacent to two schools within the Hazelwood School District - Arrowpoint Elementary School and Hazelwood Southeast Middle School. Construction at Arrowpoint



Elementary School is proposed to occur within the existing right-of-way in front of the school. Construction at Hazelwood Southeast Middle School is proposed to occur within the school district property. Areas of construction will be restored back to pre-existing conditions to the extent practicable upon completion of construction and no permanent impacts to these areas are anticipated.

Spire met with the Hazelwood School District officials in November 2016 to discuss concerns and plans for the proposed construction near the schools. Spire has proposed that construction would take place during the summer months, outside of the school year. Spire is developing a traffic plan which will be provided to the Missouri Department of Transportation. Spire proposes to keep ingress and egress open to the schools during construction. The Project is not anticipated to impact any traffic patterns to the schools. Spire proposes to ensure pedestrian safety by implementing approved best practices for worksite safety such as appropriate safety fencing, traffic cones, signage, etc. Additional meetings and coordination between the school district and Spire will continue as the Project moves forward.

The schools may experience dust and noise generated during construction. Spire will minimize these impacts through implementation of fugitive dust measures as discussed within the Fugitive Dust Control Plan located in Resource Report 9, Appendix 9-C. Since construction activities are proposed to occur outside of the school year, Spire anticipates that noise from construction will be temporary in nature and not cause adverse impacts to the schools.

### **An Apple A Day Learning Center**

Line 880 and its associated TWS in St. Louis County are located on private property which also serves as a children's day care. Disturbance will be temporary and construction is expected to be completed in this area in less than one week. Areas of construction will be restored back to pre-existing conditions to the extent practicable upon completion of construction and no permanent impacts to these areas are anticipated. Spire will minimize impacts by utilizing safety fence and implementing measures to control fugitive dust. Spire will coordinate with the landowner to determine an appropriate construction timeframe for this modification site.

### **8.3.1.3 Conservation Land**

Illinois and Missouri have several conservation programs that may exist when crossing agricultural property including the Conservation Reserve Program ("CRP") with the United States Department of Agriculture ("USDA") Farm Service Agency ("FSA"), Environmental Quality Incentive Program or Conservation Stewardship Program contract with the USDA Natural Resources Conservation Service ("NRCS"), or Wetland Reserve Program Easement/Wetland Reserve Easement with the Natural Resources Conservation Service. Additionally, IDNR manages the Conservation Reserve Enhancement Program ("CREP") lands. These programs and easements may have specific vegetation requirements that the landowner has agreed to implement and maintain.



Spire has consulted with USDA Farm Service Agency FSA in Illinois and confirmed that the 24-inch pipeline will cross lands enrolled in the CRP (Diebal 2016a and 2016b). Information regarding the specific tracts of CRP lands crossed by the Project is not able to be provided directly to Spire by the FSA; therefore, letters were sent by the Illinois FSA to each of the owners of the CRP lands crossed by the Project. Landowners then coordinated with Spire to indicate which tracts or portions of tracts enrolled in CRP lands would be temporarily affected by the Project. Spire communicated with the landowners of known CRP lands regarding particular seeding plans for these areas. Seed mix information for these lands is provided in Table 7.4-1 of Resource Report 7, Soils.

Spire has consulted with USDA FSA in Missouri and confirmed that there are no CRP lands crossed by the Project in Missouri (Gibson 2016).

Spire consulted with the IDNR in September and December 2016 regarding the potential for the Project to cross any CREP lands. The IDNR determined that no CREP lands will be crossed by the Project (Garver 2016 and Bedient 2016). Consultations for CREP lands is provided in Resource Report 1, Appendix 1-C Agency Correspondence.

Table 8.3-1 includes conservation program lands crossed by the Project.

**Table 8.3-1. Potential Lands Enrolled in Conservation Programs**

Approximate MP	CRP Contract #	County, State	Type of Conservation Program
<b>24-Inch Pipeline</b>			
3.1	-	Scott, Illinois	CRP
22.6	HEL TRACT # 1715	Greene, Illinois	Highly Erodible Soils
27.3	796	Greene, Illinois	CRP
42.4	11109	Jersey, Illinois	CRP
43.5	-	Jersey, Illinois	Highly Erodible Soils

Note: Boundaries of the CRP tracts will be determined during easement negotiations and therefore, proposed impacts are not provided.

### 8.3.2 Natural, Recreational, or Scenic Areas

Table 8.3-2 lists public land and designated recreation areas, scenic areas, or other special use areas that are either located within 0.25-mile of the Project and/or are crossed by the construction right-of-way.

The Project does not cross any national forests, national parks, or national historic trails (USDA 2016; and United States Department of the Interior 2014). The Project does not cross Wild or Scenic Rivers or federally designated wilderness areas (USFWS 2014). Refer to Section 8.3.1, Public or Conservation Land, above for a discussion on trails in the vicinity of the Project area. The Project crosses one scenic byway, discussed below.



**Table 8.3-2 Public Land and Designated Recreation Areas, Scenic Areas, or Other Public Special Use Areas within 0.25-mile of the Project**

Approximate Milepost /County, State	Name	Crossing Length (Feet)	Area Affected by Construction (acres) <sup>1</sup>	Area Affected by Operation (acres) <sup>2</sup>	Approximate Distance from Pipeline (Feet)	Planned Crossing Method
<b>24-Inch Pipeline</b>						
<i>Scott County, Illinois</i>						
2.2	Pleasant Hill Church	0	0	0	619	N/A
<i>Jersey County, Illinois</i>						
44	The Principia	5,609	13.92	6.45	0	Pipeline
44.6	Elsah Historic District	0	0	0	935	N/A
45.1	Meeting of the Great Rivers Scenic Byway	69	0.08	0.08	0	Pipeline (HDD)
45.1	Sam Vadalabene Great River Road Bike Trail	10	0.01	0.01	0	Pipeline (HDD)
<i>St. Charles County, Missouri</i>						
45.6	Upper Mississippi Conservation Area	1,737	2	2	0	Pipeline (HDD)
57.8	Consolidated North Levee	79	0.09	0.09	0	Pipeline (HDD)
<b>Line 880<sup>3</sup></b>						
<i>St. Louis County, Missouri</i>						
1.2	Jamestown Mall	0	0	0	890	N/A
1.8	The Valley (Senior Community)	0	0	0	922	N/A
2.0	Fort Bellefontaine County Park	0	0	0	960	N/A
2.4	Arrowpoint Elementary School (Hazlewood School District)	0	0	0	73	N/A
2.5	An Apple A Day Learning Center	0	< 0.01	0	19	Temporary ROW
3.0	New Jamestown Road Baptist Church	0	0	0	62	N/A
4.3	Spanish Lake Park	4,249	0.17	0	0	Pipeline
4.9	Gods First Church	0	0	0	871	N/A
5.1	Saint Peters Lutheran Church	0	0	0	1,267	N/A
6.0	Larimore Park	0	0	0	344	N/A
6.1	Hazlewood Southeast Middle School	0	0.05	0	19	Temporary ROW
6.8	Applied Scholastics International <sup>4</sup>	787	0	0	0	Pipeline
6.8	Green Valley Nursing and Rehab	0	0	0	503	N/A
6.9	Grace Baptist Church	0	0	0	502	N/A
<b>Access Roads</b>						
<i>Jersey County, Illinois</i>						
44.7	Principia College	4,835	2.89	0	0	Pipeline



**Table 8.3-2 Public Land and Designated Recreation Areas, Scenic Areas, or Other Public Special Use Areas within 0.25-mile of the Project (Continued)**

Notes:

Project facilities not listed in this table were not located within 0.25-mile of any public land or designated natural area. The 0.25-mile buffer was based on the Project LOD and the centerline (including workspaces); approximate distance was reported based on the distance of the resource (in feet) to the pipeline centerline.

- <sup>1</sup> Land affected during construction is inclusive of operational impacts (permanent).
- <sup>2</sup> Impacts were calculated along the 50-foot wide permanent easement only.
- <sup>3</sup> Public areas were identified within 0.25-mile of Line 880. Due to the highly residential location of these construction activities along Line 880, special public use areas were included on this table. Crossing lengths associated with these areas represent the crossing of the existing Line 880 pipeline. Areas affected by construction indicate those areas where workspaces for the modifications sites overlap the special use areas.
- <sup>4</sup> The existing line 880 crosses the Applied Scholastics International property, however no modification or construction activities are proposed on this property.



### **Meeting of the Great Rivers Scenic Byway**

The Project crosses the Meeting of the Great Rivers Scenic Byway, located adjacent to the Mississippi River in Jersey County, Illinois. This route is a National Scenic Byway which follows the Mississippi River and allows travelers to view 18<sup>th</sup> century river towns, islands, points, and bends covered by forests extending over 20,000 acres (USDOT 2016).

The crossing of this byway will be encompassed into Spire's HDD of the Mississippi River, therefore, no earth disturbance or adverse impacts to this byway are anticipated. The byway will remain open during construction activities. Spire anticipates that indirect impacts will occur as the Project's HDD workspace is within the viewshed of those passengers utilizing the byway. However, impacts will be primarily temporary. Temporary workspace required for the HDD will be cleared and graded; however this area will be returned to pre-existing contours and allowed to revert following the completion of construction.

### **8.3.3 Agency and Landowner Consultation**

Spire has initiated consultation with a variety of federal and state agencies to identify potential constraints in the Project area. Agency consultation was initiated in June 2016. Spire has also conducted various meetings with agencies with permitting authority on the Project, and other agencies with interest in the Project area. A record of these consultations is provided in Resource Report 1, Appendix 1-C Agency Correspondence. Further details on agency consultation are provided in Resource Report 1, Section 1.7.3 Agency Outreach. A Project-specific list of permits/consults and their status, including agency and landowner contacts can be found in Resource Report 1, Table 1.6-1.

Spire initiated landowner contact in July 2016. Landowners were informed about the Project and a request for survey permission on each landowner's property within 300 feet of the 24-inch pipeline and 200 feet of Line 880 was requested. Environmental field surveys on the Project were initiated in September 2016 and were completed on accessible properties in 2016. Additionally, open houses for the Project were held in August 2016 in all five counties crossed by the Project. Further details on landowner notification are provided in Resource Report 1, Section 1.7 Affected Landowners/Stakeholders.

### **8.3.4 Impact and Mitigation**

The Project crosses both public and privately owned lands. Within special use areas, construction activities may temporarily disrupt recreational access and use of these areas primarily as a result of construction-related traffic. Construction will also generate dust and noise that may be a nuisance to recreational users; noise and air impacts and mitigation are discussed in greater detail in Resource Report 9.

At a minimum, Spire will implement FERC's Plan and Procedures to minimize and mitigate impacts to special use areas.

Except for select aboveground facilities associated with the Project, such as valve sites, the proposed 24-inch pipeline will be located entirely underground and thus will generally not affect the use of the surface of the land that the Project crosses after construction is completed. Effects of construction on lands crossed by the 24-inch





pipeline are anticipated to be minor and short-term. Spire intends to reduce the construction and operational impacts on these lands to the extent feasible by utilizing only the space necessary to safely construct the facilities and by continuing communications with the officials and regulatory agencies as appropriate. Following construction, all impacted areas categorized as special land uses, recreational areas, and other designated areas will be restored to their current conditions to the extent possible in accordance with FERC's Plan and Procedures and the Project's E&SCP.

The pipe will be buried in croplands with a minimum depth of 5 feet of cover and will allow agricultural activities to continue after the pipe has been installed.

In HDD areas, no clearing of vegetation will occur between the HDD entry and exit locations as Spire intends to utilize a gyroscopic guidance system that does not require the installation of a tracer wire along the HDD alignment on the ground surface. No ground disturbance is anticipated for utilizing this guidance system. Spire's HDD contractor and inspectors will complete regular inadvertent return walks throughout the duration of the drill which would require minimal foot traffic along the HDD alignment.

The Line 880 modifications and temporary workspaces are primarily located within existing easement or maintained residential areas. Construction along Line 880 will not require the acquisition of any new permanent easement; therefore impacts will be temporary and consist of only the work performed during construction. Effects of construction on lands crossed by Line 880 are anticipated to be minor and short-term. Spire intends to reduce the construction and operational impacts on these lands to the extent feasible by utilizing only the space necessary to safely construct the facilities and by continuing communications with the officials and regulatory agencies as appropriate. Following construction, all impacted areas categorized as special land uses, recreational areas, and other designated areas will be restored to their current conditions to the extent possible in accordance with FERC's Plan and Procedures and the Project's E&SCP.

Temporary workspaces utilized for the Project will only be used during construction and will not be permanently maintained. Once construction is complete, these areas will be restored in accordance with FERC's Plan and Procedures and the Project E&SCP. Additionally, tree stumps and rootstock will be left in place within temporary workspaces wherever possible to facilitate natural revegetation.

Impacts and mitigation measures for special use areas are discussed in detail in Sections 8.3.1 and 8.3.2.

## **8.4 Contaminated or Hazardous Waste Sites**

The Project is located in a designated metropolitan no-discharge stream, as found in 10CSR 20-7.031, Table F (MDNR 2014). The Project crosses Coldwater Creek within the metropolitan no-discharge stream reach. Spire has coordinated with the USACE Formerly Utilized Sites Remedial Action Program ("FUSRAP") about crossing Coldwater Creek with open cut techniques. The USACE FUSRAP indicated that their current sampling efforts are revealing the sources of contaminants have been removed upstream and there is an unlikely possibility for contaminants to migrate. The USACE FUSRAP reviewed Spire's current crossing plan and proposed soil disturbance areas and determined that there is no contamination or a pathway for future contamination at the crossing location (USACE 2016a, USACE 2016b).



The United States Environmental Protection Agency (“USEPA”) National Priority List Superfund Sites list was searched for sites near the Project area (USEPA, 2016c). The closest site is located approximately 7.6 miles away from the Project (USEPA 2016b). The Chemetco Superfund Site, located in Hartford, Illinois, is a 41-acre site where site cleanup is ongoing. Contaminants of concern include elevated levels of cadmium, copper, lead, and zinc oxide. The site is currently fenced and access is restricted. The Project is located approximately 7.6 miles to the west of this site, therefore no issues of contamination are expected during construction (USEPA 2016b).

The West Lake Landfill Superfund Site is an USEPA Superfund Site located in Bridgeton, Missouri, consisting of several inactive landfills, including the West Lake Landfill and Bridgeton Landfill (USEPA 2016a). The Project is located approximately 11.5 miles northeast of these landfills and therefore no issues of contamination are expected during construction (USEPA 2016a).

## **8.5 Coastal Zone Management Areas**

The Project is not located within a designated coastal zone management area, therefore, this section is not applicable (NOAA 2012).

## **8.6 Visual Resources**

### **8.6.1 Pipelines**

Visual impacts associated with construction activities may result from the removal of vegetation, particularly in forested areas, exposure of bare soils during construction, and the presence of construction equipment during usage and storage. These impacts may be most observable where the pipeline parallels or crosses roads and where vegetation is removed between the construction right-of-way and residences.

Temporary workspaces will be utilized for the duration of construction and will not be permanently maintained. Temporary workspaces located in predominately agricultural areas will revert back to pre-existing land uses with little to no visual impact. TWS in forested areas will also be allowed to revert to pre-existing conditions, however, long term visual impacts are anticipated as forest habitat would likely take several years to establish.

Visual impacts along Line 880 are anticipated to be minimal as the majority of the construction activities will occur within existing rights-of-ways. Any TWS associated with the modification sites will be allowed to revert to pre-existing conditions.

Visual impacts also can occur where vegetation removal occurs in public recreational areas, valued for their scenic qualities. Recreational areas valued for scenic qualities located in the vicinity of the proposed Project are described in the Sections below.

#### **Principia College**

The portion of Principia College crossed by the proposed Project includes areas of upland forest. Spire is attempting to coordinate with Principia regarding the pipeline routing and will continue coordination through construction and restoration. The portion of the proposed route through the College’s West Farm is adjacent to



an existing pipeline right-of-way which reduces bisection of undisturbed portions of this property and visual impacts.

Spire does not anticipate that construction of the Project will permanently affect visual resources at the Three Rivers Community Farm. Visual impacts to this area will primarily occur during construction and consist of vegetative and soil disturbance. Visual impacts will be short term and temporary in nature. The land is predominately agricultural and will be allowed to revert to preconstruction conditions upon completion of construction.

#### **Sam Vadalabene Great River Road Bike Trail**

The Project crosses the Sam Vadalabene Great River Road Bike Trail via HDD. Spire expects that indirect visual impacts will occur as the Project's HDD workspace is within the viewshed. ATWS required for the HDD will be cleared and graded; however this area will be returned to existing contours and allowed to revegetate following completion of the Project. The visual impact associated with the proposed permanent easement and TWS would not be inconsistent with currently developed areas along the bike trail.

#### **Upper Mississippi Conservation Area**

The Upper Mississippi Conservation Area is crossed by the Project via HDD. HDD entry/exit locations will be outside the boundaries of this property. No aboveground disturbance is planned between the HDD entry and exit locations during construction. No trees will be removed. Therefore, significant visual impacts to this resource are not anticipated.

#### **Spanish Lake Park**

An existing road to be utilized for access for the Project is located on the perimeter of the park. Spire anticipates a temporary increase in the amount of vehicles utilizing the existing road during construction of the Project, which may cause short-term visual impacts during construction activities. Visual impacts to this area are not anticipated to be permanent as the area will be restored back to pre-existing conditions to the extent practicable upon construction completion.

#### **Schools**

Line 880 and associated TWS in St. Louis County are located adjacent to the two schools and one daycare. Spire proposes to complete construction activities outside of the school year. Visual impacts to this area will primarily occur during construction and consist of vegetative and soil disturbance. Visual impacts to these areas are not anticipated to be permanent as the areas will be returned to existing contours and allowed to revegetate following completion of the Project.

#### **Meeting of the Great Rivers Scenic Byway**

The Project crosses the Meeting of the Great Rivers Scenic Byway (Highway 100) via HDD. Spire expects that indirect impacts will occur as the Project's HDD workspace is within the viewshed however, impacts will be minimized and primarily temporary as the proposed route parallels an existing right-of-way and the HDD workspace is adjacent to a small existing aboveground valve site. Temporary workspace required for the HDD will



be cleared and graded; however this area will be returned to existing contours and allowed to revegetate following completion of the Project.

As part of Spire's discussions with Illinois Department of Transportation for road crossing permits, state jurisdiction of the scenic byway does not extend beyond the existing road right-of-way. Construction activities within the existing road right-of-way may not disturb the view of the highway; therefore, within the existing right-of-way, no signage or aboveground appurtenances are allowed. The Project is not placing any permanent facilities within this existing road right-of-way. The visual impact associated with the proposed permanent easement and TWS would not be inconsistent with the existing right-of-way and developed areas along the scenic byway north towards Grafton and Chautauqua, Illinois, or south towards Elsah, Illinois.

### **8.6.2 Aboveground Facilities**

Long-term visible facilities will include the M&R aboveground facilities - the REX Receipt Station and Laclede/Lange Delivery Station along the 24-inch pipeline and the existing Redman Delivery Station and construction of the new MRT Bi-directional Station adjacent to an existing Enable MRT facility along Line 880, as well as the MLVs along both lines.

Some of the work proposed at the existing sites will occur within the existing fence line of the facilities. Proposed modifications to these existing facilities will be consistent with the current visual landscape in terms of color and scale such that no significant visual changes to the current landscape are anticipated.

The proposed REX Receipt Station will be located within land classified as agricultural and open land (rural) and will have permanent impacts to the visual resources in this area as the land use will be converted to developed. The proposed Laclede/Lange Delivery Station will be located within land classified as agricultural, forest, and developed and will have permanent impacts to the visual resources in this area as the land use will be converted to developed. New buildings and aboveground piping installed within proposed facilities will be colored consistent with the surrounding environment.

Aboveground facilities will be permanent and remain in operation throughout the life of the pipelines.

## **8.7 Applications for Rights-of-Way and Other Land Use**

Applications for the easement across the federal property, which is owned in fee title by the USACE, will be filed with the USACE in January 2017, concurrently with Spire's FERC application.

## **8.8 References**

Banghart, D. 2016. Telephone call from Debbie Banghart to Andrea Halfhill, GAI on October 12, 2016.

Bedient, R. 2016. Email from Illinois Department of Natural Resources to Andrea Halfhill, GAI on December 6, 2016.

Choate, G. 2016. Telephone call from St. Louis County Department of Planning to Andrea Halfhill, GAI on October 6, 2016.



- Cook, R. 2016. Email from Natural Resources Conservation Service to Andrea Halfhill, GAI on October 11, 2016.
- Diebal, J. 2016a. Email from Farm Service Agency to Andrea Halfhill, GAI on October 12, 2016.
- Diebal, J. 2016b. Email from Farm Service Agency to Andrea Halfhill, GAI on October 17, 2016.
- ESRI USA Detailed Parks and Forests. 2014.
- ESRI USA Detailed Churches and Cemeteries. 2014.
- Farley, J. 2016. Telephone call from City of West Alton Planning and Zoning Commission to Andrea Halfhill, GAI on October 12, 2016.
- Garver, L. 2016. Email from Illinois Department of Natural Resources to Lori Ferry, GAI on September 9, 2016.
- Gibson, Connie. 2016. Email from the United States Department of Agriculture Farm Service Agency to Andrea Halfhill, GAI on December 27, 2016.
- Illinois Department of Natural Resources. 2016. Parks - West Central Illinois. Accessed December 2016 from <https://www.dnr.illinois.gov/Parks/Pages/WestCentral.aspx>.
- Illinois Department of Natural Resources. 2013. Illinois Natural Area Inventory Sites. Accessed December 2016 from <https://efotg.sc.egov.usda.gov/references/public/IL/2013-ILNaturalAreasInventorysites.pdf>.
- Jersey County. 2016. *Parcel Result and Map for The Principia (West Farm)*. Accessed January 2017 from <http://jersey.il.bhamaps.com/>.
- Koch, L. 2016. Telephone call from Lorrie Koch, Scott County Assessor's Office to Andrea Halfhill, GAI on October 6, 2016.
- McGraw, C. 2016. Email from Craig McGraw, Jersey County Code Administration to Andrea Halfhill, GAI on October 6, 2016.
- McGraw, C. 2016. Email from Craig McGraw, Jersey County Code Administration to Andrea Halfhill, GAI on December 9, 2016.
- McMillan, M. 2016. Telephone call from White Hall City Clerk to Andrea Halfhill, GAI on October 12, 2016.
- Missouri Department of Conservation. *Upper Mississippi Conservation Area*. Accessed September 2016 from <http://mdc7.mdc.mo.gov/applications/moatlas/AreaSummaryPage.aspx?txtAreaID=6131&txtAreaNm=&txtCounty=SAINT%20CHARLES&txtRegion=&txtUserID=&txtDivision=>.
- Missouri Department of Natural Resources. 2014. *Water Quality*. Accessed September 2016 from <https://dnr.mo.gov/env/wpp/wqstandards/index.html>.
- Missouri Department of Natural Resources. Undated. Missouri State Parks. Accessed December 2016 from <https://mostateparks.com/find-a-park?region=5>.
- Myers, R. 2016. Email from St. Charles Community Development Department to Andrea Halfhill, GAI on September 26, 2016.



- Myers, R. 2016. Email from St. Charles Community Development Department to Andrea Halfhill, GAI on December 8, 2016.
- National Oceanic and Atmospheric Administration - Office for Coastal Management. 2012. *State Coastal Zone Boundaries*. Accessed October 2016 from <https://coast.noaa.gov/czm/media/StateCZBoundaries.pdf>.
- Orange Pippin. 2015. Illinois Orchards Directory. Accessed December 2016 from <https://www.orangepippin.com/orchards/united-states/illinois>.
- Orange Pippin. 2015. Missouri Orchards Directory. Accessed December 2016 from <https://www.orangepippin.com/orchards/united-states/missouri>.
- PickYourOwn.org. 2016. Central Illinois. Accessed December 2016 from <http://www.pickyourown.org/ILcentral.htm>.
- Plahn, P. 2016. Telephone call from Patty Plahn, Roodhouse City Clerk to Andrea Halfhill, GAI on October 12, 2016.
- Snyder, M. 2016. Telephone call from Carrollton Township Director of Public Works to Andrea Halfhill, GAI on October 17, 2016.
- The University of Montana, Wilderness.net. Undated. *Map*. Accessed December 2016 from <http://www.wilderness.net/map>.
- Three Rivers Community Farm. 2016. Accessed December 2016 from <http://www.threeriverscommunityfarm.com/index.html>.
- TrailLink. Accessed October 2016 from <http://www.trailink.com/>.
- United States Army Corps of Engineers. 2016a. Emails from Jacob Prebianca, Formerly Utilized Sites Remedial Action Program to Jayme Fuller, GAI on September 28, 2016.
- United States Army Corps of Engineers. 2016b. Email from Jonathan Rankins, Radiation Safety Officer to Lori Ferry, GAI on October 12, 2016.
- United States Department of Agriculture. n.d.. *United States Forest Service*. Accessed October 2016 from <http://www.fs.fed.us/>.
- United States Department of Agriculture. 2015. *Organic Integrity Database*. Accessed December 2016 from <https://organic.ams.usda.gov/Integrity/>.
- United States Department of the Interior. 2014a. *National Park Service*. Accessed October 2016 from <http://www.nps.gov/index.htm>.
- United States Department of the Interior - National Park Service. 2014b. *National Register of Historic Places*. Accessed December 2016 from <https://www.nps.gov/maps/full.html?mapId=7ad17cc9-b808-4ff8-a2f9-a99909164466>.
- United States Department of the Interior. Undated. *Indian Reservations in the Continental United States*. Accessed December 2016 from <https://www.nps.gov/nagpra/DOCUMENTS/ResMAP.HTM>.



United States Fish and Wildlife Service. 2014a. *National Wild and Scenic Rivers System*. Accessed October 2016 from <http://www.rivers.gov/index.php>.

United States Fish and Wildlife Service. *National Wildlife Refuge System - Middle Mississippi River*. Accessed October 2016 from [https://www.fws.gov/refuge/Middle\\_Mississippi\\_River/map.html](https://www.fws.gov/refuge/Middle_Mississippi_River/map.html).

United States Environmental Protection Agency. *Cleanups in My Community (Interactive Map)*. Accessed October 2016 from [https://ofmpub.epa.gov/apex/cimc/f?p=CIMC:73:::NO::P71\\_IDSEARCH:SF\\_SITE\\_ID%7C0701205](https://ofmpub.epa.gov/apex/cimc/f?p=CIMC:73:::NO::P71_IDSEARCH:SF_SITE_ID%7C0701205).

United States Environmental Protection Agency. 2016a. *EPA in Missouri - West Lake Landfill*. Accessed October 2016 from <https://www.epa.gov/mo/west-lake-landfill>.

United States Environmental Protection Agency. 2016b. *EPA Superfund Program: Chemetco, Hartford, IL*. Accessed October 2016 from <https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0500342>.


United States Environmental Protection Agency. 2016c. *Superfund*. Accessed October 2016 from <https://www.epa.gov/superfund/search-superfund-sites-where-you-live>.

University of Illinois Extension. 2016. *Tree Farms*. Accessed December 2016 from <http://extension.illinois.edu/trees/treefarms.cfm>.



**Appendix 8-A**  
**Typical Right-of-Way Cross-Section Drawings**





**PROFILE**  
 (NOT TO SCALE)

**NOTES:**


1. CONSTRUCTION RIGHT-OF-WAY WILL TYPICALLY BE 90 FEET WIDE CONSISTING OF 50 FEET OF PROPOSED PERMANENT EASEMENT AND 40 FEET OF TEMPORARY WORKSPACE. ADDITIONAL TEMPORARY WORKSPACE (ATWS) WILL BE NECESSARY AT MAJOR ROADS, RAILROADS, RIVER CROSSINGS AND OTHER SPECIAL CIRCUMSTANCES, AS REQUIRED. CERTAIN SITUATIONS MAY REQUIRE A NARROWER WIDTH.
2. LEAVE GAPS IN SPOIL PILES AT OBVIOUS DRAINAGES. DO NOT PUSH UPLAND SOILS INTO STREAMS OR WETLANDS. DO NOT USE TOPSOIL FOR PADDING. AVOID SCALPING VEGETATED GROUND SURFACE WHEN BACKFILLING TOPSOIL AND SPOIL PILES.
3. MINIMUM DEPTH OF COVER FOR PIPE IS 3 FEET.

ENG. RECORD		DATE
DRAWN BY:	MM	09/2016
DRAWING APPROVAL		
PROJECT APPROVAL		
SURVEY DATE:		
SCALE: N.T.S.		
PROJECT ID:		
FILE NAME:		

TYPICAL 90' CONSTRUCTION  
 RIGHT-OF-WAY (UPLAND)  
 FOR PROPOSED 24-INCH  
 DIAMETER PIPELINE

NO	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
REVISIONS					

DWG. NO. ROW-CONFIG\_01



**PROFILE**  
(NOT TO SCALE)

**NOTES:**


1. CONSTRUCTION RIGHT-OF-WAY THROUGH STREAMS AND WETLANDS WILL TYPICALLY BE REDUCED TO 75 FEET WIDE CONSISTING OF 50 FEET OF PROPOSED PERMANENT EASEMENT AND 25 FEET OF TEMPORARY WORKSPACE.
2. LEAVE GAPS IN SPOIL PILES AT OBVIOUS DRAINAGES. DO NOT PUSH UPLAND SOILS INTO STREAMS OR WETLANDS. DO NOT USE TOPSOIL FOR PADDING. AVOID SCALPING VEGETATED GROUND SURFACE WHEN BACKFILLING TOPSOIL AND SPOIL PILES.
3. MINIMUM DEPTH OF COVER IN AGRICULTURAL FIELD IS 5 FEET.
4. MINIMUM DEPTH OF COVER AT STREAM CROSSINGS IS 5 FEET, EXCEPT IN CONSOLIDATED ROCK, WHERE THE DEPTH OF COVER WILL BE 2 FEET MINIMUM.
5. TOPSOIL STORAGE WILL NOT TAKE PLACE IN THE WETLAND.

ENG. RECORD		DATE
DRAWN BY:	MM	09/2016
DRAWING APPROVAL		
PROJECT APPROVAL		
SURVEY DATE:		
SCALE: N.T.S.		
PROJECT ID:		
FILE NAME:		

**TYPICAL 75' CONSTRUCTION  
RIGHT-OF-WAY (STREAMS AND WETLANDS)  
FOR PROPOSED 24-INCH  
DIAMETER PIPELINE**

NO	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
REVISIONS					

DWG. NO. **ROW-CONFIG\_02**



**PROFILE**  
(NOT TO SCALE)

**NOTES:**

1. CONSTRUCTION RIGHT-OF-WAY WILL TYPICALLY BE 90 FEET WIDE CONSISTING OF 50 FEET OF PROPOSED PERMANENT EASEMENT AND 40 FEET OF TEMPORARY WORKSPACE. ADDITIONAL TEMPORARY WORKSPACE (ATWS) WILL BE NECESSARY AT MAJOR ROADS, RAILROADS, RIVER CROSSINGS AND OTHER SPECIAL CIRCUMSTANCES, AS REQUIRED. CERTAIN SITUATIONS MAY REQUIRE A NARROWER WIDTH.
2. ADD 25 FEET OF ATWS ON WORKING SIDE (TYPICALLY) FOR TOPSOIL STORAGE IN AGRICULTURAL FIELDS, RESIDENTIAL YARDS, AND AS PER LANDOWNER AGREEMENTS.
3. LEAVE GAPS IN SPOIL PILES AT OBVIOUS DRAINAGES. DO NOT PUSH AGRICULTURAL SOILS INTO STREAMS OR WETLANDS. DO NOT USE TOPSOIL FOR PADDING. AVOID SCALPING VEGETATED GROUND SURFACE WHEN BACKFILLING TOPSOIL AND SPOIL PILES.
4. MINIMUM DEPTH OF COVER IN AGRICULTURAL FIELD IS 5 FEET.

ENG. RECORD		DATE
DRAWN BY:	MM	09/2016
DRAWING APPROVAL		
PROJECT APPROVAL		
SURVEY DATE:		
SCALE: N.T.S.		
PROJECT ID:		
FILE NAME:		

**TYPICAL 90' CONSTRUCTION  
RIGHT-OF-WAY (AGRICULTURE FIELD)  
FOR PROPOSED 24-INCH  
DIAMETER PIPELINE**

DWG. NO. **ROW-CONFIG\_03**

NO	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
REVISIONS					



**Appendix 8-B**  
**Federal Property Crossing Plan**



# Spire STL Pipeline Project

Federal Property Crossing Plan

FERC Docket No. CP17-\_\_\_-\_\_\_

January 2017

Public



# Table of Contents

- Federal Property Crossing Plan ..... 1
  - 1.1 Introduction..... 1
    - 1.1.1 Project Location ..... 1
    - 1.1.2 Federal Lands Crossing..... 1
  - 1.2 Construction Methods and Impacts ..... 2
    - 1.2.1 HDD Crossing Method..... 2
    - 1.2.2 Land Requirements ..... 3
    - 1.2.3 Resources Crossed ..... 3
    - 1.2.4 Land Use Crossed ..... 4
  - 1.3 Permitting and Mitigation ..... 5
    - 1.3.1 Permitting ..... 5
    - 1.3.2 Easement..... 5
    - 1.3.3 Mitigation..... 5
  - 1.4 References..... 5
- Tables
  - 1.1-1. Land Requirements on Federal Land.....3
  - 1.1-2. Resources on Federal Land.....4
  - 1.1-3. Land Use at Crossing of Federal Land.....5



## Acronyms and Abbreviations

ATWS	Additional Temporary Workspace
Enable MRT	Enable Mississippi River Transmission, LLC
HDD	horizontal directional drill
LGC	Laclede Gas Company
MP	milepost
NEPA	National Environmental Policy Act
NWI	National Wetlands Inventory
Project	Spire STL Pipeline Project
REX	Rockies Express Pipeline LLC
Spire	Spire STL Pipeline LLC
USACE	United States Army Corps of Engineers



# Federal Property Crossing Plan

## 1.1 Introduction

Spire STL Pipeline LLC (“Spire”), a wholly owned subsidiary of Spire Inc., is proposing to construct and operate the Spire STL Pipeline Project (“Project”) located in Scott, Greene, and Jersey Counties, Illinois; and St. Charles and St. Louis Counties, Missouri. The proposed Project would cross land in St. Charles County, Missouri that is owned in fee by the United States Army Corps of Engineers (“USACE”) St. Louis District (Upper Mississippi River Conservation Area). This Federal Crossing Plan discusses the crossing of this property and the avoidance and minimization measures that will be implemented during construction at this property. Spire continues to coordinate with the USACE and will revise this Plan as necessary throughout the Project’s planning process.

### 1.1.1 Project Location

The Project as proposed will consist of approximately 59 miles of new, greenfield, 24-inch-diameter steel pipeline (referred to as the “24-inch pipeline” portion of the Project) originating at an interconnection with the Rockies Express Pipeline LLC (“REX”) pipeline in Scott County, Illinois, and extending down through Greene and Jersey Counties in Illinois before crossing the Mississippi River and extending east in St. Charles County, Missouri. The 24-inch pipeline then crosses the Missouri River and ties into an existing pipeline in St. Louis County, Missouri that is currently owned and operated by Laclede Gas Company (“LGC”) (referred to as “Line 880”). As part of the proposed Project and subject to LGC’s receipt of approval from the Missouri Public Service Commission, Spire is proposing to purchase Line 880, including its appurtenant and ancillary facilities, from LGC and modify the pipeline before placing it into interstate service. Line 880 consists of approximately seven miles of existing 20-inch-diameter steel natural gas pipeline located in St. Louis County, Missouri, that will connect the 24-inch pipeline part of the Project to the Enable Mississippi River Transmission, LLC (“Enable MRT”) pipeline along the western bank of the Mississippi River in St. Louis County, Missouri. The total length of the Project pipelines will be approximately 65.8 miles. The overall design capacity of the Project pipeline is expected to be 400,000 dekatherms per day. No compression will be required. The Project will also include the construction of three metering and regulating station interconnects with REX in Illinois, LGC and Enable MRT in Missouri, and the modification of an existing facility along Line 880.

The crossing of the property owned by the USACE is located adjacent to the Mississippi River in St. Charles County, Missouri, and is described in greater detail below.

### 1.1.2 Federal Lands Crossing

Federal lands are proposed to be crossed by the 24-inch pipeline at the western bank of the Mississippi River at approximate Milepost (“MP”) MP 45.6. Spire’s proposed route is collocated with an existing pipeline through this location. As currently proposed, the USACE property (near Mississippi River mile marker 215) would be crossed by the Project via horizontal directional drill (“HDD”) as part of the 24-inch pipeline’s crossing of the Mississippi





River. Spire initiated its geotechnical assessment of this river crossing in October 2016 to determine the final placement of the pipeline and associated HDD entry/exits locations; these are shown on the Project mapping. No tree clearing or earth disturbance will occur on the USACE federal land as described in Sections 1.2 through 1.4. Workspace required for the crossing will be located outside of the USACE property boundary.

## **1.2 Construction Methods and Impacts**

Spire will cross the Mississippi River, including the USACE federal land, using HDD techniques. This trenchless method avoids land surface and water disturbances, including those to wetlands, waterbodies, vegetation, or any special land uses. Section 1.2.1 describes the crossing method, and Sections 1.2.2 through 1.2.4 discuss the land requirements for a permanent pipeline right-of-way easement on the USACE property and the resources avoided by use of the trenchless crossing of the property.

### **1.2.1 Crossing Method**

HDD is an advanced, controllable trenchless boring method of installing underground pipes along a predetermined bore path. This method allows for trenchless construction across an area by pre-drilling a hole well below the depth of a conventional pipeline lay and then pulling the pipeline through the pre-drilled borehole. The process consists of drilling a pilot hole with a cutting head along the predetermined path and then enlarging the pilot hole with a larger cutting tool (back reamer) to the diameter required to install the casing, pipe, or conduit. The process is done with viscous fluid (e.g., drilling fluid). The fluid generally consists of a mixture of water and usually bentonite or polymer. The fluid is pumped through holes in the cutting heads to facilitate the removal of cuttings, stabilize the bore hole and cool the cutting heads, and lubricate the passage of the pipe. The fluid is recycled throughout the drilling process. This method of installation will require additional temporary workspace (“ATWS”). The amount of ATWS is directly related to the required drilling fluid pits and the pipe stringing corridor (pull-back). The pipe stringing corridor is required to pre-connect the pipe so that it can be pulled through the bore hole in one piece.

Construction workspaces required to conduct the trenchless crossing include the following:

- the HDD entry/exit location at approximate MP 45 at the north side of the Mississippi River (270 feet north of the river);
- the HDD entry/exit location at approximate MP 46.1 at the south side of the Mississippi River and south of the USACE property (2,622 feet south of the river); and
- the HDD pull-back (typically the length of the drill for stringing pipe) located south of the USACE property.

These construction workspaces will be located outside of the USACE property boundary. Only subsurface drilling will occur across the property, avoiding impacts to the Mississippi River and the associated federal land.

As discussed in Resource Report 2, the trenchless crossing will extend to a minimum depth of 25 feet below the river bed. No aboveground disturbance is planned between the HDD entry and exit locations during construction. No trees will be removed. No clearing of vegetation will occur between the HDD entry and exit locations as Spire



intends to utilize a gyroscopic guidance system that does not require the installation of a tracer wire along the HDD alignment on the ground surface. No ground disturbance is anticipated for utilizing this guidance system. Spire's HDD contractor and inspectors will complete regular inadvertent return walks throughout the duration of the drill which would require minimal foot traffic along the HDD alignment. The proposed Site-Specific crossing drawings of the Mississippi River and associated federal property are provided in Resource Report 2.

### 1.2.2 Land Requirements

A 50-foot-wide permanent easement is proposed by Spire for the entirety of the proposed 24-inch pipeline. The permanent easement allows access to Spire personnel for any future operational needs. Table 1.2-1 displays the acreage of this easement across the USACE property. As stated above, Spire does not propose to maintain the portion of its permanent easement across the USACE land.

**Table 1.2-1. Land Requirements on Federal Land**

Facility	Construction Footprint (acres) <sup>1</sup>	Operational Easement (acres) <sup>1</sup>
24-inch Pipeline	2.00	2.00

Notes:

<sup>1</sup> 50-foot wide permanent easement only. No earth disturbance or clearing will occur.

### 1.2.3 Resources Crossed

The USACE property contains sensitive resources including wetlands and waterbodies. As previously mentioned, disturbances to these resources will be avoided by implementing the HDD crossing method. The United States Fish and Wildlife Service's National Wetlands Inventory ("NWI") identifies wetlands and waterbodies at the USACE property, as described below in Table 1.2-2. Spire initiated environmental surveys in September 2016.



**Table 1.2-2. Resources on Federal Land**

Resource and ID	Type	Source <sup>2</sup>	Operational Easement (acres) <sup>3</sup>
<b>Wetlands</b>			
NWI-105 <sup>1</sup>	PFO1Ah	NWI	0 <sup>4</sup>
WMO-WJW-001	PFO	FD	0 <sup>4</sup>
<b>Subtotal</b>			<b>0</b>
<b>Waterbodies</b>			
NWI-505 <sup>1</sup>	L1UBHh (Luesse Lake)	NWI	0 <sup>5</sup>
<b>Subtotal</b>			<b>0</b>
<b>Total</b>			<b>0</b>

Notes:

- <sup>1</sup> These features are based on publically available NWI data. These features are located within areas of open water and cannot be accessed or field delineated on foot.
- <sup>2</sup> NWI – National Wetland Inventory. FD – Field Delineation.
- <sup>3</sup> Acreages are calculated based on the 50-foot-wide permanent easement only.
- <sup>4</sup> Wetland is crossed by the HDD. No vegetation clearing is proposed within the permanent right-of-way above the HDD path; therefore impacts to this wetland are not anticipated.
- <sup>5</sup> Waterbody is crossed by the HDD; therefore impacts are not anticipated.

Spire will not clear land between the HDD entry and exit locations for the proposed crossing of the Mississippi River and USACE property, and no impacts to wetlands or waterbodies are anticipated.

**1.2.4 Land Use Crossed**

Land use within the Project area was determined based on field reconnaissance during environmental resources investigations, as well as review of existing aerial mapping. Land use classifications were reviewed for the USACE property; those results are displayed in Table 1.2-3. As previously mentioned, impacts will be avoided by implementing a trenchless crossing method, therefore, permanent conversions of land use are not anticipated.



**Table 1.2-3. Land Use at Crossing of Federal Land**

<b>Land Use Type</b>	<b>Construction Footprint (acres)<sup>1</sup></b>	<b>Operational Easement (acres)<sup>1</sup></b>
Forest	0.71	0.71
Agricultural	0.00	0.00
Open Water	0.54	0.54
Open Land	0.00	0.00
Wetland	0.74	0.74
<b>Totals</b>	<b>2.00</b>	<b>2.00</b>

Notes:

<sup>1</sup> 50-foot wide permanent easement only. No proposed tree clearing or earth disturbance.

## **1.3 Permitting and Mitigation**

### **1.3.1 Permitting**

As part of the easement agreement with the USACE, Spire intends to submit Standard Form 299, Application for Transportation and Utility Systems and Facilities on Federal Lands. Additionally, the USACE requires that projects that propose to make alternations to, or to temporarily or permanently occupy or use any USACE federally authorized civil works project, apply for a Section 408 permit. Spire will submit a permit for a Section 408 in January 2017. Both the USACE easement and Section 408 request are federal actions, and therefore subject to the National Environmental Policy Act (“NEPA”). The Federal Energy Regulatory Commission will act as the lead federal agency under NEPA for the environmental review and the development of the environmental document for the Project.

### **1.3.2 Easement**

Spire requests a 50-foot-wide permanent right-of-way easement. No direct impacts are anticipated during or after construction within the operational easement.

### **1.3.3 Mitigation**

Spire does not propose mitigation for this property at this time.

## **1.4 Reference**

United States Fish and Wildlife Service. 2015. *National Wetlands Inventory*.




## **Appendix 8-C**

### **Site-Specific Residential Construction Details**



**ST LOUIS COUNTY, MISSOURI  
SPANISH LAKE TOWNSHIP**



**LEGEND**

- SAFETY FENCE
- PROPOSED PIPELINE
- OVERHEAD UTILITY LINES
- EXISTING FOREIGN PIPELINE
- CONSTRUCTION LIMITS
- PROPERTY LINE
- PROPOSED ACCESS ROAD
- MMID
- RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
- UTILITY POLE

**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.


**PLAN VIEW**

1" = 60'

4. AREAS OF PERMANENT EASEMENT WILL BE PERMANENTLY MAINTAINED PER USDOT PHMSA REQUIREMENTS. TEMPORARY WORKSPACES WOULD BE ALLOWED TO REVERT TO PRE-EXISTING USES. FENCES WOULD BE REPAIRED OR REPLACED.

**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.



NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					

Division:		Op. Area:	
State: MISSOURI		Co./Par.: ST LOUIS	
Section:	Township:	Range:	
Dft: DRG	Date: 10/11/16	Scale: 1" = 60'	
Chk: EB	Date: 10/11/16	Filename: RES-001.DWG	
Appr:	Date:		


**SPIRE STL PIPELINE PROJECT  
 PROPOSED 24-INCH DIAMETER PIPELINE  
 RESIDENTIAL SITE SPECIFIC  
 ST LOUIS COUNTY, MISSOURI**

PREPARED FOR		PREPARED BY	
Sheet: 1 of 1		1	

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODD\FERC\WORK\DRAWING\RESIDENTIAL\_SITE\_SPECIFIC\RES-001.DWG 9/21/2016 2:39 PM



**ST LOUIS COUNTY, MISSOURI**  
**SPANISH LAKE TOWNSHIP**



**LEGEND**

- SAFETY FENCE
- PROPOSED PIPELINE
- OVERHEAD UTILITY LINES
- EXISTING FOREIGN PIPELINE
- CONSTRUCTION LIMITS
- PROPERTY LINE
- PROPOSED ACCESS ROAD
- MMID
- RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
- UTILITY POLE


**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

**PLAN VIEW**

1" = 60'

**GRAPHIC SCALE**



**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODD\FERC\WORK\DRAWING\RESIDENTIAL\_SITE\_SPECIFIC\RES-002.DWG 9/21/2016 2:39 PM

NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					


Division:		Op. Area:	
State: MISSOURI		Co./Par.: ST LOUIS	
Section:	Township:	Range:	
Dft: DRG	Date: 10/11/16	Scale: 1" = 60'	
Chk: EB	Date: 10/11/16	Filename: RES-002.DWG	
Appr:	Date:		

SPIRE STL PIPELINE PROJECT  
EXISTING LINE 880 20-INCH DIAMETER PIPELINE  
RESIDENTIAL SITE SPECIFIC  
ST LOUIS COUNTY, MISSOURI

PREPARED FOR		PREPARED BY	
<b>Spire</b>		<b>M</b>	
<b>STL Pipeline</b>		<b>MOTT MACDONALD</b>	
RES-002	Sheet: 1 of 1	Type: ACAD	1



**ST LOUIS COUNTY, MISSOURI  
SPANISH LAKE TOWNSHIP**



**LEGEND**

- SAFETY FENCE
- PROPOSED PIPELINE
- OVERHEAD UTILITY LINES
- EXISTING FOREIGN PIPELINE
- CONSTRUCTION LIMITS
- PROPERTY LINE
- PROPOSED ACCESS ROAD
- ###.0000 MMID
- RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
- UTILITY POLE

**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.


**PLAN VIEW**

1" = 60'

4. AREAS OF PERMANENT EASEMENT WILL BE PERMANENTLY MAINTAINED PER USDOT PHMSA REQUIREMENTS. TEMPORARY WORKSPACES WOULD BE ALLOWED TO REVERT TO PRE-EXISTING USES. FENCES WOULD BE REPAIRED OR REPLACED.

**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.



NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					

Division:	Op. Area:
State: MISSOURI	Co./Par.: ST LOUIS
Section:	Township:
	Range:
Dft: DRG	Date: 10/11/16
Chk: EB	Date: 10/11/16
Appr:	Date:
Scale: 1" = 60'	
Filename: RES-003.DWG	


**SPIRE STL PIPELINE PROJECT**  
**EXISTING LINE 880 20-INCH DIAMETER PIPELINE**  
**RESIDENTIAL SITE SPECIFIC**  
**ST LOUIS COUNTY, MISSOURI**

PREPARED FOR		PREPARED BY	
<b>Spire</b>		<b>M</b>	
<b>STL Pipeline</b>		<b>MOTT MACDONALD</b>	
RES-003	Sheet: 1 of 1	Type: ACAD	1

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODDATA\FERC\WORK\DRAWING\RESIDENTIAL SITE SPECIFIC\RES-003.DWG 9/21/2016 2:39 PM



**ST LOUIS COUNTY, MISSOURI  
SPANISH LAKE TOWNSHIP**



**LEGEND**

- SAFETY FENCE
- PROPOSED PIPELINE
- OVERHEAD UTILITY LINES
- EXISTING FOREIGN PIPELINE
- CONSTRUCTION LIMITS
- PROPERTY LINE
- PROPOSED ACCESS ROAD
- MMID
- RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
- UTILITY POLE


**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

**PLAN VIEW**

1" = 60'

**GRAPHIC SCALE**



**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODD\FERC\WORK\DRAWING\RESIDENTIAL\_SITE\_SPECIFICS\RES-004.DWG 9/21/2016 2:39 PM

Division:		Op. Area:	
State: MISSOURI		Co./Par.: ST LOUIS	
Section:	Township:	Range:	
Dft: DRG	Date: 10/11/16	Scale: 1" = 60'	
Chk: EB	Date:	Filename: RES-004.DWG	
Appr:	Date:		


**SPIRE STL PIPELINE PROJECT  
EXISTING LINE 880 20-INCH DIAMETER PIPELINE  
RESIDENTIAL SITE SPECIFIC  
ST LOUIS COUNTY, MISSOURI**

PREPARED FOR		PREPARED BY	
<b>Spire STL Pipeline</b>		<b>M MOTT MACDONALD</b>	
RES-004	Sheet: 1 of 1	Type: ACAD	1

NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					



**ST LOUIS COUNTY, MISSOURI  
SPANISH LAKE TOWNSHIP**



**LEGEND**

- SAFETY FENCE
- PROPOSED PIPELINE
- OH OVERHEAD UTILITY LINES
- EXISTING FOREIGN PIPELINE
- CONSTRUCTION LIMITS
- PROPERTY LINE
- PROPOSED ACCESS ROAD
- ###.0000 MMID
- RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
- UTILITY POLE


**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

**PLAN VIEW**

1" = 60'

**GRAPHIC SCALE**



**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODDRAFTING\RESIDENTIAL SITE SPECIFIC\RES-005.DWG 9/21/2016 2:39 PM

Division:		Op. Area:	
State: MISSOURI		Co./Par.: ST LOUIS	
Section:	Township:	Range:	
Dft: DRG	Date: 10/11/16	Scale: 1" = 60'	
Chk: EB	Date: 10/11/16	Filename: RES-005.DWG	
Appr:	Date:		


**SPIRE STL PIPELINE PROJECT  
EXISTING LINE 880 20-INCH DIAMETER PIPELINE  
RESIDENTIAL SITE SPECIFIC  
ST LOUIS COUNTY, MISSOURI**

PREPARED FOR		PREPARED BY	
<b>Spire STL Pipeline</b>		<b>M MOTT MACDONALD</b>	
RES-005	Sheet: 1 of 1	Type: ACAD	1

NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					













**ST LOUIS COUNTY, MISSOURI  
ST. FERDINAND TOWNSHIP**



ST. FERDINAND TOWNSHIP  
SPANISH LAKE TOWNSHIP

**LEGEND**

-  SAFETY FENCE
-  PROPOSED PIPELINE
-  OVERHEAD UTILITY LINES
-  EXISTING FOREIGN PIPELINE
-  CONSTRUCTION LIMITS
-  PROPERTY LINE
-  PROPOSED ACCESS ROAD
-  #####.0000 MMID
-  RESIDENTIAL OR COMMERCIAL ESTABLISHMENT
-  UTILITY POLE


**NOTES:**

1. SAFETY FENCE WILL BE INSTALLED AT THE EDGE OF THE LIMIT OF DISTURBANCE (L.O.D.) FOR A DISTANCE OF 100 FEET ON EITHER SIDE OF THE RESIDENCE OR COMMERCIAL ESTABLISHMENT. AT MINIMUM, FENCING WILL BE MAINTAINED THROUGHOUT ACTIVE CONSTRUCTION IN THE AREA.
2. STRUCTURES WITHIN L.O.D. WILL BE REMOVED, RELOCATED OR PROTECTED PER LAND OWNER AGREEMENT.  
  
THE STRUCTURES ARE BASED ON AERIAL DATA SERVICE IMAGERY FLOWN IN AUGUST AND SEPTEMBER 2016.
3. PROPERTY LINES DEPICTED ON THIS PLAN ARE BASED ON GIS TAX MAP DATA AND/OR FIELD LOCATED PROPERTY EVIDENCE. THEY SHOULD NOT BE RELIED ON AS AN ACCURATE DEPICTION OF THE ACTUAL PROPERTY LINE LOCATIONS. THEY DO NOT REPRESENT THE RESULTS OF A BOUNDARY SURVEY.

**PLAN VIEW**

1" = 60'

**GRAPHIC SCALE**



**CONSTRUCTION TECHNIQUES**

1. THE STOVE PIPE TECHNIQUE IS A LESS EFFICIENT ALTERNATIVE TO THE MAINLINE METHOD OF CONSTRUCTION. IT IS TYPICALLY USED WHEN THE PIPELINE IS TO BE INSTALLED IN VERY CLOSE PROXIMITY TO AN EXISTING STRUCTURE OR WHEN AN OPEN DITCH WOULD ADVERSELY IMPACT A COMMERCIAL/RESIDENTIAL ESTABLISHMENT. THE TECHNIQUE INVOLVES INSTALLING PIPE ONE JOINT AT A TIME WHEREBY THE WELDING, X-RAY AND COATING ACTIVITIES ARE ALL PERFORMED IN THE OPEN TRENCH. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED OR THE OPEN TRENCH IS COVERED WITH STEEL PLATES OR TIMBER MATS.
2. THE DRAG SECTION CONSTRUCTION TECHNIQUE, WHILE LESS EFFICIENT THAN MAINLINE METHODS, IS NORMALLY PREFERRED OVER THE STOVE PIPE ALTERNATIVE. THIS TECHNIQUE INVOLVES THE TRENCHING, INSTALLATION AND BACKFILL OF A PREFABRICATED LENGTH OF PIPE CONTAINING SEVERAL SEGMENTS ALL IN ONE DAY. AT THE END OF EACH DAY THE NEWLY INSTALLED PIPE IS BACKFILLED AND/OR COVERED WITH STEEL PLATES OR TIMBER MATS.

NO.	DATE	BY	DESCRIPTION	PROJ. ID	APPR.
1	01/2017	DRG	ISSUE FOR FERC		
REVISIONS					

Division:	Op. Area:	
State: MISSOURI	Co./Par.: ST LOUIS	
Section:	Township:	Range:
Dft: DRG	Date: 10/11/16	Scale: 1" = 60'
Chk: EB	Date: 10/11/16	Filename: RES-006.DWG
Appr:	Date:	

SPIRE STL PIPELINE PROJECT  
EXISTING LINE 880 20-INCH DIAMETER PIPELINE  
RESIDENTIAL SITE SPECIFIC  
ST LOUIS COUNTY, MISSOURI

PREPARED FOR		PREPARED BY	
<b>Spire STL Pipeline</b>		<b>M MOTT MACDONALD</b>	
RES-006	Sheet: 1 of 1	Type: ACAD	1

G:\SPIRE\372453\_STLOUISPIPELINE\DATA\PRODDRAFTING\RESIDENTIAL SITE SPECIFIC\RES-006.DWG 9/21/2016 2:39 PM





**Appendix 8-D**  
**Land Use Mapping**





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

SCOTT COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	1 OF 34





①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
	PROPOSED 24-INCH DIAMETER PIPELINE		COUNTY BOUNDARY		STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

SCOTT COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200


REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	2 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

SCOTT & GREENE COUNTIES  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire  
STL Pipeline**

PREPARED BY  
**M M  
MOTT  
MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	3 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- ▭ AGRICULTURAL
- ▭ DEVELOPED
- ▭ FOREST
- ▭ OPEN LAND
- ▭ OPEN WATER
- ▭ WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	4 OF 34





SEE PAGE 4

SEE PAGE 6

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	5 OF 34





SEE PAGE 6

SEE PAGE 7

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	6 OF 34

G:\Spire\072453\_Std\out\PipelineData\Final\_FERC\Figures\SPiRE\_STL\_PIPELINE\_MAINLINE\_LANDUSE\_MAPBOOK\_1x17.mxd





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
 Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	7 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	8 OF 34

G:\Spire\372453\_Stl\out\PipelineData\Prod\_FERC\work\GIS\MXD-FCR\FIGURES\SPIRE\_STL\_PIPELINE\_MAINLINE\_LANDUSE\_MAPBOOK\_1x17.mxd





SEE PAGE 8

SEE PAGE 10

- ① MILE POST
- PROPOSED M&R SITE
- PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	9 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	10 OF 34





SEE PAGE 10

SEE PAGE 12

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- ▭ AGRICULTURAL
- ▭ DEVELOPED
- ▭ FOREST
- ▭ OPEN LAND
- ▭ OPEN WATER
- ▭ WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	11 OF 34





SEE PAGE 11

SEE PAGE 13

①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
	PROPOSED 24-INCH DIAMETER PIPELINE		COUNTY BOUNDARY		STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	12 OF 34





SEE PAGE 12

SEE PAGE 14

- ① MILE POST
- PROPOSED M&R SITE
- PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	13 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	14 OF 34





SEE PAGE 14

SEE PAGE 16

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	15 OF 34





SEE PAGE 15

SEE PAGE 17

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	16 OF 34





SEE PAGE 16

SEE PAGE 18

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

GREENE & JERSEY COUNTIES  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	17 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	18 OF 34





SEE PAGE 18

SEE PAGE 20

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	19 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	20 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200


REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	21 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200


REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT**  
**MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	22 OF 34





SEE PAGE 22

SEE PAGE 24

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200


REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	23 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	24 OF 34





SEE PAGE 24

SEE PAGE 26

① MILE POST	AGRICULTURAL	OPEN LAND
○ PROPOSED M&R SITE	DEVELOPED	OPEN WATER
⦿ PROPOSED MAINLINE VALVE SITE	FOREST	WETLAND
— PROPOSED 24-INCH DIAMETER PIPELINE	COUNTY BOUNDARY	STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY  
ILLINOIS



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	25 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

JERSEY COUNTY, ILLINOIS AND ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	26 OF 34





SEE PAGE 28

SEE PAGE 26

- ① MILE POST
- PROPOSED M&R SITE
- PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire  
STL Pipeline**

PREPARED BY  
**M M  
MOTT  
MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	27 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
 Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	28 OF 34





SEE PAGE 28

SEE PAGE 30

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	29 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ◻ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
 Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	30 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire  
STL Pipeline**

PREPARED BY  
**M M  
MOTT  
MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	31 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
 Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	32 OF 34





SEE PAGE 32

SEE PAGE 34

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES & ST. LOUIS COUNTIES  
MISSOURI



ABSOLUTE SCALE:  
1:7,200

REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	33 OF 34





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- PROPOSED 24-INCH DIAMETER PIPELINE
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND
- ▭ COUNTY BOUNDARY
- ▭ STATE BOUNDARY


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### PROPOSED 24-INCH DIAMETER PIPELINE

ST. CHARLES & ST. LOUIS COUNTIES  
MISSOURI



ABSOLUTE SCALE:  
1:7,200


REFERENCE SCALE:  
1 IN = 600 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT**  
**MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	34 OF 34





①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
⬢	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
—	EXISTING LINE 880 20-INCH DIAMETER PIPELINE				
—	LINE 880 20-INCH DIAMETER RELOCATION				

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire  
STL Pipeline**

PREPARED BY  
**M M  
MOTT  
MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	1 OF 12





①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
⬢	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
—	EXISTING LINE 880 20-INCH DIAMETER PIPELINE				
—	LINE 880 20-INCH DIAMETER RELOCATION				


Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	2 OF 12





- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT**  
**MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	3 OF 12






- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET


PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT**  
**MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	4 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.





SEE PAGE 4

SEE PAGE 6


- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	5 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.





SEE PAGE 15

SEE PAGE 17

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION


- AGRICULTURAL
- OPEN LAND
- DEVELOPED
- OPEN WATER
- FOREST
- WETLAND

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	6 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.





SEE PAGE 6

SEE PAGE 8

- ① MILE POST
- PROPOSED M&R SITE
- ⬢ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	7 OF 12





SEE PAGE 7

SEE PAGE 9

CHICAGO BURLINGTON AND QUINCY RR

CASTLOW AVE

SPANISH BLVD

45

5

TRAMPE AVE

CASTLOW DR

DOMINICA DR

TRAMPE DR

CASTLOW DR

CASTLOW DR

TRAMPE HILL DR

TRAMPE HILL DR

CRITERION AVE


①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
⬢	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
—	EXISTING LINE 880 20-INCH DIAMETER PIPELINE				
—	LINE 880 20-INCH DIAMETER RELOCATION				

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET


PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	8 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.





SEE PAGE 8

SEE PAGE 10

REDMAN DELIVERY STATION / MLV 880-2

- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	9 OF 12





- ① MILE POST
  - PROPOSED M&R SITE
  - ⦿ PROPOSED MAINLINE VALVE SITE
  - EXISTING LINE 880 20-INCH DIAMETER PIPELINE
  - LINE 880 20-INCH DIAMETER RELOCATION
- |  |   |
|--|---|
| <span style="display: inline-block; width: 15px; height: 10px; background-color: #90EE90; border: 1px solid black;"></span> AGRICULTURAL | <span style="display: inline-block; width: 15px; height: 10px; background-color: #FFD700; border: 1px solid black;"></span> OPEN LAND             |
| <span style="display: inline-block; width: 15px; height: 10px; background-color: #FF69B4; border: 1px solid black;"></span> DEVELOPED    | <span style="display: inline-block; width: 15px; height: 10px; background-color: #ADD8E6; border: 1px solid black;"></span> OPEN WATER            |
| <span style="display: inline-block; width: 15px; height: 10px; background-color: #FFFF00; border: 1px solid black;"></span> FOREST       | <span style="display: inline-block; width: 15px; height: 10px; background-color: #ADD8E6; border: 1px solid black; opacity: 0.5;"></span> WETLAND |

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	10 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.





SEE PAGE 10

SEE PAGE 12

①	MILE POST		AGRICULTURAL		OPEN LAND
○	PROPOSED M&R SITE		DEVELOPED		OPEN WATER
⦿	PROPOSED MAINLINE VALVE SITE		FOREST		WETLAND
—	EXISTING LINE 880 20-INCH DIAMETER PIPELINE				
—	LINE 880 20-INCH DIAMETER RELOCATION				

Landuse data digitized using publicly available imagery and field data where field surveys have been completed. Mapbook imagery sourced from NAIP 2015 USDA FAS.

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT MACDONALD**

<b>DRAWN BY:</b>	NDK 12/15/2016
<b>CHECKED BY:</b>	EAP 12/16/2016
<b>APPROVED BY:</b>	JW 12/19/2016
<b>REV. DATE:</b>	01/2017
<b>REVISION:</b>	1
<b>DESC:</b>	ISSUE FOR FERC
<b>PAGE:</b>	11 OF 12





SEE PAGE 11

MRT BI-DIRECTIONAL STATION


- ① MILE POST
- PROPOSED M&R SITE
- ⦿ PROPOSED MAINLINE VALVE SITE
- EXISTING LINE 880 20-INCH DIAMETER PIPELINE
- LINE 880 20-INCH DIAMETER RELOCATION
- AGRICULTURAL
- DEVELOPED
- FOREST
- OPEN LAND
- OPEN WATER
- WETLAND

# SPIRE STL PIPELINE

## LANDUSE AERIAL MAPBOOK

### LINE 880 MODIFICATIONS

ST. LOUIS COUNTY  
MISSOURI



ABSOLUTE SCALE:  
1:2,400

REFERENCE SCALE:  
1 IN = 200 FEET

PREPARED FOR  
**Spire**  
**STL Pipeline**

PREPARED BY  
**M M**  
**MOTT**  
**MACDONALD**

DRAWN BY:	NDK 12/15/2016
CHECKED BY:	EAP 12/16/2016
APPROVED BY:	JW 12/19/2016
REV. DATE:	01/2017
REVISION:	1
DESC:	ISSUE FOR FERC
PAGE:	12 OF 12

Landuse data digitized using publicly available imagery and field data where field surveys have been completed.  
Mapbook imagery sourced from NAIP 2015 USDA FAS.





**Appendix 8-E**  
**Unanticipated Discovery of Contaminants Plan**





# Spire STL Pipeline Project

Unanticipated Discovery of Contaminants Plan

FERC Docket No. CP17-\_\_\_-\_\_\_

January 2017

Public





## Table of Contents

Unanticipated Discovery of Contaminants Plan.....	1
1.1    Introduction.....	1
1.2    Planning, Review, and Assessment .....	1
1.3    Unanticipated Discovery Response .....	2
1.4    References.....	3





## Acronyms and Abbreviations

Project	Spire STL Pipeline Project
Spire	Spire STL Pipeline LLC
FUSRAP	Formerly Utilized Sites Remedial Action Program
USACE	United States Army Corps of Engineers
USEPA	United States Environmental Protection Agency





# Unanticipated Discovery of Contaminants Plan

## 1.1 Introduction

This Unanticipated Discovery of Contaminants Plan addresses the measures that Spire STL Pipeline LLC (“Spire”) will implement to handle and dispose of contaminated soil, groundwater, or sediments in the event any is exposed during the construction of the Spire STL Pipeline Project (“Project”).

## 1.2 Planning, Review, and Assessment

Spire conducted desktop analysis and research to determine if any known or potential contaminated and/or hazardous sites occur at Project areas. The Project is located in a designated metropolitan no-discharge stream, as found in 10CSR 20-7.031, Table F (MDNR, 2014). The Project crosses Coldwater Creek within the metropolitan no-discharge stream reach. Spire has coordinated with the United States Army Corps of Engineers (“USACE”) Formerly Utilized Sites Remedial Action Program (“FUSRAP”) about crossing Coldwater Creek with open cut techniques. The USACE FUSRAP indicated that their current sampling efforts are revealing the sources of contaminants have been removed upstream and the possibility for contaminants to migrate is unlikely. The USACE FUSRAP reviewed Spire’s current crossing plan and proposed soil disturbance areas and determined that there is no contamination or a pathway for future contamination at the crossing location (USACE 2016a, USACE 2016b).

The United States Environmental Protection Agency (“USEPA”) National Priority List Superfund Sites list was reviewed for sites near the Project area (USEPA 2016c). The closest site is located approximately 7.6 miles away from the Project (USEPA 2016b). The Chemetco Superfund Site, located in Hartford, Illinois, is a 41-acre site where site cleanup is ongoing. Contaminants of concern include elevated levels of cadmium, copper, lead, and zinc oxide. The site is currently fenced and access is restricted. The Project is located approximately 7.6 miles to the west of this site, therefore no issues of contamination are expected during construction (USEPA 2016b).

The West Lake Landfill Superfund Site is a USEPA Superfund Site located in Bridgeton, Missouri, consisting of several inactive landfills, including the West Lake Landfill and Bridgeton Landfill (USEPA 2016a). The Project is located approximately 11.5 miles northeast of these landfills and therefore no issues of contamination are expected during construction (USEPA 2016a).

Spire’s Construction Manager, Field Construction Manager, Environmental Manager, and Lead Environmental Inspector shall review these findings of known or potential contaminated or hazardous waste sites prior to commencement of construction. If potential sites are within or close proximity to Project areas, Spire personnel will follow up with site reconnaissance and information from local sources/landowners and other public sources. Further investigation may be required; however, Spire does not anticipate contamination at Project areas.

Should the potential for contaminated sites be at or in close proximity to Project areas, the Lead Environmental Investigator and Environmental Manager shall determine the potential for impacts. If impacts to a contaminated site are planned by construction or operation of the Project, Spire will consult with the appropriate agency,





landowner, and party responsible for a suitable course of action. If feasible, Spire may locate a reroute to avoid the site.

### **1.3 Unanticipated Discovery Response**

In the event unanticipated contaminated soil, groundwater, or other potential environmental contamination (e.g., odor, staining, etc.) is encountered during Project construction, operation, or maintenance activities, the following procedures will be implemented:

- halt construction where contamination or hazardous waste is suspected;
- evacuate personnel, if necessary, to an upwind location or road;
- notify Spire’s Construction Manager, Field Construction Manager, Environmental Manager, and Lead Environmental Inspector to manage the situation and facilitate follow-up actions;
- verify the type/level of contamination by a qualified health and safety professional (field observation, field screening, air sampling, laboratory analysis, or other methods may be required);
- consult with appropriate local, state, and/or the USEPA as necessary;
- contact local emergency services if immediate or imminent threats to human health or the environment exist (see Spire’s Emergency Response Plan and Spire’s Spill Prevention, Containment, and Countermeasure Plan);
- if remediation of the site is necessary, ensure a qualified remediation contractor is selected and aware of the limits of disturbance with Spire’s authorized workspaces;
- remedial actions may involve:
  - sampling and laboratory analysis for waste classification for follow up requirements;
  - coordinating with Spire on sampling methods and sampling frequencies;
  - placement of suspect excavated soils/waste on plastic sheeting and covered at the end of each day or placement in approved containers/locations clearly labelled as “hazardous waste” with the contents (if known) and date placed in the container;
  - minimizing impacts by limiting or diverting clean surface water away from the affected area;
  - potential contaminated water or wastewater is not to be discharged to grade without appropriate state or federal approval; and
  - potential contaminated water or wastewater may require on-site storage tanks or discharge to public water treatment facilities.
- if disposal of contaminated materials is necessary, Spire and the Contractor will arrange for agency-approved transport and disposal facility;





- all disposal documentation will be obtained by Spire or the Contractor and maintained on file by Spire; and
- if USEPA-regulated hazardous wastes, Toxic Substance Control Act wastes, or state hazardous wastes are generated, a USEPA generator identification number will need to be obtained by Spire.

## 1.4 References

Missouri Department of Natural Resources. 2014. *Water Quality*. Accessed September 2016 from <https://dnr.mo.gov/env/wpp/wqstandards/index.html>.

United States Army Corps of Engineers. 2016a. Emails from Jacob Prebianca, Formerly Utilized Sites Remedial Action Program to Jayme Fuller, GAI on September 28, 2016.

United States Army Corps of Engineers. 2016b. Email from Jonathan Rankins, Radiation Safety Officer to Lori Ferry, GAI on October 12, 2016.

United States Environmental Protection Agency. 2016a. *EPA in Missouri – West Lake Landfill*. Accessed October 2016 from <https://www.epa.gov/mo/west-lake-landfill>.

United States Environmental Protection Agency. 2016b. *EPA Superfund Program: Chemetco, Hartford, IL*. Accessed October 2016 from <https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0500342>.

United States Environmental Protection Agency. *Envirofacts EPA Regional KML Download*. Accessed October 2016 from <https://www.epa.gov/enviro/epa-regional-kml-download>.





**Appendix 8-F**  
**Additional Temporary Workspace**





**Appendix 8-F. Additional Temporary Workspace**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline</b>								
<i>Illinois</i>								
Scott	ATWS-001	0.0	ATWS is required for construction of REX Receipt Station/installation of tap to REX line	50	40	548.16	0.01	Agricultural
Scott	ATWS-001	0.0	ATWS is required for construction of REX Receipt Station/installation of tap to REX line	50	40	1,342.48	0.03	Open Land
Scott	ATWS-465	0.0	ATWS is required for equipment/installation of tap to REX line	950	45	41,741.98	0.96	Agricultural
Scott	ATWS-465	0.0	ATWS is required for equipment/installation of tap to REX line	950	45	156.38	0.00	Open Land
Scott	ATWS-466	0.0	ATWS is required for construction of REX Receipt Station	240	45	10,820.30	0.25	Agricultural
Scott	ATWS-003	0.0	ATWS is required for topsoil segregation	3079	164	3,687.88	0.08	Open Land
Scott	ATWS-003	0.0	ATWS is required for topsoil segregation	3079	164	10,1824.72	2.34	Agricultural
Scott	ATWS-467	0.0	ATWS is required for construction of REX Receipt Station	93	60	4,818.52	0.11	Agricultural
Scott	ATWS-467	0.0	ATWS is required for construction of REX Receipt Station	93	60	733.68	0.02	Forest
Scott	ATWS-003	0.1	ATWS is required for topsoil segregation	3079	164	2633.46	0.06	Developed
Scott	ATWS-003	0.1	ATWS is required for topsoil segregation	3079	164	42,8487.35	9.84	Agricultural
Scott	ATWS-005	0.6	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-007	0.6	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-008	0.6	ATWS is required for topsoil segregation	3420	25	44,995.26	1.03	Agricultural
Scott	ATWS-009	0.6	ATWS is required for road crossing	129	25	3,218.17	0.07	Agricultural
Scott	ATWS-010	0.8	ATWS is required for access road entrance/equipment	100	50	4,643.63	0.11	Open Land
Scott	ATWS-010	0.8	ATWS is required for access road entrance/equipment	100	50	355.75	0.01	Agricultural
Scott	ATWS-008	0.9	ATWS is required for topsoil segregation	3420	25	734.16	0.02	Open Land
Scott	ATWS-008	0.9	ATWS is required for topsoil segregation	3420	25	559.48	0.01	Developed





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Scott	ATWS-008	1.0	ATWS is required for topsoil segregation	3420	25	1,845.38	0.04	Open Land
Scott	ATWS-008	1.0	ATWS is required for topsoil segregation	3420	25	34,788.58	0.80	Agricultural
Scott	ATWS-468	1.2	ATWS is required for waterbody crossing	115	25	2,667.00	0.06	Agricultural
Scott	ATWS-008	1.2	ATWS is required for topsoil segregation	3420	25	2,585.94	0.06	Forest
Scott	ATWS-012	1.3	ATWS is required for waterbody crossing	100	25	89.86	0.00	Forest
Scott	ATWS-012	1.3	ATWS is required for waterbody crossing	100	25	705.67	0.02	Open Land
Scott	ATWS-012	1.3	ATWS is required for waterbody crossing	100	25	1,704.46	0.04	Agricultural
Scott	ATWS-013	1.3	ATWS is required for topsoil segregation	1486	25	36,575.02	0.84	Agricultural
Scott	ATWS-014	1.3	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-469	1.5	ATWS is required for waterbody crossing	100	25	2,205.09	0.05	Agricultural
Scott	ATWS-015	1.6	ATWS is required for waterbody crossing	80	25	915.50	0.02	Agricultural
Scott	ATWS-013	1.6	ATWS is required for topsoil segregation	1486	25	1.70	0.00	Agricultural
Scott	ATWS-015	1.6	ATWS is required for waterbody crossing	80	25	1.70	0.00	Agricultural
Scott	ATWS-015	1.6	ATWS is required for waterbody crossing	80	25	1,076.24	0.02	Open Land
Scott	ATWS-013	1.6	ATWS is required for topsoil segregation	1486	25	576.73	0.01	Open Land
Scott	ATWS-469	1.6	ATWS is required for waterbody crossing	100	25	294.90	0.01	Open Land
Scott	ATWS-470	1.6	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-017	1.6	ATWS is required for waterbody crossing	96	25	137.30	0.00	Forest
Scott	ATWS-017	1.6	ATWS is required for waterbody crossing	96	25	1,008.63	0.02	Open Land
Scott	ATWS-471	1.6	ATWS is required for topsoil segregation	1405	25	725.01	0.02	Open Land
Scott	ATWS-471	1.6	ATWS is required for topsoil segregation	1405	25	34,666.62	0.80	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Scott	ATWS-017	1.6	ATWS is required for waterbody crossing	96	25	1,251.44	0.03	Agricultural
Scott	ATWS-472	1.8	ATWS is required for waterbody crossing	100	25	2,500.04	0.06	Agricultural
Scott	ATWS-473	1.8	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-474	1.9	ATWS is required for waterbody crossing/road crossing	95	25	2,416.84	0.06	Agricultural
Scott	ATWS-475	1.9	ATWS is required for topsoil segregation	65	25	1,634.72	0.04	Agricultural
Scott	ATWS-476	1.9	ATWS is required for waterbody crossing/road crossing	50	25	1,261.63	0.03	Agricultural
Scott	ATWS-474	1.9	ATWS is required for waterbody crossing/road crossing	97	25	4.49	0.00	Open Land
Scott	ATWS-477	1.9	ATWS is required for road crossing	100	25	173.24	0.00	Open Land
Scott	ATWS-479	1.9	ATWS is required for topsoil segregation	482	25	12,067.43	0.28	Agricultural
Scott	ATWS-478	1.9	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-477	1.9	ATWS is required for road crossing	100	25	2,326.80	0.05	Agricultural
Scott	ATWS-480	2.0	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-481	2.0	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-482	2.0	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-484	2.0	ATWS is required for topsoil segregation	794	25	19,859.57	0.46	Agricultural
Scott	ATWS-483	2.0	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-485	2.1	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-486	2.1	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-488	2.2	ATWS is required for waterbody crossing	105	25	2,616.74	0.06	Agricultural
Scott	ATWS-489	2.2	ATWS is required for topsoil segregation	720	25	17,863.08	0.41	Agricultural
Scott	ATWS-487	2.2	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Scott	ATWS-490	2.3	ATWS is required for topsoil segregation	890	25	22,316.92	0.51	Agricultural
Scott	ATWS-491	2.5	ATWS is required for road crossing	105	25	2,551.27	0.06	Agricultural
Scott	ATWS-492	2.5	ATWS is required for road crossing	100	25	2,551.22	0.06	Agricultural
Scott	ATWS-493	2.5	ATWS is required for road crossing	100	25	493.06	0.01	Forest
Scott	ATWS-495	2.5	ATWS is required for topsoil segregation	261	25	207.69	0.00	Forest
Scott	ATWS-494	2.5	ATWS is required for road crossing	120	25	60.16	0.00	Forest
Scott	ATWS-494	2.5	ATWS is required for road crossing	120	25	361.33	0.01	Open Land
Scott	ATWS-495	2.5	ATWS is required for topsoil segregation	261	25	6,251.43	0.14	Agricultural
Scott	ATWS-493	2.5	ATWS is required for road crossing	100	25	2,006.94	0.05	Agricultural
Scott	ATWS-494	2.5	ATWS is required for road crossing	120	25	2,612.64	0.06	Agricultural
Scott	ATWS-495	2.6	ATWS is required for topsoil segregation	261	25	75.32	0.00	Forest
Scott	ATWS-496	2.6	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Forest
Scott	ATWS-497	2.6	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Forest
Scott	ATWS-498	2.7	ATWS is required for waterbody crossing	100	25	2,423.50	0.06	Forest
Scott	ATWS-499	2.7	ATWS is required for waterbody crossing	100	25	2,559.32	0.06	Forest
Scott	ATWS-047	2.8	ATWS is required for topsoil segregation	925	25	23,037.36	0.53	Agricultural
Scott	ATWS-048	3.0	ATWS is required for road crossing/topsoil segregation	100	50	5,000.08	0.11	Agricultural
Scott	ATWS-049	3.0	ATWS is required for road crossing	100	25	2,500.04	0.06	Open Land
Scott	ATWS-500	3.0	ATWS is required for road crossing	100	25	2,500.00	0.06	Open Land
Scott	ATWS-050	3.0	ATWS is required for topsoil segregation	1589	25	32,892.46	0.76	Open Land
Scott	ATWS-050	3.3	ATWS is required for topsoil segregation	1589	25	6,823.63	0.16	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Scott	ATWS-051	3.4	ATWS is required for waterbody and wetland crossing	95	25	2,383.12	0.05	Agricultural
Scott	ATWS-052	3.4	ATWS is required for topsoil segregation	159	25	49.70	0.00	Open Land
Scott	ATWS-052	3.4	ATWS is required for topsoil segregation	159	25	3,916.61	0.09	Agricultural
Scott	ATWS-053	3.4	ATWS is required for waterbody and wetland crossing	100	25	2,500.00	0.06	Agricultural
Scott	ATWS-501	3.4	ATWS is required for waterbody and wetland crossing	100	25	2,500.00	0.06	Forest
Scott	ATWS-502	3.4	ATWS is required for waterbody and wetland crossing	100	25	2,493.20	0.06	Forest
Scott	ATWS-503	3.5	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Forest
Scott	ATWS-504	3.5	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Forest
Scott	ATWS-505	3.5	ATWS is required for waterbody crossing	125	25	3,222.22	0.07	Forest
Scott	ATWS-506	3.5	ATWS is required for waterbody crossing	100	25	2,500.04	0.06	Forest
Scott	ATWS-507	3.6	ATWS is required for topsoil segregation	750	25	225.07	0.01	Forest
Scott	ATWS-507	3.6	ATWS is required for topsoil segregation	750	25	1,980.11	0.05	Open Land
Greene	ATWS-507	3.6	ATWS is required for topsoil segregation	750	25	16,236.25	0.37	Open Land
Greene	ATWS-508	3.7	ATWS is required for waterbody crossing	100	25	2,435.05	0.06	Open Land
Greene	ATWS-507	3.7	ATWS is required for topsoil segregation	747	25	237.40	0.01	Forest
Greene	ATWS-508	3.7	ATWS is required for waterbody crossing	100	25	46.52	0.00	Forest
Greene	ATWS-509	3.7	ATWS is required for waterbody crossing	100	25	1,804.47	0.04	Open Land
Greene	ATWS-509	3.8	ATWS is required for waterbody crossing	100	25	695.52	0.02	Forest
Greene	ATWS-510	3.8	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Agricultural
Greene	ATWS-511	3.8	ATWS is required for waterbody crossing	100	25	80.67	0.00	Forest
Greene	ATWS-060	3.8	ATWS is required for topsoil segregation	785	25	19,597.16	0.45	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-511	3.8	ATWS is required for waterbody crossing	100	25	2,419.32	0.06	Agricultural
Greene	ATWS-512	3.9	ATWS is required for waterbody crossing	150	25	3,749.99	0.09	Agricultural
Greene	ATWS-513	3.9	ATWS is required for waterbody crossing	150	25	3,749.99	0.09	Agricultural
Greene	ATWS-514	4.1	ATWS is required for topsoil segregation	478	25	11,962.84	0.27	Agricultural
Greene	ATWS-514	4.2	ATWS is required for topsoil segregation	478	25	1.92	0.00	Forest
Greene	ATWS-515	4.2	ATWS is required for waterbody crossing	100	25	1,455.78	0.03	Agricultural
Greene	ATWS-516	4.2	ATWS is required for waterbody crossing	100	25	2,500.00	0.06	Forest
Greene	ATWS-515	4.2	ATWS is required for waterbody crossing	100	25	1,044.18	0.02	Forest
Greene	ATWS-517	4.3	ATWS is required for waterbody crossing	100	25	650.26	0.01	Open Land
Greene	ATWS-517	4.3	ATWS is required for waterbody crossing	100	25	1,849.82	0.04	Agricultural
Greene	ATWS-518	4.3	ATWS is required for waterbody crossing	100	25	2,509.19	0.06	Agricultural
Greene	ATWS-519	4.3	ATWS is required for topsoil segregation	322	25	127.81	0.00	Forest
Greene	ATWS-518	4.3	ATWS is required for waterbody crossing	100	25	45.78	0.00	Forest
Greene	ATWS-519	4.3	ATWS is required for topsoil segregation	322	25	7,923.48	0.18	Agricultural
Greene	ATWS-520	4.5	ATWS is required for topsoil segregation	325	25	8,062.78	0.19	Open Land
Greene	ATWS-070	4.5	ATWS is required for road crossing	100	25	2,502.57	0.06	Agricultural
Greene	ATWS-071	4.5	ATWS is required for road crossing	100	25	2,504.18	0.06	Open Land
Greene	ATWS-072	4.5	ATWS is required for road crossing	100	25	2,501.39	0.06	Agricultural
Greene	ATWS-074	4.5	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Greene	ATWS-521	4.5	ATWS is required for topsoil segregation	345	25	8,662.95	0.20	Agricultural
Greene	ATWS-522	4.6	ATWS is required for topsoil segregation	2645	25	55,939.66	1.28	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-522	5.0	ATWS is required for topsoil segregation	2645	25	1,837.88	0.04	Open Land
Greene	ATWS-522	5.0	ATWS is required for topsoil segregation	2645	25	8,348.23	0.19	Agricultural
Greene	ATWS-524	5.1	ATWS is required for topsoil segregation	2500	25	62,520.54	1.44	Agricultural
Greene	ATWS-523	5.2	ATWS is required for access road entrance/equipment	25	20	506.39	0.01	Agricultural
Greene	ATWS-525	5.7	ATWS is required for waterbody and wetland crossing/road crossing	289	25	7,222.29	0.17	Agricultural
Greene	ATWS-526	5.7	ATWS is required for waterbody and wetland crossing/road crossing	243	25	6,079.49	0.14	Agricultural
Greene	ATWS-084	5.7	ATWS is required for topsoil segregation	170	25	4,242.22	0.10	Agricultural
Greene	ATWS-085	5.7	ATWS is required for waterbody and wetland crossing	112	25	2,790.71	0.06	Agricultural
Greene	ATWS-530	5.7	ATWS is required for topsoil segregation	3555	25	8,774.73	0.20	Agricultural
Greene	ATWS-527	5.7	ATWS is required for waterbody and wetland crossing	100	25	2,500.00	0.06	Agricultural
Greene	ATWS-528	5.8	ATWS is required for road crossing	100	25	2,500.04	0.06	Agricultural
Greene	ATWS-530	5.8	ATWS is required for topsoil segregation	3555	25	993.60	0.02	Developed
Greene	ATWS-529	5.8	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Greene	ATWS-530	5.8	ATWS is required for topsoil segregation	3555	25	32,417.70	0.74	Agricultural
Greene	ATWS-530	6.1	ATWS is required for topsoil segregation	3555	25	328.22	0.01	Developed
Greene	ATWS-530	6.1	ATWS is required for topsoil segregation	3555	25	46,309.12	1.06	Agricultural
Greene	ATWS-531	6.4	ATWS is required for waterbody crossing	100	25	2,489.50	0.06	Agricultural
Greene	ATWS-532	6.4	ATWS is required for waterbody crossing	100	25	2,500.34	0.06	Agricultural
Greene	ATWS-533	6.4	ATWS is required for topsoil segregation	1740	25	43,514.48	1.00	Agricultural
Greene	ATWS-535	6.8	ATWS is required for road crossing	129	25	3,232.46	0.07	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-097	6.8	ATWS is required for topsoil segregation	2209	25	54,689.67	1.26	Agricultural
Greene	ATWS-534	6.8	ATWS is required for road crossing	110	25	2,758.87	0.06	Agricultural
Greene	ATWS-099	7.1	ATWS is required for road and railroad bored crossing	119	75	7,126.63	0.16	Agricultural
Greene	ATWS-099	7.1	ATWS is required for road and railroad bored crossing	119	75	1,086.91	0.02	Developed
Greene	ATWS-100	7.1	ATWS is required for road and railroad bored crossing	122	25	2,515.20	0.06	Agricultural
Greene	ATWS-099	7.2	ATWS is required for road and railroad bored crossing	119	75	744.83	0.02	Open Land
Greene	ATWS-097	7.2	ATWS is required for topsoil segregation	2209	25	512.70	0.01	Open Land
Greene	ATWS-100	7.2	ATWS is required for road and railroad bored crossing	122	25	537.27	0.01	Open Land
Greene	ATWS-097	7.2	ATWS is required for topsoil segregation	2209	25	10.37	0.00	Developed
Greene	ATWS-100	7.2	ATWS is required for road and railroad bored crossing	122	25	8.10	0.00	Developed
Greene	ATWS-101	7.2	ATWS is required for road and railroad bored crossing	93	80	1,050.54	0.02	Developed
Greene	ATWS-101	7.2	ATWS is required for road and railroad bored crossing	93	80	6,413.30	0.15	Agricultural
Greene	ATWS-103	7.2	ATWS is required for topsoil segregation	705	25	17,575.41	0.40	Agricultural
Greene	ATWS-102	7.2	ATWS is required for road and railroad bored crossing	90	25	2,175.69	0.05	Agricultural
Greene	ATWS-104	7.3	ATWS is required for road crossing	100	25	2,500.04	0.06	Agricultural
Greene	ATWS-105	7.3	ATWS is required for road crossing	100	25	2,500.00	0.06	Agricultural
Greene	ATWS-108	7.3	ATWS is required for topsoil segregation	2400	25	60,051.64	1.38	Agricultural
Greene	ATWS-107	7.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-106	7.3	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural
Greene	ATWS-109	7.8	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-110	7.8	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-112	7.8	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-111	7.8	ATWS is required for topsoil segregation	5402	25	103850.70	2.38	Agricultural
Greene	ATWS-113	7.8	ATWS is required for road crossing	100	25	13.81	0.00	Developed
Greene	ATWS-113	7.8	ATWS is required for road crossing	100	25	2486.23	0.06	Agricultural
Greene	ATWS-111	8.3	ATWS is required for topsoil segregation	5402	25	457.82	0.01	Forest
Greene	ATWS-114	8.6	ATWS is required for access road transition to workspace	100	50	1226.48	0.03	Agricultural
Greene	ATWS-111	8.6	ATWS is required for topsoil segregation	5402	25	526.29	0.01	Forest
Greene	ATWS-114	8.6	ATWS is required for access road transition to workspace	100	50	739.95	0.02	Forest
Greene	ATWS-114	8.6	ATWS is required for access road transition to workspace	100	50	341.12	0.01	Open Land
Greene	ATWS-111	8.6	ATWS is required for topsoil segregation	5402	25	30215.83	0.69	Agricultural
Greene	ATWS-114	8.6	ATWS is required for access road transition to workspace	100	50	2692.44	0.06	Agricultural
Greene	ATWS-115	8.8	ATWS is required for waterbody crossing	100	25	2494.59	0.06	Agricultural
Greene	ATWS-116	8.8	ATWS is required for waterbody crossing	100	25	2498.08	0.06	Agricultural
Greene	ATWS-115	8.8	ATWS is required for waterbody crossing	100	25	5.45	0.00	Forest
Greene	ATWS-111	8.8	ATWS is required for topsoil segregation	5402	25	1.39	0.00	Forest
Greene	ATWS-116	8.8	ATWS is required for waterbody crossing	100	25	1.96	0.00	Forest
Greene	ATWS-118	8.9	ATWS is required for waterbody crossing	100	25	290.02	0.01	Forest
Greene	ATWS-119	8.9	ATWS is required for topsoil segregation	1162	25	28966.35	0.66	Agricultural
Greene	ATWS-119	8.9	ATWS is required for topsoil segregation	1162	25	83.81	0.00	Forest
Greene	ATWS-117	8.9	ATWS is required for waterbody crossing	100	25	22.56	0.00	Forest
Greene	ATWS-117	8.9	ATWS is required for waterbody crossing	100	25	2477.43	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-118	8.9	ATWS is required for waterbody crossing	100	25	2209.97	0.05	Agricultural
Greene	ATWS-120	9.1	ATWS is required for road crossing	100	50	5251.99	0.12	Agricultural
Greene	ATWS-122	9.1	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-123	9.1	ATWS is required for topsoil segregation	6285	25	138800.72	3.19	Agricultural
Greene	ATWS-121	9.1	ATWS is required for road crossing/hydrostatic testing	600	200	119844.45	2.75	Agricultural
Greene	ATWS-123	10.1	ATWS is required for topsoil segregation	6285	25	732.72	0.02	Developed
Greene	ATWS-123	10.1	ATWS is required for topsoil segregation	6285	25	17598.89	0.40	Agricultural
Greene	ATWS-125	10.3	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-536	10.3	ATWS is required for road crossing	100	50	5000.03	0.11	Agricultural
Greene	ATWS-537	10.3	ATWS is required for road crossing	100	25	2618.09	0.06	Agricultural
Greene	ATWS-538	10.3	ATWS is required for topsoil segregation	140	25	3511.24	0.08	Agricultural
Greene	ATWS-126	10.3	ATWS is required for topsoil segregation	2367	25	28678.68	0.66	Agricultural
Greene	ATWS-127	10.3	ATWS is required for waterbody crossing	110	25	2617.96	0.06	Agricultural
Greene	ATWS-539	10.4	ATWS is required for waterbody crossing	100	25	369.48	0.01	Forest
Greene	ATWS-539	10.4	ATWS is required for waterbody crossing	100	25	2130.52	0.05	Agricultural
Greene	ATWS-126	10.6	ATWS is required for topsoil segregation	2367	25	793.01	0.02	Forest
Greene	ATWS-126	10.6	ATWS is required for topsoil segregation	2367	25	29691.93	0.68	Agricultural
Greene	ATWS-128	10.7	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-129	10.8	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-130	10.8	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-131	10.8	ATWS is required for topsoil segregation	2460	25	61476.32	1.41	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-132	10.8	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-134	11.3	ATWS is required for waterbody/road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-133	11.3	ATWS is required for waterbody/road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-135	11.3	ATWS is required for topsoil segregation	9139	25	228403.59	5.24	Agricultural
Greene	ATWS-136	11.3	ATWS is required for waterbody/road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-137	11.3	ATWS is required for waterbody/road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-135	12.0	ATWS is required for topsoil segregation	9139	25	66.21	0.00	Forest
Greene	ATWS-139	13.0	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-140	13.0	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-141	13.1	ATWS is required for topsoil segregation	236	25	4.49	0.00	Open Land
Greene	ATWS-141	13.1	ATWS is required for topsoil segregation	236	25	5895.54	0.14	Agricultural
Greene	ATWS-142	13.1	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-143	13.1	ATWS is required for waterbody crossing/road crossing/topsoil segregation	799	25	99.97	0.00	Open Land
Greene	ATWS-143	13.1	ATWS is required for waterbody crossing/road crossing/topsoil segregation	799	25	19872.77	0.46	Agricultural
Greene	ATWS-540	13.2	ATWS is required for waterbody crossing	50	25	1250.04	0.03	Agricultural
Greene	ATWS-145	13.2	ATWS is required for waterbody crossing	100	25	1191.06	0.03	Agricultural
Greene	ATWS-145	13.2	ATWS is required for waterbody crossing	100	25	1308.93	0.03	Forest
Greene	ATWS-541	13.3	ATWS is required for waterbody crossing	70	25	1750.50	0.04	Forest
Greene	ATWS-146	13.3	ATWS is required for topsoil segregation	265	25	6591.11	0.15	Agricultural
Greene	ATWS-147	13.4	ATWS is required for topsoil segregation	929	25	23218.96	0.53	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-148	13.5	ATWS is required for road crossing	105	25	2571.30	0.06	Agricultural
Greene	ATWS-149	13.5	ATWS is required for road crossing	100	25	2528.31	0.06	Agricultural
Greene	ATWS-150	13.6	ATWS is required for road crossing	100	25	2547.43	0.06	Agricultural
Greene	ATWS-151	13.6	ATWS is required for topsoil segregation	537	25	963.55	0.02	Open Land
Greene	ATWS-152	13.6	ATWS is required for road crossing	102	25	42.51	0.00	Open Land
Greene	ATWS-152	13.6	ATWS is required for road crossing	102	25	2504.96	0.06	Agricultural
Greene	ATWS-151	13.6	ATWS is required for topsoil segregation	537	25	12456.85	0.29	Agricultural
Greene	ATWS-542	13.7	ATWS is required for topsoil segregation	570	25	13771.97	0.32	Open Land
Greene	ATWS-542	13.8	ATWS is required for topsoil segregation	570	25	464.35	0.01	Forest
Greene	ATWS-543	13.8	ATWS is required for waterbody and wetland crossing	100	50	5000.03	0.11	Agricultural
Greene	ATWS-155	14.0	ATWS is required for waterbody and wetland crossing	100	25	2483.14	0.06	Open Land
Greene	ATWS-154	14.0	ATWS is required for topsoil segregation	335	25	8249.74	0.19	Open Land
Greene	ATWS-156	14.0	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Open Land
Greene	ATWS-544	14.1	ATWS is required for wetland crossing	100	25	2500.00	0.06	Open Land
Greene	ATWS-545	14.1	ATWS is required for wetland crossing	100	25	2500.04	0.06	Open Land
Greene	ATWS-157	14.2	ATWS is required for wetland crossing/topsoil segregation	690	25	17370.51	0.40	Open Land
Greene	ATWS-546	14.2	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Open Land
Greene	ATWS-158	14.3	ATWS is required for wetland crossing	90	25	2217.64	0.05	Open Land
Greene	ATWS-159	14.3	ATWS is required for access road entrance/equipment	100	50	5000.03	0.11	Developed
Greene	ATWS-547	14.4	ATWS is required for access road transition to workspace	172	35	6024.78	0.14	Agricultural
Greene	ATWS-548	14.5	ATWS is required for topsoil segregation	5981	25	52555.49	1.21	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-548	14.8	ATWS is required for topsoil segregation	5981	25	7447.89	0.17	Open Land
Greene	ATWS-548	14.9	ATWS is required for topsoil segregation	5981	25	1676.15	0.04	Open Land
Greene	ATWS-548	14.9	ATWS is required for topsoil segregation	5981	25	21712.31	0.50	Agricultural
Greene	ATWS-163	15.1	ATWS is required for access road entrance/equipment	100	50	1685.16	0.04	Agricultural
Greene	ATWS-163	15.1	ATWS is required for access road entrance/equipment	100	50	2344.40	0.05	Open Land
Greene	ATWS-162	15.1	ATWS is required for access road transition to workspace	100	50	2252.88	0.05	Agricultural
Greene	ATWS-162	15.1	ATWS is required for access road transition to workspace	100	50	1284.06	0.03	Open Land
Greene	ATWS-548	15.1	ATWS is required for topsoil segregation	5981	25	935.58	0.02	Open Land
Greene	ATWS-163	15.1	ATWS is required for access road entrance/equipment	100	50	970.47	0.02	Agricultural
Greene	ATWS-162	15.1	ATWS is required for access road transition to workspace	100	50	1449.33	0.03	Agricultural
Greene	ATWS-548	15.1	ATWS is required for topsoil segregation	5981	25	64006.45	1.47	Agricultural
Greene	ATWS-548	15.2	ATWS is required for topsoil segregation	5981	25	146.97	0.00	Forest
Greene	ATWS-548	15.2	ATWS is required for topsoil segregation	5981	25	542.50	0.01	Forest
Greene	ATWS-548	15.3	ATWS is required for topsoil segregation	5981	25	511.83	0.01	Forest
Greene	ATWS-549	15.6	ATWS is required for road crossing	100	25	2500.17	0.06	Agricultural
Greene	ATWS-164	15.7	ATWS is required for topsoil segregation	7397	25	184905.88	4.24	Agricultural
Greene	ATWS-164	15.7	ATWS is required for topsoil segregation	7397	25	11.41	0.00	Open Land
Greene	ATWS-550	15.7	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-165	17.1	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-166	17.1	ATWS is required for road crossing/wetland crossing	55	25	1315.60	0.03	Agricultural
Greene	ATWS-167	17.1	ATWS is required for road crossing/wetland crossing	85	25	2124.99	0.05	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-168	17.1	ATWS is required for wetland crossing	95	25	2377.68	0.05	Agricultural
Greene	ATWS-169	17.1	ATWS is required for wetland crossing	100	25	2332.20	0.05	Agricultural
Greene	ATWS-170	17.1	ATWS is required for topsoil segregation	2480	25	62018.20	1.42	Agricultural
Greene	ATWS-169	17.1	ATWS is required for wetland crossing	100	25	177.90	0.00	Developed
Greene	ATWS-551	17.6	ATWS is required for waterbody crossing	100	25	393.87	0.01	Developed
Greene	ATWS-551	17.6	ATWS is required for waterbody crossing	100	25	2106.13	0.05	Agricultural
Greene	ATWS-171	17.6	ATWS is required for waterbody crossing	100	25	2500.08	0.06	Agricultural
Greene	ATWS-172	17.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-173	17.6	ATWS is required for waterbody crossing	100	25	2092.88	0.05	Agricultural
Greene	ATWS-176	17.6	ATWS is required for topsoil segregation	440	25	10992.24	0.25	Agricultural
Greene	ATWS-173	17.6	ATWS is required for waterbody crossing	100	25	407.20	0.01	Developed
Greene	ATWS-175	17.7	ATWS is required for topsoil segregation	1955	25	13100.93	0.30	Agricultural
Greene	ATWS-175	17.8	ATWS is required for topsoil segregation	1955	25	783.03	0.02	Developed
Greene	ATWS-175	17.8	ATWS is required for topsoil segregation	1955	25	35011.26	0.80	Agricultural
Greene	ATWS-177	18.1	ATWS is required for road crossing	100	25	2518.77	0.06	Agricultural
Greene	ATWS-178	18.1	ATWS is required for road crossing	100	25	2518.38	0.06	Agricultural
Greene	ATWS-179	18.1	ATWS is required for road crossing	100	25	2500.13	0.06	Agricultural
Greene	ATWS-552	18.1	ATWS is required for topsoil segregation	3235	25	80858.47	1.86	Agricultural
Greene	ATWS-181	18.1	ATWS is required for road crossing	100	25	2525.83	0.06	Agricultural
Greene	ATWS-182	18.7	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural
Greene	ATWS-183	18.7	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-185	18.8	ATWS is required for waterbody and wetland crossing	100	25	2453.73	0.06	Agricultural
Greene	ATWS-185	18.8	ATWS is required for waterbody and wetland crossing	100	25	46.26	0.00	Forest
Greene	ATWS-184	18.8	ATWS is required for waterbody and wetland crossing	100	25	190.44	0.00	Forest
Greene	ATWS-553	18.8	ATWS is required for topsoil segregation	1686	25	42117.47	0.97	Agricultural
Greene	ATWS-553	18.8	ATWS is required for topsoil segregation	1686	25	43.52	0.00	Forest
Greene	ATWS-184	18.8	ATWS is required for waterbody and wetland crossing	100	25	2309.59	0.05	Agricultural
Greene	ATWS-187	19.1	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-554	19.1	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-555	19.1	ATWS is required for topsoil segregation	2202	25	690.34	0.02	Forest
Greene	ATWS-555	19.1	ATWS is required for topsoil segregation	2202	25	54350.07	1.25	Agricultural
Greene	ATWS-188	19.1	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
Greene	ATWS-191	19.5	ATWS is required for road crossing	100	25	2486.97	0.06	Agricultural
Greene	ATWS-191	19.5	ATWS is required for road crossing	100	25	13.07	0.00	Developed
Greene	ATWS-192	19.5	ATWS is required for road crossing	100	25	2500.30	0.06	Agricultural
Greene	ATWS-556	19.5	ATWS is required for topsoil segregation	4330	25	108250.00	2.49	Agricultural
Greene	ATWS-194	19.5	ATWS is required for road crossing/hydrostatic testing	600	200	120000.53	2.75	Agricultural
Greene	ATWS-195	20.3	ATWS is required for road crossing	105	25	2533.58	0.06	Agricultural
Greene	ATWS-196	20.3	ATWS is required for road crossing	100	25	2539.77	0.06	Agricultural
Greene	ATWS-196	20.4	ATWS is required for road crossing	100	25	22.08	0.00	Developed
Greene	ATWS-197	20.4	ATWS is required for road crossing	100	25	2541.81	0.06	Agricultural
Greene	ATWS-557	20.4	ATWS is required for topsoil segregation	2395	25	54960.83	1.26	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-199	20.4	ATWS is required for road crossing	105	25	2534.84	0.06	Agricultural
Greene	ATWS-557	20.8	ATWS is required for topsoil segregation	2395	25	127.02	0.00	Forest
Greene	ATWS-557	20.8	ATWS is required for topsoil segregation	2395	25	4802.66	0.11	Open Land
Greene	ATWS-558	20.8	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Open Land
Greene	ATWS-200	20.8	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Open Land
Greene	ATWS-559	20.9	ATWS is required for topsoil segregation	150	25	3793.81	0.09	Open Land
Greene	ATWS-560	20.9	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Open Land
Greene	ATWS-562	20.9	ATWS is required for topsoil segregation	1902	25	4144.65	0.10	Open Land
Greene	ATWS-561	20.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Open Land
Greene	ATWS-562	20.9	ATWS is required for topsoil segregation	1902	25	43397.35	1.00	Agricultural
Greene	ATWS-203	21.3	ATWS is required for road crossing	100	25	2500.34	0.06	Agricultural
Greene	ATWS-204	21.3	ATWS is required for road crossing	100	25	2507.71	0.06	Agricultural
Greene	ATWS-203	21.3	ATWS is required for road crossing	100	25	16.86	0.00	Open Land
Greene	ATWS-562	21.3	ATWS is required for topsoil segregation	1902	25	27.70	0.00	Open Land
Greene	ATWS-204	21.3	ATWS is required for road crossing	100	25	9.54	0.00	Open Land
Greene	ATWS-205	21.3	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural
Greene	ATWS-563	21.3	ATWS is required for topsoil segregation	5705	25	142641.62	3.27	Agricultural
Greene	ATWS-207	21.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-564	22.3	ATWS is required for waterbody crossing	114	25	2859.10	0.07	Agricultural
Greene	ATWS-566	22.4	ATWS is required for topsoil segregation	1475	27	36858.86	0.85	Agricultural
Greene	ATWS-565	22.4	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-567	22.6	ATWS is required for topsoil segregation	1033	25	25826.55	0.59	Agricultural
Greene	ATWS-566	22.6	ATWS is required for topsoil segregation	1475	27	2836.98	0.07	Open Land
Greene	ATWS-569	22.8	ATWS is required for road crossing	100	30	38.42	0.00	Open Land
Greene	ATWS-569	22.8	ATWS is required for road crossing	100	30	2778.52	0.06	Agricultural
Greene	ATWS-568	22.8	ATWS is required for road crossing	100	30	2812.54	0.06	Agricultural
Greene	ATWS-571	22.8	ATWS is required for topsoil segregation	3295	25	52.14	0.00	Open Land
Greene	ATWS-571	22.8	ATWS is required for topsoil segregation	3295	25	82322.56	1.89	Agricultural
Greene	ATWS-570	22.8	ATWS is required for road crossing	88	25	2204.44	0.05	Agricultural
Greene	ATWS-571	23.4	ATWS is required for topsoil segregation	3295	25	9.19	0.00	Forest
Greene	ATWS-572	23.4	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Greene	ATWS-574	23.5	ATWS is required for topsoil segregation	1525	25	1275.57	0.03	Forest
Greene	ATWS-574	23.5	ATWS is required for topsoil segregation	1525	25	36857.86	0.85	Agricultural
Greene	ATWS-573	23.5	ATWS is required for waterbody crossing	100	25	1747.24	0.04	Forest
Greene	ATWS-573	23.5	ATWS is required for waterbody crossing	100	25	752.72	0.02	Agricultural
Greene	ATWS-575	23.8	ATWS is required for topsoil segregation	185	25	4578.24	0.11	Agricultural
Greene	ATWS-576	23.8	ATWS is required for topsoil segregation	115	25	2982.68	0.07	Agricultural
Greene	ATWS-577	23.9	ATWS is required for topsoil segregation	610	25	15310.60	0.35	Agricultural
Greene	ATWS-216	24.0	ATWS is required for topsoil segregation	441	25	128.81	0.00	Forest
Greene	ATWS-216	24.0	ATWS is required for topsoil segregation	441	25	396.79	0.01	Open Land
Greene	ATWS-216	24.0	ATWS is required for topsoil segregation	441	25	10499.09	0.24	Agricultural
Greene	ATWS-578	24.1	ATWS is required for topsoil segregation	890	25	21925.71	0.50	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-578	24.2	ATWS is required for topsoil segregation	890	25	292.20	0.01	Forest
Greene	ATWS-578	24.3	ATWS is required for topsoil segregation	890	25	26.18	0.00	Forest
Greene	ATWS-217	24.3	ATWS is required for topsoil segregation	290	25	7210.57	0.17	Agricultural
Greene	ATWS-218	24.4	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-219	24.4	ATWS is required for road crossing	95	25	2380.07	0.05	Agricultural
Greene	ATWS-220	24.4	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-579	24.4	ATWS is required for topsoil segregation	844	25	21102.95	0.48	Agricultural
Greene	ATWS-221	24.4	ATWS is required for road crossing	90	25	2240.42	0.05	Agricultural
Greene	ATWS-580	24.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-581	24.5	ATWS is required for waterbody crossing	100	25	2529.92	0.06	Agricultural
Greene	ATWS-582	24.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-223	24.6	ATWS is required for topsoil segregation	2020	30	39592.60	0.91	Agricultural
Greene	ATWS-583	24.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-222	24.6	ATWS is required for access road entrance/equipment	100	25	839.01	0.02	Agricultural
Greene	ATWS-222	24.6	ATWS is required for access road entrance/equipment	100	25	946.56	0.02	Open Land
Greene	ATWS-222	24.6	ATWS is required for access road entrance/equipment	100	25	714.47	0.02	Developed
Greene	ATWS-584	24.9	ATWS is required for access road entrance/equipment	50	60	2942.30	0.07	Agricultural
Greene	ATWS-223	24.9	ATWS is required for topsoil segregation	2020	30	2056.16	0.05	Open Land
Greene	ATWS-223	24.9	ATWS is required for topsoil segregation	2020	30	19569.03	0.45	Agricultural
Greene	ATWS-585	24.9	ATWS is required for access road entrance/equipment	70	40	1638.03	0.04	Open Land
Greene	ATWS-585	24.9	ATWS is required for access road entrance/equipment	70	40	1304.27	0.03	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-586	24.9	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-225	25.0	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural
Greene	ATWS-226	25.0	ATWS is required for topsoil segregation	85	25	2057.08	0.05	Agricultural
Greene	ATWS-227	25.0	ATWS is required for waterbody and wetland crossing	70	25	1691.35	0.04	Agricultural
Greene	ATWS-229	25.0	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-228	25.0	ATWS is required for topsoil segregation	930	25	23200.93	0.53	Agricultural
Greene	ATWS-230	25.1	ATWS is required for waterbody and wetland crossing	95	25	2350.93	0.05	Agricultural
Greene	ATWS-588	25.2	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-587	25.2	ATWS is required for waterbody and wetland crossing	100	25	2499.95	0.06	Agricultural
Greene	ATWS-591	25.3	ATWS is required for waterbody and wetland crossing	260	25	6474.58	0.15	Agricultural
Greene	ATWS-589	25.3	ATWS is required for waterbody and wetland crossing	200	25	5031.09	0.12	Agricultural
Greene	ATWS-590	25.3	ATWS is required for topsoil segregation	210	25	5273.68	0.12	Agricultural
Greene	ATWS-592	25.4	ATWS is required for wetland crossing	100	25	1407.03	0.03	Agricultural
Greene	ATWS-594	25.4	ATWS is required for topsoil segregation	1314	25	4815.38	0.11	Agricultural
Greene	ATWS-593	25.4	ATWS is required for wetland crossing	310	25	6708.33	0.15	Agricultural
Greene	ATWS-592	25.4	ATWS is required for wetland crossing	100	25	709.85	0.02	Open Land
Greene	ATWS-592	25.4	ATWS is required for wetland crossing	100	25	383.07	0.01	Forest
Greene	ATWS-594	25.5	ATWS is required for topsoil segregation	1314	25	941.33	0.02	Forest
Greene	ATWS-594	25.5	ATWS is required for topsoil segregation	1314	25	20548.69	0.47	Open Land
Greene	ATWS-593	25.5	ATWS is required for wetland crossing	310	25	1049.62	0.02	Forest
Greene	ATWS-594	25.6	ATWS is required for topsoil segregation	1314	25	6564.67	0.15	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-595	25.7	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-596	25.7	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-597	25.7	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-599	25.7	ATWS is required for topsoil segregation	560	25	14038.43	0.32	Agricultural
Greene	ATWS-598	25.7	ATWS is required for wetland crossing	100	25	2500.08	0.06	Agricultural
Greene	ATWS-232	25.8	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-233	25.8	ATWS is required for waterbody and wetland crossing	100	25	2760.96	0.06	Agricultural
Greene	ATWS-600	25.9	ATWS is required for topsoil segregation	310	25	7797.07	0.18	Agricultural
Greene	ATWS-236	25.9	ATWS is required for waterbody and wetland crossing	100	25	2499.26	0.06	Agricultural
Greene	ATWS-236	25.9	ATWS is required for waterbody and wetland crossing	100	25	0.74	0.00	Agricultural
Greene	ATWS-600	25.9	ATWS is required for topsoil segregation	310	25	0.74	0.00	Agricultural
Greene	ATWS-234	25.9	ATWS is required for waterbody and wetland crossing	130	25	3299.50	0.08	Agricultural
Greene	ATWS-237	25.9	ATWS is required for access road entrance/equipment	100	50	184.30	0.00	Agricultural
Greene	ATWS-237	25.9	ATWS is required for access road entrance/equipment	100	50	4815.73	0.11	Open Land
Greene	ATWS-601	25.9	ATWS is required for topsoil segregation	975	25	24353.70	0.56	Agricultural
Greene	ATWS-602	26.1	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-603	26.1	ATWS is required for access road entrance/equipment	100	25	2495.94	0.06	Agricultural
Greene	ATWS-243	26.1	ATWS is required for access road entrance/equipment	55	50	2421.46	0.06	Open Land
Greene	ATWS-243	26.1	ATWS is required for access road entrance/equipment	55	50	358.72	0.01	Forest
Greene	ATWS-605	26.1	ATWS is required for topsoil segregation	3000	25	31714.51	0.73	Agricultural
Greene	ATWS-604	26.1	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-605	26.4	ATWS is required for topsoil segregation	3000	25	1058.12	0.02	Forest
Greene	ATWS-605	26.4	ATWS is required for topsoil segregation	3000	25	41482.71	0.95	Agricultural
Greene	ATWS-606	26.7	ATWS is required for waterbody crossing	100	25	1889.68	0.04	Agricultural
Greene	ATWS-607	26.7	ATWS is required for waterbody crossing	95	25	1710.64	0.04	Agricultural
Greene	ATWS-605	26.7	ATWS is required for topsoil segregation	3000	25	6.49	0.00	Agricultural
Greene	ATWS-607	26.7	ATWS is required for waterbody crossing	95	25	6.49	0.00	Agricultural
Greene	ATWS-606	26.7	ATWS is required for waterbody crossing	100	25	415.26	0.01	Open Land
Greene	ATWS-605	26.7	ATWS is required for topsoil segregation	3000	25	770.05	0.02	Open Land
Greene	ATWS-605	26.7	ATWS is required for topsoil segregation	3000	25	2.83	0.00	Open Land
Greene	ATWS-607	26.7	ATWS is required for waterbody crossing	95	25	2.83	0.00	Open Land
Greene	ATWS-607	26.7	ATWS is required for waterbody crossing	95	25	660.02	0.02	Open Land
Greene	ATWS-608	26.7	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Greene	ATWS-610	26.7	ATWS is required for topsoil segregation	2829	25	70718.70	1.62	Agricultural
Greene	ATWS-609	26.8	ATWS is required for waterbody crossing	100	25	2361.95	0.05	Agricultural
Greene	ATWS-612	27.2	ATWS is required for road crossing	100	25	2487.10	0.06	Agricultural
Greene	ATWS-611	27.3	ATWS is required for road crossing	71	25	11.02	0.00	Open Land
Greene	ATWS-611	27.3	ATWS is required for road crossing	71	25	1771.76	0.04	Agricultural
Greene	ATWS-610	27.3	ATWS is required for topsoil segregation	2829	25	8.41	0.00	Open Land
Greene	ATWS-612	27.3	ATWS is required for road crossing	100	25	4.23	0.00	Open Land
Greene	ATWS-613	27.3	ATWS is required for road crossing	85	25	1983.85	0.05	Open Land
Greene	ATWS-614	27.3	ATWS is required for road crossing	100	25	2500.00	0.06	Open Land





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Greene	ATWS-615	27.3	ATWS is required for topsoil segregation	430	25	10757.19	0.25	Open Land
Greene	ATWS-616	27.3	ATWS is required for road crossing	69	25	1729.72	0.04	Open Land
Greene	ATWS-617	27.4	ATWS is required for road crossing	94	25	2.27	0.00	Developed
Greene	ATWS-617	27.4	ATWS is required for road crossing	94	25	2368.14	0.05	Agricultural
Greene	ATWS-618	27.4	ATWS is required for road crossing	108	25	2696.15	0.06	Agricultural
Greene	ATWS-619	27.4	ATWS is required for topsoil segregation	5250	25	131270.46	3.01	Agricultural
Greene	ATWS-256	28.4	ATWS is required for road crossing	100	20	1957.28	0.04	Agricultural
Greene	ATWS-257	28.4	ATWS is required for road crossing	100	25	2523.56	0.06	Agricultural
Greene	ATWS-620	28.4	ATWS is required for topsoil segregation	2605	25	62.77	0.00	Open Land
Greene	ATWS-620	28.4	ATWS is required for topsoil segregation	2605	25	64956.85	1.49	Agricultural
Greene	ATWS-259	28.4	ATWS is required for road crossing	100	50	4999.95	0.11	Agricultural
Greene	ATWS-620	28.6	ATWS is required for topsoil segregation	2605	25	14.20	0.00	Open Land
Greene	ATWS-620	28.8	ATWS is required for topsoil segregation	2605	25	15.64	0.00	Open Land
Greene	ATWS-621	28.9	ATWS is required for road crossing	100	50	5000.03	0.11	Agricultural
Greene	ATWS-620	28.9	ATWS is required for topsoil segregation	2605	25	123.10	0.00	Open Land
Greene	ATWS-622	28.9	ATWS is required for road crossing	100	50	5000.03	0.11	Agricultural
Greene	ATWS-623	28.9	ATWS is required for topsoil segregation	3920	25	62.51	0.00	Open Land
Greene	ATWS-623	28.9	ATWS is required for topsoil segregation	3920	25	66473.87	1.53	Agricultural
Jersey	ATWS-623	29.4	ATWS is required for topsoil segregation	3920	25	31446.09	0.72	Agricultural
Jersey	ATWS-265	29.6	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-264	29.6	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-267	29.7	ATWS is required for topsoil segregation	100	25	11.89	0.00	Open Land
Jersey	ATWS-624	29.7	ATWS is required for road crossing	100	25	3.53	0.00	Open Land
Jersey	ATWS-624	29.7	ATWS is required for road crossing	100	25	1923.83	0.04	Developed
Jersey	ATWS-624	29.7	ATWS is required for road crossing	100	25	572.64	0.01	Agricultural
Jersey	ATWS-267	29.7	ATWS is required for topsoil segregation	100	25	2488.10	0.06	Agricultural
Jersey	ATWS-266	29.7	ATWS is required for road crossing	100	25	2498.56	0.06	Agricultural
Jersey	ATWS-266	29.7	ATWS is required for road crossing	100	25	1.44	0.00	Open Land
Jersey	ATWS-268	29.7	ATWS is required for topsoil segregation	9932	25	232711.85	5.34	Agricultural
Jersey	ATWS-268	31.2	ATWS is required for topsoil segregation	9932	25	13867.11	0.32	Open Land
Jersey	ATWS-625	31.5	ATWS is required for waterbody crossing	100	25	1569.95	0.04	Agricultural
Jersey	ATWS-625	31.5	ATWS is required for waterbody crossing	100	25	930.05	0.02	Forest
Jersey	ATWS-626	31.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-627	31.6	ATWS is required for topsoil segregation	1406	25	8661.17	0.20	Open Land
Jersey	ATWS-627	31.6	ATWS is required for topsoil segregation	1406	25	1219.16	0.03	Forest
Jersey	ATWS-627	31.7	ATWS is required for topsoil segregation	1406	25	25270.51	0.58	Agricultural
Jersey	ATWS-271	31.9	ATWS is required for road crossing	100	50	4999.99	0.11	Agricultural
Jersey	ATWS-272	31.9	ATWS is required for road crossing/wetland crossing	110	50	83.07	0.00	Developed
Jersey	ATWS-272	31.9	ATWS is required for road crossing/wetland crossing	110	50	5406.97	0.12	Agricultural
Jersey	ATWS-275	32.0	ATWS is required for wetland crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-628	32.0	ATWS is required for topsoil segregation	4973	25	57860.18	1.33	Agricultural
Jersey	ATWS-276	32.0	ATWS is required for wetland crossing	100	25	2498.65	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-628	32.4	ATWS is required for topsoil segregation	4973	25	194.50	0.00	Open Land
Jersey	ATWS-628	32.4	ATWS is required for topsoil segregation	4973	25	66242.82	1.52	Agricultural
Jersey	ATWS-277	32.9	ATWS is required for road crossing	100	50	4960.92	0.11	Agricultural
Jersey	ATWS-628	32.9	ATWS is required for topsoil segregation	4973	25	26.48	0.00	Open Land
Jersey	ATWS-277	32.9	ATWS is required for road crossing	100	50	39.07	0.00	Open Land
Jersey	ATWS-278	32.9	ATWS is required for road crossing	100	50	4992.15	0.11	Agricultural
Jersey	ATWS-278	32.9	ATWS is required for road crossing	100	50	7.84	0.00	Open Land
Jersey	ATWS-629	32.9	ATWS is required for topsoil segregation	2610	25	65267.82	1.50	Agricultural
Jersey	ATWS-630	33.4	ATWS is required for topsoil segregation	1445	25	35940.96	0.83	Agricultural
Jersey	ATWS-630	33.4	ATWS is required for topsoil segregation	1445	25	86.73	0.00	Open Land
Jersey	ATWS-630	33.7	ATWS is required for topsoil segregation	1445	25	108.03	0.00	Open Land
Jersey	ATWS-283	33.7	ATWS is required for waterbody crossing	100	50	4999.99	0.11	Agricultural
Jersey	ATWS-631	33.7	ATWS is required for topsoil segregation	535	25	13314.24	0.31	Agricultural
Jersey	ATWS-634	33.8	ATWS is required for topsoil segregation	7140	25	104320.10	2.39	Agricultural
Jersey	ATWS-634	33.8	ATWS is required for topsoil segregation	7140	25	9.45	0.00	Open Land
Jersey	ATWS-284	33.9	ATWS is required for road crossing	200	25	4999.99	0.11	Agricultural
Jersey	ATWS-632	34.1	ATWS is required for hydrostatic testing	602	200	120382.42	2.76	Agricultural
Jersey	ATWS-633	34.2	ATWS is required for hydrostatic testing	50	50	463.61	0.01	Developed
Jersey	ATWS-633	34.2	ATWS is required for hydrostatic testing	50	50	2036.39	0.05	Agricultural
Jersey	ATWS-634	34.3	ATWS is required for topsoil segregation	7140	25	8.54	0.00	Open Land
Jersey	ATWS-634	34.4	ATWS is required for topsoil segregation	7140	25	17964.14	0.41	Open Land



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-634	34.7	ATWS is required for topsoil segregation	7140	25	56123.40	1.29	Agricultural
Jersey	ATWS-287	35.1	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-288	35.2	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-637	35.2	ATWS is required for topsoil segregation	960	25	4700.78	0.11	Forest
Jersey	ATWS-635	35.2	ATWS is required for waterbody and wetland crossing	105	25	2676.89	0.06	Forest
Jersey	ATWS-636	35.2	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Forest
Jersey	ATWS-637	35.3	ATWS is required for topsoil segregation	960	25	19284.71	0.44	Agricultural
Jersey	ATWS-638	35.4	ATWS is required for waterbody and wetland crossing/road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-639	35.4	ATWS is required for waterbody and wetland crossing/road crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-640	35.5	ATWS is required for waterbody and wetland crossing/road crossing	100	25	315.68	0.01	Forest
Jersey	ATWS-640	35.5	ATWS is required for waterbody and wetland crossing/road crossing	100	25	2184.32	0.05	Agricultural
Jersey	ATWS-642	35.5	ATWS is required for topsoil segregation	585	25	5.97	0.00	Forest
Jersey	ATWS-642	35.5	ATWS is required for topsoil segregation	585	25	14570.78	0.33	Agricultural
Jersey	ATWS-641	35.5	ATWS is required for waterbody and wetland crossing/road crossing	130	25	3238.95	0.07	Agricultural
Jersey	ATWS-643	35.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-644	35.7	ATWS is required for topsoil segregation	235	25	5869.01	0.13	Agricultural
Jersey	ATWS-645	35.7	ATWS is required for waterbody crossing	100	25	2417.28	0.06	Agricultural
Jersey	ATWS-646	35.7	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-645	35.7	ATWS is required for waterbody crossing	100	25	73.49	0.00	Forest





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-645	35.7	ATWS is required for waterbody crossing	100	25	29.45	0.00	Forest
Jersey	ATWS-647	35.7	ATWS is required for waterbody and wetland crossing	160	25	3944.36	0.09	Agricultural
Jersey	ATWS-648	35.7	ATWS is required for topsoil segregation	165	25	260.36	0.01	Forest
Jersey	ATWS-648	35.7	ATWS is required for topsoil segregation	165	25	3802.70	0.09	Agricultural
Jersey	ATWS-649	35.8	ATWS is required for waterbody and wetland crossing	115	25	2835.67	0.07	Agricultural
Jersey	ATWS-650	35.8	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-651	35.8	ATWS is required for wetland crossing	100	25	2515.24	0.06	Agricultural
Jersey	ATWS-652	35.8	ATWS is required for topsoil segregation	885	25	22296.32	0.51	Agricultural
Jersey	ATWS-653	35.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-654	36.0	ATWS is required for waterbody crossing	100	25	2468.63	0.06	Agricultural
Jersey	ATWS-655	36.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-657	36.0	ATWS is required for topsoil segregation	310	25	7790.23	0.18	Agricultural
Jersey	ATWS-656	36.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-658	36.1	ATWS is required for topsoil segregation	725	25	18144.00	0.42	Agricultural
Jersey	ATWS-659	36.3	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-660	36.3	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-661	36.3	ATWS is required for topsoil segregation	1265	25	31629.09	0.73	Agricultural
Jersey	ATWS-662	36.6	ATWS is required for waterbody and wetland crossing	100	25	2558.54	0.06	Agricultural
Jersey	ATWS-663	36.6	ATWS is required for access road transition to workspace	105	50	5087.29	0.12	Agricultural
Jersey	ATWS-664	36.6	ATWS is required for waterbody and wetland crossing	100	25	1249.39	0.03	Forest
Jersey	ATWS-666	36.6	ATWS is required for topsoil segregation	297	25	1598.65	0.04	Forest



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-665	36.6	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Forest
Jersey	ATWS-664	36.6	ATWS is required for waterbody and wetland crossing	100	25	1250.65	0.03	Open Land
Jersey	ATWS-666	36.6	ATWS is required for topsoil segregation	297	25	5822.88	0.13	Open Land
Jersey	ATWS-667	36.7	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Open Land
Jersey	ATWS-668	36.7	ATWS is required for waterbody crossing	100	25	2545.99	0.06	Open Land
Jersey	ATWS-668	36.7	ATWS is required for waterbody crossing	100	25	4.97	0.00	Forest
Jersey	ATWS-671	36.7	ATWS is required for topsoil segregation	2310	25	440.48	0.01	Forest
Jersey	ATWS-671	36.7	ATWS is required for topsoil segregation	2310	25	10043.72	0.23	Open Land
Jersey	ATWS-669	36.7	ATWS is required for waterbody crossing	100	25	172.32	0.00	Forest
Jersey	ATWS-669	36.7	ATWS is required for waterbody crossing	100	25	2327.72	0.05	Open Land
Jersey	ATWS-670	36.7	ATWS is required for waterbody crossing	100	25	341.47	0.01	Forest
Jersey	ATWS-670	36.7	ATWS is required for waterbody crossing	100	25	2044.58	0.05	Open Land
Jersey	ATWS-671	36.8	ATWS is required for topsoil segregation	2310	25	22560.73	0.52	Agricultural
Jersey	ATWS-671	37.0	ATWS is required for topsoil segregation	2310	25	696.52	0.02	Open Land
Jersey	ATWS-671	37.0	ATWS is required for topsoil segregation	2310	25	22622.19	0.52	Agricultural
Jersey	ATWS-671	37.1	ATWS is required for topsoil segregation	2310	25	628.27	0.01	Open Land
Jersey	ATWS-672	37.1	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-671	37.2	ATWS is required for topsoil segregation	2310	25	759.21	0.02	Open Land
Jersey	ATWS-673	37.2	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-674	37.2	ATWS is required for topsoil segregation	240	25	5937.84	0.14	Agricultural
Jersey	ATWS-675	37.3	ATWS is required for road crossing	100	25	2497.73	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-676	37.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-677	37.3	ATWS is required for topsoil segregation	1583	25	2705.56	0.06	Agricultural
Jersey	ATWS-677	37.3	ATWS is required for topsoil segregation	1583	25	850.16	0.02	Open Land
Jersey	ATWS-677	37.3	ATWS is required for topsoil segregation	1583	25	36043.59	0.83	Agricultural
Jersey	ATWS-678	37.6	ATWS is required for topsoil segregation	165	25	4176.58	0.10	Agricultural
Jersey	ATWS-679	37.6	ATWS is required for topsoil segregation	165	25	4167.30	0.10	Agricultural
Jersey	ATWS-680	37.7	ATWS is required for topsoil segregation	1705	25	42594.93	0.98	Agricultural
Jersey	ATWS-681	38.0	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-682	38.0	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-684	38.0	ATWS is required for road crossing	100	25	2312.30	0.05	Agricultural
Jersey	ATWS-685	38.0	ATWS is required for topsoil segregation	2685	25	67128.53	1.54	Agricultural
Jersey	ATWS-683	38.0	ATWS is required for road crossing	100	25	2593.87	0.06	Agricultural
Jersey	ATWS-686	38.5	ATWS is required for road crossing	100	25	2364.09	0.05	Agricultural
Jersey	ATWS-687	38.5	ATWS is required for road crossing	100	25	2582.67	0.06	Agricultural
Jersey	ATWS-688	38.6	ATWS is required for road crossing	100	25	2500.00	0.06	Open Land
Jersey	ATWS-690	38.6	ATWS is required for topsoil segregation	564	25	5629.61	0.13	Open Land
Jersey	ATWS-689	38.6	ATWS is required for road crossing	100	25	2132.96	0.05	Agricultural
Jersey	ATWS-689	38.6	ATWS is required for road crossing	100	25	367.04	0.01	Open Land
Jersey	ATWS-690	38.6	ATWS is required for topsoil segregation	564	25	8461.66	0.19	Agricultural
Jersey	ATWS-691	38.7	ATWS is required for topsoil segregation	1241	25	31028.88	0.71	Agricultural
Jersey	ATWS-692	38.9	ATWS is required for waterbody crossing	110	25	2757.04	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-693	38.9	ATWS is required for waterbody crossing	100	15	1596.08	0.04	Agricultural
Jersey	ATWS-693	38.9	ATWS is required for waterbody crossing	100	15	16.86	0.00	Developed
Jersey	ATWS-694	38.9	ATWS is required for waterbody crossing	175	25	4375.95	0.10	Agricultural
Jersey	ATWS-695	39.0	ATWS is required for waterbody crossing	100	25	2492.20	0.06	Agricultural
Jersey	ATWS-696	39.0	ATWS is required for waterbody crossing	195	25	3218.91	0.07	Forest
Jersey	ATWS-696	39.0	ATWS is required for waterbody crossing	195	25	264.02	0.01	Agricultural
Jersey	ATWS-696	39.1	ATWS is required for waterbody crossing	195	25	335.46	0.01	Open Land
Jersey	ATWS-696	39.1	ATWS is required for waterbody crossing	195	25	1049.36	0.02	Agricultural
Jersey	ATWS-697	39.1	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-698	39.1	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-701	39.2	ATWS is required for topsoil segregation	825	25	20673.23	0.47	Agricultural
Jersey	ATWS-699	39.2	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-700	39.2	ATWS is required for waterbody and wetland crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-702	39.4	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-703	39.4	ATWS is required for topsoil segregation	95	25	2384.65	0.05	Forest
Jersey	ATWS-704	39.4	ATWS is required for waterbody crossing	85	25	2064.79	0.05	Forest
Jersey	ATWS-705	39.5	ATWS is required for waterbody crossing	100	25	868.98	0.02	Forest
Jersey	ATWS-705	39.5	ATWS is required for waterbody crossing	100	25	1631.02	0.04	Agricultural
Jersey	ATWS-706	39.7	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-708	39.7	ATWS is required for waterbody crossing	250	25	6224.29	0.14	Forest
Jersey	ATWS-707	39.7	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-709	39.8	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-710	39.9	ATWS is required for topsoil segregation	1660	25	26285.24	0.60	Agricultural
Jersey	ATWS-710	39.9	ATWS is required for topsoil segregation	1660	25	1348.57	0.03	Forest
Jersey	ATWS-710	40.1	ATWS is required for topsoil segregation	1660	25	525.38	0.01	Open Land
Jersey	ATWS-710	40.1	ATWS is required for topsoil segregation	1660	25	13347.35	0.31	Agricultural
Jersey	ATWS-711	40.2	ATWS is required for topsoil segregation	532	25	28.75	0.00	Open Land
Jersey	ATWS-711	40.2	ATWS is required for topsoil segregation	532	25	13293.73	0.31	Agricultural
Jersey	ATWS-712	40.3	ATWS is required for road crossing	90	25	2254.93	0.05	Agricultural
Jersey	ATWS-322	40.3	ATWS is required for road crossing	100	25	2659.95	0.06	Agricultural
Jersey	ATWS-715	40.3	ATWS is required for topsoil segregation	3105	25	31705.63	0.73	Agricultural
Jersey	ATWS-713	40.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-714	40.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-715	40.6	ATWS is required for topsoil segregation	3107	25	1132.30	0.03	Open Land
Jersey	ATWS-715	40.6	ATWS is required for topsoil segregation	3107	25	44124.89	1.01	Agricultural
Jersey	ATWS-327	40.8	ATWS is required for access road entrance/equipment	100	50	3614.91	0.08	Open Land
Jersey	ATWS-327	40.8	ATWS is required for access road entrance/equipment	100	50	272.16	0.01	Agricultural
Jersey	ATWS-327	40.8	ATWS is required for access road entrance/equipment	100	50	1112.96	0.03	Agricultural
Jersey	ATWS-715	40.8	ATWS is required for topsoil segregation	3107	25	700.23	0.02	Forest
Jersey	ATWS-716	40.8	ATWS is required for access road transition to workspace	130	50	6497.32	0.15	Agricultural
Jersey	ATWS-717	40.9	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-718	40.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-719	40.9	ATWS is required for waterbody crossing	100	25	168.23	0.00	Open Land
Jersey	ATWS-719	40.9	ATWS is required for waterbody crossing	100	25	2331.81	0.05	Agricultural
Jersey	ATWS-721	40.9	ATWS is required for topsoil segregation	515	25	12855.12	0.30	Agricultural
Jersey	ATWS-720	40.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-722	41.0	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
Jersey	ATWS-723	41.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-724	41.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-725	41.1	ATWS is required for waterbody crossing	100	25	143.05	0.00	Forest
Jersey	ATWS-725	41.1	ATWS is required for waterbody crossing	100	25	2356.99	0.05	Agricultural
Jersey	ATWS-726	41.1	ATWS is required for topsoil segregation	285	25	7139.79	0.16	Agricultural
Jersey	ATWS-727	41.2	ATWS is required for topsoil segregation	85	25	2159.57	0.05	Agricultural
Jersey	ATWS-729	41.2	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-728	41.2	ATWS is required for wetland crossing	75	25	1877.48	0.04	Agricultural
Jersey	ATWS-730	41.2	ATWS is required for wetland crossing	100	25	291.46	0.01	Open Land
Jersey	ATWS-732	41.2	ATWS is required for topsoil segregation	560	25	297.04	0.01	Open Land
Jersey	ATWS-731	41.2	ATWS is required for wetland crossing	100	25	274.56	0.01	Open Land
Jersey	ATWS-730	41.2	ATWS is required for wetland crossing	100	25	2208.54	0.05	Agricultural
Jersey	ATWS-732	41.2	ATWS is required for topsoil segregation	560	25	13691.65	0.31	Agricultural
Jersey	ATWS-731	41.2	ATWS is required for wetland crossing	100	25	2225.48	0.05	Agricultural
Jersey	ATWS-733	41.3	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-734	41.3	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-735	41.3	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-737	41.3	ATWS is required for topsoil segregation	585	25	14660.55	0.34	Agricultural
Jersey	ATWS-736	41.3	ATWS is required for waterbody and wetland crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-329	41.5	ATWS is required for waterbody crossing	106	25	2640.96	0.06	Agricultural
Jersey	ATWS-331	41.5	ATWS is required for waterbody crossing	100	25	2500.08	0.06	Agricultural
Jersey	ATWS-330	41.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-332	41.6	ATWS is required for topsoil segregation	214	25	5352.65	0.12	Agricultural
Jersey	ATWS-738	41.6	ATWS is required for waterbody crossing	100	25	2502.30	0.06	Agricultural
Jersey	ATWS-739	41.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-740	41.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-741	41.6	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-333	41.6	ATWS is required for topsoil segregation	925	25	23154.06	0.53	Agricultural
Jersey	ATWS-334	41.8	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-335	41.8	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-336	41.8	ATWS is required for road crossing	100	25	593.77	0.01	Open Land
Jersey	ATWS-337	41.8	ATWS is required for topsoil segregation	630	25	591.63	0.01	Open Land
Jersey	ATWS-338	41.8	ATWS is required for road crossing	100	25	581.87	0.01	Open Land
Jersey	ATWS-338	41.8	ATWS is required for road crossing	100	25	458.08	0.01	Developed
Jersey	ATWS-337	41.8	ATWS is required for topsoil segregation	630	25	427.11	0.01	Developed
Jersey	ATWS-336	41.8	ATWS is required for road crossing	100	25	420.35	0.01	Developed
Jersey	ATWS-336	41.8	ATWS is required for road crossing	100	25	1486.53	0.03	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-337	41.8	ATWS is required for topsoil segregation	630	25	14751.90	0.34	Agricultural
Jersey	ATWS-338	41.8	ATWS is required for road crossing	100	25	1460.78	0.03	Agricultural
Jersey	ATWS-339	41.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-340	41.9	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-341	42.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-342	42.0	ATWS is required for topsoil segregation	1935	25	48374.34	1.11	Agricultural
Jersey	ATWS-343	42.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-344	42.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-345	42.3	ATWS is required for road crossing	100	25	2002.41	0.05	Agricultural
Jersey	ATWS-345	42.3	ATWS is required for road crossing	100	25	497.28	0.01	Open Land
Jersey	ATWS-347	42.3	ATWS is required for topsoil segregation	700	25	12804.20	0.29	Agricultural
Jersey	ATWS-346	42.3	ATWS is required for road crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-347	42.4	ATWS is required for topsoil segregation	700	25	827.73	0.02	Open Land
Jersey	ATWS-347	42.4	ATWS is required for topsoil segregation	700	25	3805.75	0.09	Agricultural
Jersey	ATWS-742	42.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-348	42.5	ATWS is required for topsoil segregation	5193	25	12375.05	0.28	Agricultural
Jersey	ATWS-743	42.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
Jersey	ATWS-348	42.6	ATWS is required for topsoil segregation	5193	25	440.44	0.01	Open Land
Jersey	ATWS-348	42.6	ATWS is required for topsoil segregation	5193	25	116998.28	2.69	Agricultural
Jersey	ATWS-350	43.5	ATWS is required for topsoil segregation	645	25	16127.04	0.37	Agricultural
Jersey	ATWS-351	43.6	ATWS is required for topsoil segregation	625	25	15585.59	0.36	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-744	43.9	ATWS is required for road crossing	135	25	2034.77	0.05	Forest
Jersey	ATWS-357	43.9	ATWS is required for topsoil segregation	105	25	2548.30	0.06	Agricultural
Jersey	ATWS-355	43.9	ATWS is required for road crossing	160	25	152.94	0.00	Forest
Jersey	ATWS-355	43.9	ATWS is required for road crossing	160	25	3825.70	0.09	Agricultural
Jersey	ATWS-744	43.9	ATWS is required for road crossing	135	25	1332.81	0.03	Agricultural
Jersey	ATWS-358	44.0	ATWS is required for access road entrance/equipment	100	50	4999.99	0.11	Forest
Jersey	ATWS-745	44.1	ATWS is required for topsoil segregation	367	25	5498.67	0.13	Agricultural
Jersey	ATWS-745	44.1	ATWS is required for topsoil segregation	367	25	3673.33	0.08	Forest
Jersey	ATWS-361	44.1	ATWS is required for waterbody crossing	100	25	2525.09	0.06	Open Land
Jersey	ATWS-362	44.2	ATWS is required for waterbody crossing	100	25	2047.36	0.05	Forest
Jersey	ATWS-746	44.2	ATWS is required for topsoil segregation	475	25	11786.16	0.27	Open Land
Jersey	ATWS-362	44.2	ATWS is required for waterbody crossing	100	25	452.63	0.01	Open Land
Jersey	ATWS-364	44.5	ATWS is required for waterbody crossing	100	25	2499.91	0.06	Open Land
Jersey	ATWS-365	44.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Forest
Jersey	ATWS-366	44.5	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Open Land
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	1220.42	0.03	Forest
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	3777.00	0.09	Open Land
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	2.09	0.00	Open Land
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	227.47	0.01	Forest
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	145.97	0.00	Forest
Jersey	ATWS-747	44.7	ATWS is required for access road transition to workspace	105	50	41.60	0.00	Forest



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Illinois (continued)</i>								
Jersey	ATWS-369	45.0	ATWS is required for HDD	300	135	15155.00	0.35	Open Land
Jersey	ATWS-369	45.0	ATWS is required for HDD	300	135	25345.04	0.58	Forest
Jersey	ATWS-368	45.0	ATWS is required for HDD	300	75	22500.09	0.52	Forest
						<b>Subtotal<sup>1</sup></b>	<b>160.16</b>	
<i>Missouri</i>								
St. Charles	ATWS-371	46.1	ATWS is required for HDD	301	134	31.41	0.00	Forest
St. Charles	ATWS-371	46.1	ATWS is required for HDD	301	134	17.03	0.00	Open Land
St. Charles	ATWS-371	46.1	ATWS is required for HDD	301	134	355.93	0.01	Forest
St. Charles	ATWS-371	46.1	ATWS is required for HDD	301	134	39972.27	0.92	Agricultural
St. Charles	ATWS-370	46.1	ATWS is required for HDD	244	90	219.85	0.01	Forest
St. Charles	ATWS-370	46.1	ATWS is required for HDD	244	90	21623.58	0.50	Agricultural
St. Charles	ATWS-372	46.2	ATWS is required for HDD	5909	75	196588.94	4.51	Agricultural
St. Charles	ATWS-373	46.2	ATWS is required for topsoil segregation	545	25	12610.10	0.29	Agricultural
St. Charles	ATWS-748	46.3	ATWS is required for topsoil segregation	1680	25	42009.31	0.96	Agricultural
St. Charles	ATWS-374	46.6	ATWS is required for road crossing	105	25	2552.35	0.06	Agricultural
St. Charles	ATWS-372	46.7	ATWS is required for HDD	5909	75	2332.77	0.05	Developed
St. Charles	ATWS-372	46.7	ATWS is required for HDD	5909	75	242333.25	5.56	Agricultural
St. Charles	ATWS-376	46.7	ATWS is required for road crossing	100	25	2542.90	0.06	Agricultural
St. Charles	ATWS-749	46.7	ATWS is required for topsoil segregation	1419	25	35464.11	0.81	Agricultural
St. Charles	ATWS-379	46.8	ATWS is required for HDD	150	150	22500.09	0.52	Agricultural
St. Charles	ATWS-378	46.9	ATWS is required for access road entrance/equipment	100	50	1561.93	0.04	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-378	47.0	ATWS is required for access road entrance/equipment	100	50	395.13	0.01	Open Land
St. Charles	ATWS-378	47.0	ATWS is required for access road entrance/equipment	100	50	835.66	0.02	Developed
St. Charles	ATWS-378	47.0	ATWS is required for access road entrance/equipment	100	50	1113.87	0.03	Open Land
St. Charles	ATWS-378	47.0	ATWS is required for access road entrance/equipment	100	50	1093.44	0.03	Agricultural
St. Charles	ATWS-750	47.0	ATWS is required for topsoil segregation	3410	25	85288.13	1.96	Agricultural
St. Charles	ATWS-751	47.6	ATWS is required for road crossing	100	25	2502.91	0.06	Agricultural
St. Charles	ATWS-752	47.6	ATWS is required for road crossing	100	25	2504.18	0.06	Agricultural
St. Charles	ATWS-753	47.6	ATWS is required for road crossing	100	25	2502.91	0.06	Agricultural
St. Charles	ATWS-755	47.6	ATWS is required for topsoil segregation	480	25	12001.56	0.28	Agricultural
St. Charles	ATWS-754	47.6	ATWS is required for road crossing	100	25	2505.44	0.06	Agricultural
St. Charles	ATWS-756	47.7	ATWS is required for waterbody crossing	110	25	2767.85	0.06	Agricultural
St. Charles	ATWS-757	47.7	ATWS is required for waterbody crossing	110	25	2767.85	0.06	Agricultural
St. Charles	ATWS-758	47.7	ATWS is required for waterbody crossing	65	25	1639.12	0.04	Agricultural
St. Charles	ATWS-759	47.8	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-760	47.8	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-761	47.8	ATWS is required for topsoil segregation	3980	25	37718.56	0.87	Agricultural
St. Charles	ATWS-761	48.1	ATWS is required for topsoil segregation	3980	25	375.97	0.01	Open Land
St. Charles	ATWS-761	48.1	ATWS is required for topsoil segregation	3980	25	48546.53	1.11	Agricultural
St. Charles	ATWS-761	48.4	ATWS is required for topsoil segregation	3980	25	299.26	0.01	Open Land
St. Charles	ATWS-761	48.4	ATWS is required for topsoil segregation	3980	25	12540.53	0.29	Agricultural
St. Charles	ATWS-762	48.6	ATWS is required for topsoil segregation	2230	25	55704.48	1.28	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-763	49.0	ATWS is required for road crossing	100	25	2486.40	0.06	Agricultural
St. Charles	ATWS-764	49.0	ATWS is required for road crossing	100	25	2472.33	0.06	Agricultural
St. Charles	ATWS-763	49.0	ATWS is required for road crossing	100	25	13.55	0.00	Open Land
St. Charles	ATWS-762	49.0	ATWS is required for topsoil segregation	2229	25	16.81	0.00	Open Land
St. Charles	ATWS-764	49.0	ATWS is required for road crossing	100	25	27.62	0.00	Open Land
St. Charles	ATWS-765	49.0	ATWS is required for road crossing	100	25	2500.08	0.06	Agricultural
St. Charles	ATWS-767	49.0	ATWS is required for topsoil segregation	1990	25	49710.19	1.14	Agricultural
St. Charles	ATWS-766	49.0	ATWS is required for road crossing	100	25	2500.13	0.06	Agricultural
St. Charles	ATWS-768	49.3	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-769	49.3	ATWS is required for road crossing	100	25	2497.38	0.06	Agricultural
St. Charles	ATWS-770	49.4	ATWS is required for road crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-771	49.4	ATWS is required for topsoil segregation	970	25	24274.07	0.56	Agricultural
St. Charles	ATWS-772	49.5	ATWS is required for waterbody crossing	100	25	2500.13	0.06	Agricultural
St. Charles	ATWS-773	49.5	ATWS is required for waterbody crossing	100	25	2500.17	0.06	Agricultural
St. Charles	ATWS-774	49.6	ATWS is required for topsoil segregation	2940	25	9518.08	0.22	Agricultural
St. Charles	ATWS-774	49.6	ATWS is required for topsoil segregation	2940	25	12803.63	0.29	Wetland
St. Charles	ATWS-774	49.7	ATWS is required for topsoil segregation	2940	25	113.34	0.00	Agricultural
St. Charles	ATWS-774	49.7	ATWS is required for topsoil segregation	2940	25	10630.21	0.24	Wetland
St. Charles	ATWS-774	49.8	ATWS is required for topsoil segregation	2940	25	2213.59	0.05	Agricultural
St. Charles	ATWS-774	49.8	ATWS is required for topsoil segregation	2940	25	6568.19	0.15	Agricultural
St. Charles	ATWS-774	49.9	ATWS is required for topsoil segregation	2940	25	405.20	0.01	Open Land





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-774	49.9	ATWS is required for topsoil segregation	2940	25	374.05	0.01	Agricultural
St. Charles	ATWS-774	49.9	ATWS is required for topsoil segregation	2940	25	207.17	0.00	Wetland
St. Charles	ATWS-774	49.9	ATWS is required for topsoil segregation	2940	25	9271.22	0.21	Agricultural
St. Charles	ATWS-774	50.0	ATWS is required for topsoil segregation	2940	25	5199.98	0.12	Developed
St. Charles	ATWS-774	50.0	ATWS is required for topsoil segregation	2940	25	16215.51	0.37	Agricultural
St. Charles	ATWS-775	50.2	ATWS is required for topsoil segregation	1382	25	34550.31	0.79	Agricultural
St. Charles	ATWS-776	50.4	ATWS is required for road crossing	100	25	2510.67	0.06	Agricultural
St. Charles	ATWS-777	50.4	ATWS is required for road crossing	100	25	2498.08	0.06	Agricultural
St. Charles	ATWS-402	50.5	ATWS is required for road crossing	100	25	2500.69	0.06	Agricultural
St. Charles	ATWS-403	50.5	ATWS is required for topsoil segregation	3135	25	78354.20	1.80	Agricultural
St. Charles	ATWS-405	50.5	ATWS is required for road crossing	129	25	3217.08	0.07	Agricultural
St. Charles	ATWS-778	51.0	ATWS is required for railroad bored crossing	131	25	3273.88	0.08	Agricultural
St. Charles	ATWS-779	51.1	ATWS is required for railroad bored crossing	100	50	5026.30	0.12	Agricultural
St. Charles	ATWS-408	51.1	ATWS is required for railroad bored crossing	108	25	699.62	0.02	Forest
St. Charles	ATWS-409	51.1	ATWS is required for topsoil segregation	1105	25	659.06	0.02	Forest
St. Charles	ATWS-410	51.1	ATWS is required for railroad bored crossing	126	25	633.41	0.01	Forest
St. Charles	ATWS-408	51.1	ATWS is required for railroad bored crossing	108	25	2003.85	0.05	Agricultural
St. Charles	ATWS-409	51.1	ATWS is required for topsoil segregation	1105	25	24648.95	0.57	Agricultural
St. Charles	ATWS-410	51.1	ATWS is required for railroad bored crossing	126	25	2522.21	0.06	Agricultural
St. Charles	ATWS-780	51.2	ATWS is required for access road entrance/equipment	100	50	3926.54	0.09	Agricultural
St. Charles	ATWS-780	51.2	ATWS is required for access road entrance/equipment	100	50	1083.60	0.02	Open Land



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-411	51.3	ATWS is required for road crossing	110	25	2639.00	0.06	Agricultural
St. Charles	ATWS-409	51.3	ATWS is required for topsoil segregation	1105	25	2339.96	0.05	Developed
St. Charles	ATWS-412	51.3	ATWS is required for road crossing	100	25	2639.43	0.06	Developed
St. Charles	ATWS-413	51.3	ATWS is required for road crossing	100	25	386.38	0.01	Agricultural
St. Charles	ATWS-413	51.3	ATWS is required for road crossing	100	25	2252.66	0.05	Developed
St. Charles	ATWS-414	51.3	ATWS is required for topsoil segregation	2268	25	2868.82	0.07	Developed
St. Charles	ATWS-415	51.3	ATWS is required for road crossing	110	25	1909.54	0.04	Developed
St. Charles	ATWS-415	51.3	ATWS is required for road crossing	110	25	729.89	0.02	Agricultural
St. Charles	ATWS-414	51.3	ATWS is required for topsoil segregation	2268	25	53823.22	1.24	Agricultural
St. Charles	ATWS-416	51.7	ATWS is required for road crossing	155	25	3197.78	0.07	Agricultural
St. Charles	ATWS-417	51.7	ATWS is required for road crossing	100	25	3183.63	0.07	Agricultural
St. Charles	ATWS-418	51.7	ATWS is required for topsoil segregation	1268	25	31689.99	0.73	Agricultural
St. Charles	ATWS-419	51.7	ATWS is required for road crossing	100	25	3183.23	0.07	Agricultural
St. Charles	ATWS-420	51.8	ATWS is required for road crossing	155	25	3183.32	0.07	Agricultural
St. Charles	ATWS-781	52.0	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-782	52.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-785	52.0	ATWS is required for topsoil segregation	720	25	17995.90	0.41	Agricultural
St. Charles	ATWS-783	52.0	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-784	52.0	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-786	52.1	ATWS is required for road and waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-787	52.1	ATWS is required for road and waterbody crossing	100	25	2500.04	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-788	52.2	ATWS is required for road and waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-789	52.2	ATWS is required for road and waterbody crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-790	52.2	ATWS is required for topsoil segregation	410	25	10353.47	0.24	Agricultural
St. Charles	ATWS-791	52.2	ATWS is required for waterbody crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-792	52.2	ATWS is required for waterbody crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-793	52.3	ATWS is required for waterbody crossing	100	25	639.90	0.01	Agricultural
St. Charles	ATWS-794	52.3	ATWS is required for topsoil segregation	4092	25	659.37	0.02	Agricultural
St. Charles	ATWS-422	52.3	ATWS is required for access road transition to workspace	100	50	1173.99	0.03	Agricultural
St. Charles	ATWS-421	52.3	ATWS is required for access road entrance/equipment	100	50	3623.54	0.08	Open Land
St. Charles	ATWS-793	52.3	ATWS is required for waterbody crossing	100	25	620.21	0.01	Open Land
St. Charles	ATWS-794	52.3	ATWS is required for topsoil segregation	4092	25	620.95	0.01	Open Land
St. Charles	ATWS-422	52.3	ATWS is required for access road transition to workspace	100	50	1249.34	0.03	Open Land
St. Charles	ATWS-793	52.3	ATWS is required for waterbody crossing	100	25	1239.89	0.03	Agricultural
St. Charles	ATWS-794	52.3	ATWS is required for topsoil segregation	4092	25	100995.34	2.32	Agricultural
St. Charles	ATWS-422	52.3	ATWS is required for access road transition to workspace	100	50	2576.66	0.06	Agricultural
St. Charles	ATWS-421	52.3	ATWS is required for access road entrance/equipment	100	50	1369.40	0.03	Agricultural
St. Charles	ATWS-424	53.0	ATWS is required for road crossing	100	50	5421.17	0.12	Agricultural
St. Charles	ATWS-794	53.0	ATWS is required for topsoil segregation	4092	25	12.98	0.00	Open Land
St. Charles	ATWS-795	53.1	ATWS is required for topsoil segregation	7543	25	23.09	0.00	Open Land
St. Charles	ATWS-795	53.1	ATWS is required for topsoil segregation	7543	25	188411.81	4.33	Agricultural
St. Charles	ATWS-425	53.1	ATWS is required for road crossing	120	50	5421.22	0.12	Agricultural



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-795	53.9	ATWS is required for topsoil segregation	7543	25	140.18	0.00	Wetland
St. Charles	ATWS-796	54.5	ATWS is required for waterbody crossing/road crossing	100	25	2306.02	0.05	Agricultural
St. Charles	ATWS-797	54.5	ATWS is required for waterbody crossing/road crossing	85	25	2121.24	0.05	Agricultural
St. Charles	ATWS-800	54.5	ATWS is required for topsoil segregation	6065	25	29596.23	0.68	Agricultural
St. Charles	ATWS-798	54.5	ATWS is required for waterbody crossing/road crossing	100	25	2572.65	0.06	Agricultural
St. Charles	ATWS-799	54.6	ATWS is required for waterbody crossing/road crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-800	54.8	ATWS is required for topsoil segregation	6067	25	5249.68	0.12	Wetland
St. Charles	ATWS-800	54.8	ATWS is required for topsoil segregation	6067	25	116829.10	2.68	Agricultural
St. Charles	ATWS-800	55.7	ATWS is required for topsoil segregation	6067	25	0.83	0.00	Agricultural
St. Charles	ATWS-801	55.7	ATWS is required for wetland crossing	100	50	0.83	0.00	Agricultural
St. Charles	ATWS-801	55.7	ATWS is required for wetland crossing	100	50	4999.16	0.11	Agricultural
St. Charles	ATWS-802	55.8	ATWS is required for wetland crossing	100	50	5000.03	0.11	Agricultural
St. Charles	ATWS-437	55.8	ATWS is required for topsoil segregation	3714	25	92856.98	2.13	Agricultural
St. Charles	ATWS-439	56.5	ATWS is required for road crossing	100	25	2504.40	0.06	Agricultural
St. Charles	ATWS-438	56.5	ATWS is required for road crossing	100	25	2504.53	0.06	Agricultural
St. Charles	ATWS-440	56.6	ATWS is required for road crossing	100	25	2504.70	0.06	Agricultural
St. Charles	ATWS-441	56.6	ATWS is required for topsoil segregation	875	25	21929.37	0.50	Agricultural
St. Charles	ATWS-442	56.6	ATWS is required for road crossing	100	25	2504.66	0.06	Agricultural
St. Charles	ATWS-443	56.7	ATWS is required for wetland crossing	100	25	2460.84	0.06	Agricultural
St. Charles	ATWS-444	56.7	ATWS is required for wetland crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-446	56.8	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural





**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-445	56.8	ATWS is required for topsoil segregation	1200	25	29951.64	0.69	Agricultural
St. Charles	ATWS-447	56.8	ATWS is required for wetland crossing	100	25	2500.08	0.06	Agricultural
St. Charles	ATWS-803	57.0	ATWS is required for topsoil segregation	920	25	23032.31	0.53	Agricultural
St. Charles	ATWS-448	57.1	ATWS is required for HDD	150	150	22500.09	0.52	Agricultural
St. Charles	ATWS-449	57.1	ATWS is required for HDD	2584	75	41995.02	0.96	Agricultural
St. Charles	ATWS-450	57.2	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-451	57.2	ATWS is required for wetland crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-449	57.2	ATWS is required for HDD	2584	75	10474.92	0.24	Wetland
St. Charles	ATWS-449	57.2	ATWS is required for HDD	2584	75	37921.59	0.87	Agricultural
St. Charles	ATWS-452	57.2	ATWS is required for wetland crossing	100	25	2500.00	0.06	Agricultural
St. Charles	ATWS-453	57.2	ATWS is required for topsoil segregation	410	25	10258.86	0.24	Agricultural
St. Charles	ATWS-454	57.2	ATWS is required for wetland crossing	100	25	2500.04	0.06	Agricultural
St. Charles	ATWS-455	57.3	ATWS is required for road crossing	100	25	2503.35	0.06	Agricultural
St. Charles	ATWS-449	57.3	ATWS is required for HDD	2584	75	2167.68	0.05	Developed
St. Charles	ATWS-449	57.3	ATWS is required for HDD	2584	75	29246.88	0.67	Agricultural
St. Charles	ATWS-457	57.3	ATWS is required for road crossing	100	25	2503.26	0.06	Agricultural
St. Charles	ATWS-458	57.3	ATWS is required for topsoil segregation	175	25	4413.85	0.10	Agricultural
St. Charles	ATWS-804	57.3	ATWS is required for road crossing	100	25	2503.79	0.06	Agricultural
St. Charles	ATWS-459	57.3	ATWS is required for access road entrance/equipment	100	50	5000.60	0.11	Agricultural
St. Charles	ATWS-460	57.4	ATWS is required for topsoil segregation	1750	25	43660.93	1.00	Agricultural
St. Charles	ATWS-449	57.4	ATWS is required for HDD	2584	75	5757.19	0.13	Wetland



**Appendix 8-F. Additional Temporary Workspace (Continued)**

County	Workspace ID	Nearest Milepost	Justification	Dimensions <sup>2</sup>		Area (square feet)	Area (acres)	Existing Land Use
				Length	Width			
<b>24-Inch Pipeline (continued)</b>								
<i>Missouri (continued)</i>								
St. Charles	ATWS-449	57.4	ATWS is required for HDD	2584	75	66225.84	1.52	Agricultural
St. Charles	ATWS-461	57.7	ATWS is required for HDD	300	95	28497.30	0.65	Agricultural
St. Charles	ATWS-462	57.7	ATWS is required for HDD	300	115	34499.74	0.79	Agricultural
St. Louis	ATWS-463	58.3	ATWS is required for HDD	290	95	119.53	0.00	Forest
St. Louis	ATWS-463	58.3	ATWS is required for HDD	290	95	25491.88	0.59	Developed
St. Louis	ATWS-463	58.3	ATWS is required for HDD	290	95	1938.68	0.04	Forest
St. Louis	ATWS-464	58.3	ATWS is required for HDD	300	91	26808.57	0.62	Developed
St. Louis	ATWS-464	58.3	ATWS is required for HDD	300	91	590.67	0.01	Wetland
St. Louis	ATWS-805	58.6	ATWS is required for road crossing	115	35	3083.61	0.07	Developed
St. Louis	ATWS-805	58.6	ATWS is required for road crossing	115	35	955.88	0.02	Forest
St. Louis	ATWS-806	58.6	ATWS is required for road crossing	117	25	2922.88	0.07	Forest
St. Louis	ATWS-807	58.7	ATWS is required for topsoil segregation	265	40	10609.30	0.24	Open Land
St. Louis	ATWS-808	58.8	Construction of Laclede/Lange Delivery Station/hydrostatic testing	100	85	4242.74	0.10	Forest
St. Louis	ATWS-808	58.8	Construction of Laclede/Lange Delivery Station/hydrostatic testing	100	85	4219.61	0.10	Developed
St. Louis	ATWS-808	58.8	Construction of Laclede/Lange Delivery Station/hydrostatic testing	100	85	40.12	0.00	Agricultural
St. Louis	ATWS-809	58.8	Construction of Laclede/Lange Delivery Station/hydrostatic testing	365	245	82.98	0.00	Developed
St. Louis	ATWS-809	58.8	Construction of Laclede/Lange Delivery Station/hydrostatic testing	365	245	89308.93	2.05	Agricultural
<b>Subtotal<sup>1</sup></b>							<b>57.67</b>	
<b>Project Totals<sup>1</sup></b>							<b>217.83</b>	





## Appendix 8-F. Additional Temporary Workspace (Continued)

Notes:

- <sup>1</sup> Totals may not equal the sum of the columns due to rounding.
- <sup>2</sup> The dimensions shown are approximate and may not equal the total area of impact for irregular ATWS.